



Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara CA 93101 - 805.568.3440 - www.countyofsb.org/pwd

Rainfall and Reservoir Summary

Updated 8am: 10/23/2020

Water Year: 2021

Storm Number: NA

Notes: Daily rainfall amounts are recorded as of 8am for the previous 24 hours. Rainfall units are expressed in inches.

All data on this page are from automated sensors, are preliminary, and subject to verification.

*Each Water Year (WY) runs from Sept 1 through Aug 31 and is designated by the calendar year in which it ends

[County Real-Time Rainfall and Reservoir Website link](http://www.countyofsb.org/hydrology) ➤ <http://www.countyofsb.org/hydrology>

Rainfall	ID	24 hrs	Storm 0day(s)	Month	Year*	% to Date	% of Year*	AI
Buellton (Fire Stn)	233	0.00	0.00	0.00	0.00	0%	0%	
Cachuma Dam (USBR)	332	0.00	0.00	0.00	0.00	0%	0%	
Carpinteria (Fire Stn)	208	0.00	0.00	0.00	0.01	2%	0%	
Cuyama (Fire Stn)	436	0.00	0.00	0.00	0.00	0%	0%	
Figueroa Mtn (USFS Stn)	421	0.00	0.00	0.00	0.00	0%	0%	12.5
Gibraltar Dam (City Facility)	230	0.00	0.00	0.00	0.00	0%	0%	12.5
Goleta (Fire Stn-Los Carneros)	440	0.00	0.00	0.01	0.01	2%	0%	
Lompoc (City Hall)	439	0.01	0.00	0.01	0.01	2%	0%	12.5
Los Alamos (Fire Stn)	204	0.00	0.00	0.01	0.03	6%	0%	
San Marcos Pass (USFS Stn)	212	0.00	0.00	0.01	0.01	1%	0%	
Santa Barbara (County Bldg)	234	0.00	0.00	0.01	0.05	8%	0%	
Santa Maria (City Pub.Works)	380	0.00	0.00	0.01	0.03	6%	0%	
Santa Ynez (Fire Stn /Airport)	218	0.00	0.00	0.00	0.01	2%	0%	
Sisquoc (Fire Stn)	256	0.00	0.00	0.00	0.00	0%	0%	

County-wide percentage of "Normal-to-Date" rainfall : **2%**

County-wide percentage of "Normal Water-Year" rainfall : **0%**

County-wide percentage of "Normal Water-Year" rainfall calculated assuming no more rain through Aug. 31, 2021 (End of WY2021).

AI (Antecedent Index / Soil Wetness)

- 6.0 and below = Wet (min. = 2.5)
- 6.1 - 9.0 = Moderate
- 9.1 and above = Dry (max. = 12.5)

Reservoirs

Reservoir Elevations referenced to NGVD-29.

**Cachuma is full and subject to spilling at elevation 750 ft.

However, the lake is surcharged to 753 ft. for fish release water.

(Cachuma water storage is based on Dec 2013 capacity revision)

Click on Site for Real-Time Readings	Spillway Elev. (ft)	Current Elev. (ft)	Max. Storage (ac-ft)	Current Storage (ac-ft)	Current Capacity (%)	Storage Change Mo.(ac-ft)	Storage Change Year*(ac-ft)
Gibraltar Reservoir	1,400.00	1,381.40	4,559	1,288	28.3%	-356	-922
Cachuma Reservoir	753.**	730.35	193,305	131,625	68.1%	-3,777	-12,150
Jameson Reservoir	2,224.00	2,216.64	4,848	3,970	81.9%	-134	-318
Twitchell Reservoir	651.50	541.11	194,971	3,158	1.6%	-291	-662

[Previous Rainfall and Reservoir Summaries](#)



Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara CA 93101 - 805.568.3440 - www.countyofsb.org/pwd

Rainfall and Reservoir Summary

Updated 8am: 10/19/2020

Water Year: 2021

Storm Number: NA

Notes: Daily rainfall amounts are recorded as of 8am for the previous 24 hours. Rainfall units are expressed in inches.

All data on this page are from automated sensors, are preliminary, and subject to verification.

*Each Water Year (WY) runs from Sept 1 through Aug 31 and is designated by the calendar year in which it ends

[County Real-Time Rainfall and Reservoir Website link](http://www.countyofsb.org/hydrology) ➤ <http://www.countyofsb.org/hydrology>

Rainfall	ID	24 hrs	Storm 0day(s)	Month	Year*	% to Date	% of Year*	AI
Buellton (Fire Stn)	233	0.00	0.00	0.00	0.00	0%	0%	
Cachuma Dam (USBR)	332	0.00	0.00	0.00	0.00	0%	0%	
Carpinteria (Fire Stn)	208	0.00	0.00	0.00	0.01	2%	0%	
Cuyama (Fire Stn)	436	0.00	0.00	0.00	0.00	0%	0%	
Figueroa Mtn (USFS Stn)	421	0.00	0.00	0.00	0.00	0%	0%	12.5
Gibraltar Dam (City Facility)	230	0.00	0.00	0.00	0.00	0%	0%	12.5
Goleta (Fire Stn-Los Carneros)	440	0.00	0.00	0.00	0.00	0%	0%	
Lompoc (City Hall)	439	0.00	0.00	0.00	0.00	0%	0%	12.5
Los Alamos (Fire Stn)	204	0.00	0.00	0.00	0.02	5%	0%	
San Marcos Pass (USFS Stn)	212	0.00	0.00	0.00	0.00	0%	0%	
Santa Barbara (County Bldg)	234	0.00	0.00	0.00	0.04	7%	0%	
Santa Maria (City Pub.Works)	380	0.00	0.00	0.00	0.02	4%	0%	
Santa Ynez (Fire Stn /Airport)	218	0.00	0.00	0.00	0.01	2%	0%	
Sisquoc (Fire Stn)	256	0.00	0.00	0.00	0.00	0%	0%	

County-wide percentage of "Normal-to-Date" rainfall : **1%**

County-wide percentage of "Normal Water-Year" rainfall : **0%**

County-wide percentage of "Normal Water-Year" rainfall calculated assuming no more rain through Aug. 31, 2021 (End of WY2021).

AI (Antecedent Index / Soil Wetness)

6.0 and below = Wet (min. = 2.5)

6.1 - 9.0 = Moderate

9.1 and above = Dry (max. = 12.5)

Reservoirs

Reservoir Elevations referenced to NGVD-29.

**Cachuma is full and subject to spilling at elevation 750 ft.

However, the lake is surcharged to 753 ft. for fish release water.

(Cachuma water storage is based on Dec 2013 capacity revision)

Click on Site for Real-Time Readings	Spillway Elev. (ft)	Current Elev. (ft)	Max. Storage (ac-ft)	Current Storage (ac-ft)	Current Capacity (%)	Storage Change Mo.(ac-ft)	Storage Change Year*(ac-ft)
Gibraltar Reservoir	1,400.00	1,381.87	4,559	1,350	29.6%	-294	-860
Cachuma Reservoir	753.**	730.65	193,305	132,330	68.5%	-3,072	-11,445
Jameson Reservoir	2,224.00	2,216.84	4,848	3,993	82.4%	-111	-295
Twitchell Reservoir	651.50	541.24	194,971	3,213	1.6%	-236	-607

[Previous Rainfall and Reservoir Summaries](#)



Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara CA 93101 - 805.568.3440 - www.countyofsb.org/pwd

Rainfall and Reservoir Summary

Updated 8am: 10/12/2020

Water Year: 2021

Storm Number: NA

Notes: Daily rainfall amounts are recorded as of 8am for the previous 24 hours. Rainfall units are expressed in inches.

All data on this page are from automated sensors, are preliminary, and subject to verification.

*Each Water Year (WY) runs from Sept 1 through Aug 31 and is designated by the calendar year in which it ends

[County Real-Time Rainfall and Reservoir Website link](http://www.countyofsb.org/hydrology) ➤ <http://www.countyofsb.org/hydrology>

Rainfall	ID	24 hrs	Storm 0day(s)	Month	Year*	% to Date	% of Year*	AI
Buellton (Fire Stn)	233	0.00	0.00	0.00	0.00	0%	0%	
Cachuma Dam (USBR)	332	0.00	0.00	0.00	0.00	0%	0%	
Carpinteria (Fire Stn)	208	0.00	0.00	0.00	0.01	3%	0%	
Cuyama (Fire Stn)	436	0.00	0.00	0.00	0.00	0%	0%	
Figueroa Mtn (USFS Stn)	421	0.00	0.00	0.00	0.00	0%	0%	12.5
Gibraltar Dam (City Facility)	230	0.00	0.00	0.00	0.00	0%	0%	12.5
Goleta (Fire Stn-Los Carneros)	440	0.00	0.00	0.00	0.00	0%	0%	
Lompoc (City Hall)	439	0.00	0.00	0.00	0.00	0%	0%	12.5
Los Alamos (Fire Stn)	204	0.00	0.00	0.00	0.02	7%	0%	
San Marcos Pass (USFS Stn)	212	0.00	0.00	0.00	0.00	0%	0%	
Santa Barbara (County Bldg)	234	0.00	0.00	0.00	0.04	10%	0%	
Santa Maria (City Pub.Works)	380	0.00	0.00	0.00	0.02	6%	0%	
Santa Ynez (Fire Stn /Airport)	218	0.00	0.00	0.00	0.01	3%	0%	
Sisquoc (Fire Stn)	256	0.00	0.00	0.00	0.00	0%	0%	

County-wide percentage of "Normal-to-Date" rainfall : **2%**

County-wide percentage of "Normal Water-Year" rainfall : **0%**

County-wide percentage of "Normal Water-Year" rainfall calculated assuming no more rain through Aug. 31, 2021 (End of WY2021).

AI (Antecedent Index / Soil Wetness)

6.0 and below = Wet (min. = 2.5)

6.1 - 9.0 = Moderate

9.1 and above = Dry (max. = 12.5)

Reservoirs

Reservoir Elevations referenced to NGVD-29.

**Cachuma is full and subject to spilling at elevation 750 ft.

However, the lake is surcharged to 753 ft. for fish release water.

(Cachuma water storage is based on Dec 2013 capacity revision)

Click on Site for Real-Time Readings	Spillway Elev. (ft)	Current Elev. (ft)	Max. Storage (ac-ft)	Current Storage (ac-ft)	Current Capacity (%)	Storage Change Mo.(ac-ft)	Storage Change Year*(ac-ft)
Gibraltar Reservoir	1,400.00	1,382.73	4,559	1,463	32.1%	-181	-747
Cachuma Reservoir	753.**	731.14	193,305	133,493	69.1%	-1,909	-10,282
Jameson Reservoir	2,224.00	2,217.22	4,848	4,037	83.3%	-67	-251
Twitchell Reservoir	651.50	541.35	194,971	3,260	1.7%	-189	-560

[Previous Rainfall and Reservoir Summaries](#)



Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara CA 93101 - 805.568.3440 - www.countyofsb.org/pwd

Rainfall and Reservoir Summary

Updated 8am: 10/9/2020

Water Year: 2021

Storm Number: NA

Notes: Daily rainfall amounts are recorded as of 8am for the previous 24 hours. Rainfall units are expressed in inches.

All data on this page are from automated sensors, are preliminary, and subject to verification.

*Each Water Year (WY) runs from Sept 1 through Aug 31 and is designated by the calendar year in which it ends

[County Real-Time Rainfall and Reservoir Website link](http://www.countyofsb.org/hydrology) ➤ <http://www.countyofsb.org/hydrology>

Rainfall	ID	24 hrs	Storm 0day(s)	Month	Year*	% to Date	% of Year*	AI
Buellton (Fire Stn)	233	0.00	0.00	0.00	0.00	0%	0%	
Cachuma Dam (USBR)	332	0.00	0.00	0.00	0.00	0%	0%	
Carpinteria (Fire Stn)	208	0.00	0.00	0.00	0.01	3%	0%	
Cuyama (Fire Stn)	436	0.00	0.00	0.00	0.00	0%	0%	
Figueroa Mtn (USFS Stn)	421	0.00	0.00	0.00	0.00	0%	0%	12.5
Gibraltar Dam (City Facility)	230	0.00	0.00	0.00	0.00	0%	0%	12.5
Goleta (Fire Stn-Los Carneros)	440	0.00	0.00	0.00	0.00	0%	0%	
Lompoc (City Hall)	439	0.00	0.00	0.00	0.00	0%	0%	12.5
Los Alamos (Fire Stn)	204	0.00	0.00	0.00	0.02	7%	0%	
San Marcos Pass (USFS Stn)	212	0.00	0.00	0.00	0.00	0%	0%	
Santa Barbara (County Bldg)	234	0.00	0.00	0.00	0.04	10%	0%	
Santa Maria (City Pub.Works)	380	0.00	0.00	0.00	0.02	7%	0%	
Santa Ynez (Fire Stn /Airport)	218	0.00	0.00	0.00	0.01	4%	0%	
Sisquoc (Fire Stn)	256	0.00	0.00	0.00	0.00	0%	0%	

County-wide percentage of "Normal-to-Date" rainfall : **2%**

County-wide percentage of "Normal Water-Year" rainfall : **0%**

County-wide percentage of "Normal Water-Year" rainfall calculated assuming no more rain through Aug. 31, 2021 (End of WY2021).

AI (Antecedent Index / Soil Wetness)

6.0 and below = Wet (min. = 2.5)

6.1 - 9.0 = Moderate

9.1 and above = Dry (max. = 12.5)

Reservoirs

Reservoir Elevations referenced to NGVD-29.

**Cachuma is full and subject to spilling at elevation 750 ft.

However, the lake is surcharged to 753 ft. for fish release water.

(Cachuma water storage is based on Dec 2013 capacity revision)

Click on Site for Real-Time Readings	Spillway Elev. (ft)	Current Elev. (ft)	Max. Storage (ac-ft)	Current Storage (ac-ft)	Current Capacity (%)	Storage Change Mo.(ac-ft)	Storage Change Year*(ac-ft)
Gibraltar Reservoir	1,400.00	1,383.09	4,559	1,511	33.1%	-133	-699
Cachuma Reservoir	753.**	731.33	193,305	133,944	69.3%	-1,458	-9,831
Jameson Reservoir	2,224.00	2,217.38	4,848	4,056	83.7%	-48	-232
Twitchell Reservoir	651.50	541.48	194,971	3,314	1.7%	-135	-506

[Previous Rainfall and Reservoir Summaries](#)



Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara CA 93101 - 805.568.3440 - www.countyofsb.org/pwd

Rainfall and Reservoir Summary

Updated 8am: 10/5/2020

Water Year: 2021

Storm Number: NA

Notes: Daily rainfall amounts are recorded as of 8am for the previous 24 hours. Rainfall units are expressed in inches.

All data on this page are from automated sensors, are preliminary, and subject to verification.

*Each Water Year (WY) runs from Sept 1 through Aug 31 and is designated by the calendar year in which it ends

[County Real-Time Rainfall and Reservoir Website link](http://www.countyofsb.org/hydrology) ➤ <http://www.countyofsb.org/hydrology>

Rainfall	ID	24 hrs	Storm 0day(s)	Month	Year*	% to Date	% of Year*	AI
Buellton (Fire Stn)	233	0.00	0.00	0.00	0.00	0%	0%	
Cachuma Dam (USBR)	332	0.00	0.00	0.00	0.00	0%	0%	
Carpinteria (Fire Stn)	208	0.00	0.00	0.00	0.01	3%	0%	
Cuyama (Fire Stn)	436	0.00	0.00	0.00	0.00	0%	0%	
Figueroa Mtn (USFS Stn)	421	0.00	0.00	0.00	0.00	0%	0%	12.5
Gibraltar Dam (City Facility)	230	0.00	0.00	0.00	0.00	0%	0%	12.5
Goleta (Fire Stn-Los Carneros)	440	0.00	0.00	0.00	0.00	0%	0%	
Lompoc (City Hall)	439	0.00	0.00	0.00	0.00	0%	0%	12.5
Los Alamos (Fire Stn)	204	0.00	0.00	0.00	0.02	8%	0%	
San Marcos Pass (USFS Stn)	212	0.00	0.00	0.00	0.00	0%	0%	
Santa Barbara (County Bldg)	234	0.00	0.00	0.00	0.04	11%	0%	
Santa Maria (City Pub.Works)	380	0.00	0.00	0.00	0.02	8%	0%	
Santa Ynez (Fire Stn /Airport)	218	0.00	0.00	0.00	0.01	4%	0%	
Sisquoc (Fire Stn)	256	0.00	0.00	0.00	0.00	0%	0%	

County-wide percentage of "Normal-to-Date" rainfall : **2%**

County-wide percentage of "Normal Water-Year" rainfall : **0%**

County-wide percentage of "Normal Water-Year" rainfall calculated assuming no more rain through Aug. 31, 2021 (End of WY2021).

AI (Antecedent Index / Soil Wetness)

6.0 and below = Wet (min. = 2.5)

6.1 - 9.0 = Moderate

9.1 and above = Dry (max. = 12.5)

Reservoirs

Reservoir Elevations referenced to NGVD-29.

**Cachuma is full and subject to spilling at elevation 750 ft.

However, the lake is surcharged to 753 ft. for fish release water.

(Cachuma water storage is based on Dec 2013 capacity revision)

Click on Site for Real-Time Readings	Spillway Elev. (ft)	Current Elev. (ft)	Max. Storage (ac-ft)	Current Storage (ac-ft)	Current Capacity (%)	Storage Change Mo.(ac-ft)	Storage Change Year*(ac-ft)
Gibraltar Reservoir	1,400.00	1,383.57	4,559	1,577	34.6%	-67	-633
Cachuma Reservoir	753.**	731.62	193,305	134,634	69.6%	-768	-9,141
Jameson Reservoir	2,224.00	2,217.58	4,848	4,079	84.1%	-25	-209
Twitchell Reservoir	651.50	541.56	194,971	3,348	1.7%	-101	-472

[Previous Rainfall and Reservoir Summaries](#)



Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara CA 93101 - 805.568.3440 - www.countyofsb.org/pwd

Rainfall and Reservoir Summary

Updated 8am: 10/1/2020

Water Year: 2021

Storm Number: NA

Notes: Daily rainfall amounts are recorded as of 8am for the previous 24 hours. Rainfall units are expressed in inches.

All data on this page are from automated sensors, are preliminary, and subject to verification.

*Each Water Year (WY) runs from Sept 1 through Aug 31 and is designated by the calendar year in which it ends

County Real-Time Rainfall and Reservoir Website link: <http://www.countyofsb.org/hydrology>

Rainfall	ID	24 hrs	Storm 0day(s)	Month	Year*	% to Date	% of Year*	AI
Buellton (Fire Stn)	233	0.00	0.00	0.00	0.00	0%	0%	
Cachuma Dam (USBR)	332	0.00	0.00	0.00	0.00	0%	0%	
Carpinteria (Fire Stn)	208	0.00	0.00	0.00	0.01	3%	0%	
Cuyama (Fire Stn)	436	0.00	0.00	0.00	0.00	0%	0%	
Figueroa Mtn (USFS Stn)	421	0.00	0.00	0.00	0.00	0%	0%	12.5
Gibraltar Dam (City Facility)	230	0.00	0.00	0.00	0.00	0%	0%	12.5
Goleta (Fire Stn-Los Carneros)	440	0.00	0.00	0.00	0.00	0%	0%	
Lompoc (City Hall)	439	0.00	0.00	0.00	0.00	0%	0%	12.5
Los Alamos (Fire Stn)	204	0.00	0.00	0.00	0.02	9%	0%	
San Marcos Pass (USFS Stn)	212	0.00	0.00	0.00	0.00	0%	0%	
Santa Barbara (County Bldg)	234	0.00	0.00	0.00	0.04	13%	0%	
Santa Maria (City Pub.Works)	380	0.00	0.00	0.00	0.02	9%	0%	
Santa Ynez (Fire Stn /Airport)	218	0.00	0.00	0.00	0.01	4%	0%	
Sisquoc (Fire Stn)	256	0.00	0.00	0.00	0.00	0%	0%	

County-wide percentage of "Normal-to-Date" rainfall : **3%**

County-wide percentage of "Normal Water-Year" rainfall : **0%**

County-wide percentage of "Normal Water-Year" rainfall calculated assuming no more rain through Aug. 31, 2021 (End of WY2021).

AI (Antecedent Index / Soil Wetness)

6.0 and below = Wet (min. = 2.5)
 6.1 - 9.0 = Moderate
 9.1 and above = Dry (max. = 12.5)

Reservoirs

Reservoir Elevations referenced to NGVD-29.

**Cachuma is full and subject to spilling at elevation 750 ft.

However, the lake is surcharged to 753 ft. for fish release water.

(Cachuma water storage is based on Dec 2013 capacity revision)

Click on Site for Real-Time Readings	Spillway Elev. (ft)	Current Elev. (ft)	Max. Storage (ac-ft)	Current Storage (ac-ft)	Current Capacity (%)	Storage Change Mo.(ac-ft)	Storage Change Year*(ac-ft)
Gibraltar Reservoir	1,400.00	1,384.06	4,559	1,644	36.1%	0	-566
Cachuma Reservoir	753.**	731.94	193,305	135,402	70.0%	0	-8,373
Jameson Reservoir	2,224.00	2,217.80	4,848	4,104	84.7%	0	-184
Twitchell Reservoir	651.50	541.80	194,971	3,449	1.8%	0	-371

[Previous Rainfall and Reservoir Summaries](#)



Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara CA 93101 - 805.568.3440 - www.countyofsb.org/pwd

Rainfall and Reservoir Summary

Updated 8am: 9/25/2020

Water Year: 2021

Storm Number: NA

Notes: Daily rainfall amounts are recorded as of 8am for the previous 24 hours. Rainfall units are expressed in inches.

All data on this page are from automated sensors, are preliminary, and subject to verification.

*Each Water Year (WY) runs from Sept 1 through Aug 31 and is designated by the calendar year in which it ends

[County Real-Time Rainfall and Reservoir Website link](http://www.countyofsb.org/hydrology) ➤ <http://www.countyofsb.org/hydrology>

Rainfall	ID	24 hrs	Storm 0day(s)	Month	Year*	% to Date	% of Year*	AI
Buellton (Fire Stn)	233	0.00	0.00	0.00	0.00	0%	0%	
Cachuma Dam (USBR)	332	0.00	0.00	0.00	0.00	0%	0%	
Carpinteria (Fire Stn)	208	0.00	0.00	0.01	0.01	6%	0%	
Cuyama (Fire Stn)	436	0.00	0.00	0.00	0.00	0%	0%	
Figueroa Mtn (USFS Stn)	421	0.00	0.00	0.00	0.00	0%	0%	12.5
Gibraltar Dam (City Facility)	230	0.00	0.00	0.00	0.00	0%	0%	12.5
Goleta (Fire Stn-Los Carneros)	440	0.00	0.00	0.00	0.00	0%	0%	
Lompoc (City Hall)	439	0.00	0.00	0.00	0.00	0%	0%	12.5
Los Alamos (Fire Stn)	204	0.00	0.00	0.02	0.02	13%	0%	
San Marcos Pass (USFS Stn)	212	0.00	0.00	0.00	0.00	0%	0%	
Santa Barbara (County Bldg)	234	0.00	0.00	0.04	0.04	21%	0%	
Santa Maria (City Pub.Works)	380	0.00	0.00	0.02	0.02	17%	0%	
Santa Ynez (Fire Stn /Airport)	218	0.00	0.00	0.01	0.01	7%	0%	
Sisquoc (Fire Stn)	256	0.00	0.00	0.00	0.00	0%	0%	

County-wide percentage of "Normal-to-Date" rainfall : **5%**

County-wide percentage of "Normal Water-Year" rainfall : **0%**

County-wide percentage of "Normal Water-Year" rainfall calculated assuming no more rain through Aug. 31, 2021 (End of WY2021).

AI (Antecedent Index / Soil Wetness)

6.0 and below = Wet (min. = 2.5)

6.1 - 9.0 = Moderate

9.1 and above = Dry (max. = 12.5)

Reservoirs

Reservoir Elevations referenced to NGVD-29.

**Cachuma is full and subject to spilling at elevation 750 ft.

However, the lake is surcharged to 753 ft. for fish release water.

(Cachuma water storage is based on Dec 2013 capacity revision)

Click on Site for Real-Time Readings	Spillway Elev. (ft)	Current Elev. (ft)	Max. Storage (ac-ft)	Current Storage (ac-ft)	Current Capacity (%)	Storage Change Mo.(ac-ft)	Storage Change Year*(ac-ft)
Gibraltar Reservoir	1,400.00	1,384.88	4,559	1,759	38.6%	-451	-451
Cachuma Reservoir	753.**	732.39	193,305	136,482	70.6%	-7,293	-7,293
Jameson Reservoir	2,224.00	2,218.04	4,848	4,132	85.2%	-156	-156
Twitchell Reservoir	651.50	542.03	194,971	3,547	1.8%	-273	-273

[Previous Rainfall and Reservoir Summaries](#)



Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara CA 93101 - 805.568.3440 - www.countyofsb.org/pwd

Rainfall and Reservoir Summary

Updated 8am: 9/21/2020

Water Year: 2021

Storm Number: NA

Notes: Daily rainfall amounts are recorded as of 8am for the previous 24 hours. Rainfall units are expressed in inches. All data on this page are from automated sensors, are preliminary, and subject to verification.

*Each Water Year (WY) runs from Sept 1 through Aug 31 and is designated by the calendar year in which it ends
[County Real-Time Rainfall and Reservoir Website link: > http://www.countyofsb.org/hydrology](http://www.countyofsb.org/hydrology)

Rainfall	ID	24 hrs	Storm 0day(s)	Month	Year*	% to Date	% of Year*	AI
Buellton (Fire Stn)	233	0.00	0.00	0.00	0.00	0%	0%	
Cachuma Dam (USBR)	332	0.00	0.00	0.00	0.00	0%	0%	
Carpinteria (Fire Stn)	208	0.01	0.00	0.01	0.01	7%	0%	
Cuyama (Fire Stn)	436	0.00	0.00	0.00	0.00	0%	0%	
Figueroa Mtn. (USFS Stn)	421	0.00	0.00	0.00	0.00	0%	0%	12.5
Gibraltar Dam (City Facility)	230	0.00	0.00	0.00	0.00	0%	0%	12.5
Goleta (Fire Stn-Los Carneros)	440	0.00	0.00	0.00	0.00	0%	0%	
Lompoc (City Hall)	439	0.00	0.00	0.00	0.00	0%	0%	12.5
Los Alamos (Fire Stn)	204	0.00	0.00	0.01	0.01	9%	0%	
San Marcos Pass (USFS Stn)	212	0.00	0.00	0.00	0.00	0%	0%	
Santa Barbara (County Bldg)	234	0.00	0.00	0.04	0.04	41%	0%	
Santa Maria (City Pub.Works)	380	0.00	0.00	0.02	0.02	23%	0%	
Santa Ynez (Fire Stn /Airport)	218	0.00	0.00	0.00	0.00	0%	0%	
Sisquoc (Fire Stn)	256	0.00	0.00	0.00	0.00	0%	0%	

County-wide percentage of "Normal-to-Date" rainfall : **6%**

County-wide percentage of "Normal Water-Year" rainfall : **0%**

County-wide percentage of "Normal Water-Year" rainfall calculated assuming no more rain through Aug. 31, 2021 (End of WY2021).

AI (Antecedent Index / Soil Wetness)

6.0 and below = Wet (min. = 2.5)
 6.1 - 9.0 = Moderate
 9.1 and above = Dry (max. = 12.5)

Reservoirs

Reservoir Elevations referenced to NGVD-29.

**Cachuma is full and subject to spilling at elevation 750 ft.

However, the lake is surcharged to 753 ft. for fish release water.

(Cachuma water storage is based on Dec 2013 capacity revision)

Click on Site for Real-Time Readings	Spillway Elev. (ft)	Current Elev. (ft)	Max. Storage (ac-ft)	Current Storage (ac-ft)	Current Capacity (%)	Storage Change Mo.(ac-ft)	Storage Change Year*(ac-ft)
Gibraltar Reservoir	1,400.00	1,385.41	4,559	1,836	40.3%	-374	-374
Cachuma Reservoir	753.**	732.74	193,305	137,326	71.0%	-6,449	-6,449
Jameson Reservoir	2,224.00	2,218.26	4,848	4,158	85.8%	-130	-130
Twitchell Reservoir	651.50	542.06	194,971	3,561	1.8%	-259	-259



Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara CA 93101 - 805.568.3440 - www.countyofsb.org/pwd

Rainfall and Reservoir Summary

Updated 8am: 9/18/2020

Water Year: 2021

Storm Number: NA

Notes: Daily rainfall amounts are recorded as of 8am for the previous 24 hours. Rainfall units are expressed in inches.

All data on this page are from automated sensors, are preliminary, and subject to verification.

*Each Water Year (WY) runs from Sept 1 through Aug 31 and is designated by the calendar year in which it ends

[County Real-Time Rainfall and Reservoir Website link](http://www.countyofsb.org/hydrology) ➤ <http://www.countyofsb.org/hydrology>

Rainfall	ID	24 hrs	Storm 0day(s)	Month	Year*	% to Date	% of Year*	AI
Buellton (Fire Stn)	233	0.00	0.00	0.00	0.00	0%	0%	
Cachuma Dam (USBR)	332	0.00	0.00	0.00	0.00	0%	0%	
Carpinteria (Fire Stn)	208	0.00	0.00	0.00	0.00	0%	0%	
Cuyama (Fire Stn)	436	0.00	0.00	0.00	0.00	0%	0%	
Figueroa Mtn (USFS Stn)	421	0.00	0.00	0.00	0.00	0%	0%	12.5
Gibraltar Dam (City Facility)	230	0.00	0.00	0.00	0.00	0%	0%	12.5
Goleta (Fire Stn-Los Carneros)	440	0.00	0.00	0.00	0.00	0%	0%	
Lompoc (City Hall)	439	0.00	0.00	0.00	0.00	0%	0%	12.5
Los Alamos (Fire Stn)	204	0.00	0.00	0.01	0.01	9%	0%	
San Marcos Pass (USFS Stn)	212	0.00	0.00	0.00	0.00	0%	0%	
Santa Barbara (County Bldg)	234	0.00	0.00	0.04	0.04	43%	0%	
Santa Maria (City Pub.Works)	380	0.00	0.00	0.02	0.02	27%	0%	
Santa Ynez (Fire Stn /Airport)	218	0.00	0.00	0.00	0.00	0%	0%	
Sisquoc (Fire Stn)	256	0.00	0.00	0.00	0.00	0%	0%	

County-wide percentage of "Normal-to-Date" rainfall : **6%**

County-wide percentage of "Normal Water-Year" rainfall : **0%**

County-wide percentage of "Normal Water-Year" rainfall calculated assuming no more rain through Aug. 31, 2021 (End of WY2021).

AI (Antecedent Index / Soil Wetness)

6.0 and below = Wet (min. = 2.5)

6.1 - 9.0 = Moderate

9.1 and above = Dry (max. = 12.5)

Reservoirs

Reservoir Elevations referenced to NGVD-29.

**Cachuma is full and subject to spilling at elevation 750 ft.

However, the lake is surcharged to 753 ft. for fish release water.

(Cachuma water storage is based on Dec 2013 capacity revision)

Click on Site for Real-Time Readings	Spillway Elev. (ft)	Current Elev. (ft)	Max. Storage (ac-ft)	Current Storage (ac-ft)	Current Capacity (%)	Storage Change Mo.(ac-ft)	Storage Change Year*(ac-ft)
Gibraltar Reservoir	1,400.00	1,385.78	4,559	1,890	41.5%	-320	-320
Cachuma Reservoir	753.**	733.03	193,305	138,031	71.4%	-5,744	-5,744
Jameson Reservoir	2,224.00	2,218.42	4,848	4,177	86.2%	-111	-111
Twitchell Reservoir	651.50	542.18	194,971	3,614	1.9%	-206	-206

[Previous Rainfall and Reservoir Summaries](#)



Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara CA 93101 - 805.568.3440 - www.countyofsb.org/pwd

Rainfall and Reservoir Summary

Updated 8am: 9/14/2020

Water Year: 2021

Storm Number: NA

Notes: Daily rainfall amounts are recorded as of 8am for the previous 24 hours. Rainfall units are expressed in inches.

All data on this page are from automated sensors, are preliminary, and subject to verification.

*Each Water Year (WY) runs from Sept 1 through Aug 31 and is designated by the calendar year in which it ends

[County Real-Time Rainfall and Reservoir Website link](http://www.countyofsb.org/hydrology) ➤ <http://www.countyofsb.org/hydrology>

Rainfall	ID	24 hrs	Storm 0day(s)	Month	Year*	% to Date	% of Year*	AI
Buellton (Fire Stn)	233	0.00	0.00	0.00	0.00	0%	0%	
Cachuma Dam (USBR)	332	0.00	0.00	0.00	0.00	0%	0%	
Carpinteria (Fire Stn)	208	0.00	0.00	0.00	0.00	0%	0%	
Cuyama (Fire Stn)	436	0.00	0.00	0.00	0.00	0%	0%	
Figueroa Mtn (USFS Stn)	421	0.00	0.00	0.00	0.00	0%	0%	12.5
Gibraltar Dam (City Facility)	230	0.00	0.00	0.00	0.00	0%	0%	12.5
Goleta (Fire Stn-Los Carneros)	440	0.00	0.00	0.00	0.00	0%	0%	
Lompoc (City Hall)	439	0.00	0.00	0.00	0.00	0%	0%	12.5
Los Alamos (Fire Stn)	204	0.01	0.00	0.01	0.01	11%	0%	
San Marcos Pass (USFS Stn)	212	0.00	0.00	0.00	0.00	0%	0%	
Santa Barbara (County Bldg)	234	0.00	0.00	0.03	0.03	50%	0%	
Santa Maria (City Pub.Works)	380	0.00	0.00	0.01	0.01	19%	0%	
Santa Ynez (Fire Stn /Airport)	218	0.00	0.00	0.00	0.00	0%	0%	
Sisquoc (Fire Stn)	256	0.00	0.00	0.00	0.00	0%	0%	

County-wide percentage of "Normal-to-Date" rainfall : **6%**

County-wide percentage of "Normal Water-Year" rainfall : **0%**

County-wide percentage of "Normal Water-Year" rainfall calculated assuming no more rain through Aug. 31, 2021 (End of WY2021).

AI (Antecedent Index / Soil Wetness)

6.0 and below = Wet (min. = 2.5)
 6.1 - 9.0 = Moderate
 9.1 and above = Dry (max. = 12.5)

Reservoirs

Reservoir Elevations referenced to NGVD-29.

**Cachuma is full and subject to spilling at elevation 750 ft.

However, the lake is surcharged to 753 ft. for fish release water.

(Cachuma water storage is based on Dec 2013 capacity revision)

Click on Site for Real-Time Readings	Spillway Elev. (ft)	Current Elev. (ft)	Max. Storage (ac-ft)	Current Storage (ac-ft)	Current Capacity (%)	Storage Change Mo.(ac-ft)	Storage Change Year*(ac-ft)
Gibraltar Reservoir	1,400.00	1,386.27	4,559	1,965	43.1%	-245	-245
Cachuma Reservoir	753.**	733.42	193,305	138,980	71.9%	-4,795	-4,795
Jameson Reservoir	2,224.00	2,118.64	4,848	4,203	86.7%	-85	-85
Twitchell Reservoir	651.50	542.21	194,971	3,628	1.9%	-192	-192



Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara CA 93101 - 805.568.3440 - www.countyofsb.org/pwd

Rainfall and Reservoir Summary

Updated 8am: 9/8/2020

Water Year: 2021

Storm Number: NA

Notes: Daily rainfall amounts are recorded as of 8am for the previous 24 hours. Rainfall units are expressed in inches. All data on this page are from automated sensors, are preliminary, and subject to verification.

*Each Water Year (WY) runs from Sept 1 through Aug 31 and is designated by the calendar year in which it ends
[County Real-Time Rainfall and Reservoir Website link: > http://www.countyofsb.org/hydrology](http://www.countyofsb.org/hydrology)

Rainfall	ID	24 hrs	Storm 0day(s)	Month	Year*	% to Date	% of Year*	AI
Buellton (Fire Stn)	233	0.00	0.00	0.00	0.00	0%	0%	
Cachuma Dam (USBR)	332	0.00	0.00	0.00	0.00	0%	0%	
Carpinteria (Fire Stn)	208	0.00	0.00	0.00	0.00	0%	0%	
Cuyama (Fire Stn)	436	0.00	0.00	0.00	0.00	0%	0%	
Figueroa Mtn (USFS Stn)	421	0.00	0.00	0.00	0.00	0%	0%	12.5
Gibraltar Dam (City Facility)	230	0.00	0.00	0.00	0.00	0%	0%	12.5
Goleta (Fire Stn-Los Carneros)	440	0.00	0.00	0.00	0.00	0%	0%	
Lompoc (City Hall)	439	0.00	0.00	0.00	0.00	0%	0%	12.5
Los Alamos (Fire Stn)	204	0.00	0.00	0.00	0.00	0%	0%	
San Marcos Pass (USFS Stn)	212	0.00	0.00	0.00	0.00	0%	0%	
Santa Barbara (County Bldg)	234	0.01	0.00	0.01	0.01	33%	0%	
Santa Maria (City Pub.Works)	380	0.00	0.00	0.00	0.00	0%	0%	
Santa Ynez (Fire Stn /Airport)	218	0.00	0.00	0.00	0.00	0%	0%	
Sisquoc (Fire Stn)	256	0.00	0.00	0.00	0.00	0%	0%	

County-wide percentage of "Normal-to-Date" rainfall : **2%**

County-wide percentage of "Normal Water-Year" rainfall : **0%**

County-wide percentage of "Normal Water-Year" rainfall calculated assuming no more rain through Aug. 31, 2021 (End of WY2021).

AI (Antecedent Index / Soil Wetness)

6.0 and below = Wet (min. = 2.5)
 6.1 - 9.0 = Moderate
 9.1 and above = Dry (max. = 12.5)

Reservoirs

Reservoir Elevations referenced to NGVD-29.
 **Cachuma is full and subject to spilling at elevation 750 ft.
 However, the lake is surcharged to 753 ft. for fish release water.
 (Cachuma water storage is based on Dec 2013 capacity revision)

Click on Site for Real-Time Readings	Spillway Elev. (ft)	Current Elev. (ft)	Max. Storage (ac-ft)	Current Storage (ac-ft)	Current Capacity (%)	Storage Change Mo.(ac-ft)	Storage Change Year*(ac-ft)
Gibraltar Reservoir	1,400.00	1,386.99	4,559	2,077	45.6%	-133	-133
Cachuma Reservoir	753.**	734.23	193,305	140,968	72.9%	-2,807	-2,807
Jameson Reservoir	2,224.00	2,218.96	4,848	4,240	87.5%	-48	-48
Twitchell Reservoir	651.50	542.52	194,971	3,766	1.9%	-54	-54



Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara CA 93101 - 805.568.3440 - www.countyofsb.org/pwd

Rainfall and Reservoir Summary

Updated 8am: 9/4/2020

Water Year: 2021

Storm Number: NA

Notes: Daily rainfall amounts are recorded as of 8am for the previous 24 hours. Rainfall units are expressed in inches. All data on this page are from automated sensors, are preliminary, and subject to verification.

*Each Water Year (WY) runs from Sept 1 through Aug 31 and is designated by the calendar year in which it ends
[County Real-Time Rainfall and Reservoir Website link: > http://www.countyofsb.org/hydrology](http://www.countyofsb.org/hydrology)

Rainfall	ID	24 hrs	Storm 0day(s)	Month	Year*	% to Date	% of Year*	AI
Buellton (Fire Stn)	233	0.00	0.00	0.00	0.00	0%	0%	
Cachuma Dam (USBR)	332	0.00	0.00	0.00	0.00	0%	0%	
Carpinteria (Fire Stn)	208	0.00	0.00	0.00	0.00	0%	0%	
Cuyama (Fire Stn)	436	0.00	0.00	0.00	0.00	0%	0%	
Figueroa Mtn (USFS Stn)	421	0.00	0.00	0.00	0.00	0%	0%	12.5
Gibraltar Dam (City Facility)	230	0.00	0.00	0.00	0.00	0%	0%	12.5
Goleta (Fire Stn-Los Carneros)	440	0.00	0.00	0.00	0.00	0%	0%	
Lompoc (City Hall)	439	0.00	0.00	0.00	0.00	0%	0%	12.5
Los Alamos (Fire Stn)	204	0.00	0.00	0.00	0.00	0%	0%	
San Marcos Pass (USFS Stn)	212	0.00	0.00	0.00	0.00	0%	0%	
Santa Barbara (County Bldg)	234	0.00	0.00	0.00	0.00	0%	0%	
Santa Maria (City Pub.Works)	380	0.00	0.00	0.00	0.00	0%	0%	
Santa Ynez (Fire Stn /Airport)	218	0.00	0.00	0.00	0.00	0%	0%	
Sisquoc (Fire Stn)	256	0.00	0.00	0.00	0.00	0%	0%	

County-wide percentage of "Normal-to-Date" rainfall : 0%

County-wide percentage of "Normal Water-Year" rainfall : 0%

County-wide percentage of "Normal Water-Year" rainfall calculated assuming no more rain through Aug. 31, 2021 (End of WY2021).

AI (Antecedent Index / Soil Wetness)

6.0 and below = Wet (min. = 2.5)
 6.1 - 9.0 = Moderate
 9.1 and above = Dry (max. = 12.5)

Reservoirs

Reservoir Elevations referenced to NGVD-29.
 **Cachuma is full and subject to spilling at elevation 750 ft.
 However, the lake is surcharged to 753 ft. for fish release water.
 (Cachuma water storage is based on Dec 2013 capacity revision)

Click on Site for Real-Time Readings	Spillway Elev. (ft)	Current Elev. (ft)	Max. Storage (ac-ft)	Current Storage (ac-ft)	Current Capacity (%)	Storage Change Mo.(ac-ft)	Storage Change Year*(ac-ft)
Gibraltar Reservoir	1,400.00	1,387.47	4,559	2,156	47.3%	-54	-54
Cachuma Reservoir	753.**	734.87	193,305	142,552	73.7%	-1,223	-1,223
Jameson Reservoir	2,224.00	2,219.18	4,848	4,266	88.0%	-22	-22
Twitchell Reservoir	651.50	542.66	194,971	3,829	2.0%	9	9



Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara CA 93101 - 805.568.3440 - www.countyofsb.org/pwd

Rainfall and Reservoir Summary

Updated 8am: 9/1/2020

Water Year: 2021

Storm Number:

Notes: Daily rainfall amounts are recorded as of 8am for the previous 24 hours. Rainfall units are expressed in inches.

All data on this page are from automated sensors, are preliminary, and subject to verification.

*Each Water Year (WY) runs from Sept 1 through Aug 31 and is designated by the calendar year in which it ends

County Real-Time Rainfall and Reservoir Website link: <http://www.countyofsb.org/hydrology>

Rainfall	ID	24 hrs	Storm 0day(s)	Month	Year*	% to Date	% of Year*	AI
Buellton (Fire Stn)	233	0.00	0.00	0.00	0.00	0%	0%	
Cachuma Dam (USBR)	332	0.00	0.00	0.00	0.00	0%	0%	
Carpinteria (Fire Stn)	208	0.00	0.00	0.00	0.00	0%	0%	
Cuyama (Fire Stn)	436	0.00	0.00	0.00	0.00	0%	0%	
Figueroa Mtn (USFS Stn)	421	0.00	0.00	0.00	0.00	0%	0%	12.5
Gibraltar Dam (City Facility)	230	0.00	0.00	0.00	0.00	0%	0%	12.5
Goleta (Fire Stn-Los Carneros)	440	0.00	0.00	0.00	0.00	0%	0%	
Lompoc (City Hall)	439	0.00	0.00	0.00	0.00	0%	0%	12.5
Los Alamos (Fire Stn)	204	0.00	0.00	0.00	0.00	0%	0%	
San Marcos Pass (USFS Stn)	212	0.00	0.00	0.00	0.00	0%	0%	
Santa Barbara (County Bldg)	234	0.00	0.00	0.00	0.00	0%	0%	
Santa Maria (City Pub.Works)	380	0.00	0.00	0.00	0.00	0%	0%	
Santa Ynez (Fire Stn /Airport)	218	0.00	0.00	0.00	0.00	0%	0%	
Sisquoc (Fire Stn)	256	0.00	0.00	0.00	0.00	0%	0%	

County-wide percentage of "Normal-to-Date" rainfall : 0%

County-wide percentage of "Normal Water-Year" rainfall : 0%

County-wide percentage of "Normal Water-Year" rainfall calculated assuming no more rain through Aug. 31, 2021 (End of WY2021).

AI (Antecedent Index / Soil Wetness)

6.0 and below = Wet (min. = 2.5)

6.1 - 9.0 = Moderate

9.1 and above = Dry (max. = 12.5)

Reservoirs

Reservoir Elevations referenced to NGVD-29.

**Cachuma is full and subject to spilling at elevation 750 ft.

However, the lake is surcharged to 753 ft. for fish release water.

(Cachuma water storage is based on Dec 2013 capacity revision)

Click on Site for Real-Time Readings	Spillway Elev. (ft)	Current Elev. (ft)	Max. Storage (ac-ft)	Current Storage (ac-ft)	Current Capacity (%)	Storage Change Mo.(ac-ft)	Storage Change Year*(ac-ft)
Gibraltar Reservoir	1,400.00	1,387.80	4,559	2,210	48.5%	0	0
Cachuma Reservoir	753.**	735.36	193,305	143,775	74.4%	0	0
Jameson Reservoir	2,224.00	2,219.36	4,848	4,288	88.4%	0	0
Twitchell Reservoir	651.50	542.64	194,971	3,820	2.0%	0	0

[Previous Rainfall and Reservoir Summaries](#)



Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara CA 93101 - 805.568.3440 - www.countyofsb.org/pwd

Rainfall and Reservoir Summary

Updated 8am: 8/31/2020

Water Year: 2020

Storm Number: NA

Notes: Daily rainfall amounts are recorded as of 8am for the previous 24 hours. Rainfall units are expressed in inches. All data on this page are from automated sensors, are preliminary, and subject to verification.

*Each Water Year (WY) runs from Sept 1 through Aug 31 and is designated by the calendar year in which it ends
[County Real-Time Rainfall and Reservoir Website link: > http://www.countyofsb.org/hydrology](http://www.countyofsb.org/hydrology)

Rainfall	ID	24 hrs	Storm 0day(s)	Month	Year*	% to Date	% of Year*	AI
Buellton (Fire Stn)	233	0.00	0.00	0.23	15.43	93%	93%	
Cachuma Dam (USBR)	332	0.00	0.00	0.00	20.98	106%	106%	
Carpinteria (Fire Stn)	208	0.00	0.00	0.01	13.08	75%	75%	
Cuyama (Fire Stn)	436	0.00	0.00	0.00	8.75	114%	114%	
Figueroa Mtn (USFS Stn)	421	0.00	0.00	0.11	21.57	101%	101%	11.4
Gibraltar Dam (City Facility)	230	0.00	0.00	0.00	24.51	93%	93%	12.1
Goleta (Fire Stn-Los Carneros)	440	0.00	0.00	0.00	14.23	77%	77%	
Lompoc (City Hall)	439	0.00	0.00	0.07	12.97	89%	89%	12.5
Los Alamos (Fire Stn)	204	0.00	0.00	0.08	15.23	100%	100%	
San Marcos Pass (USFS Stn)	212	0.00	0.00	0.00	27.86	82%	82%	
Santa Barbara (County Bldg)	234	0.00	0.00	0.00	16.47	90%	90%	
Santa Maria (City Pub.Works)	380	0.00	0.00	0.07	11.45	86%	86%	
Santa Ynez (Fire Stn /Airport)	218	0.01	0.00	0.01	15.13	96%	96%	
Sisquoc (Fire Stn)	256	0.00	0.00	0.20	13.50	89%	89%	

County-wide percentage of "Normal-to-Date" rainfall : **92%**

County-wide percentage of "Normal Water-Year" rainfall : **92%**

County-wide percentage of "Normal Water-Year" rainfall calculated assuming no more rain through Aug. 31, 2020 (End of WY2020).

AI (Antecedent Index / Soil Wetness)

6.0 and below = Wet (min. = 2.5)
 6.1 - 9.0 = Moderate
 9.1 and above = Dry (max. = 12.5)

Reservoirs

Reservoir Elevations referenced to NGVD-29.

**Cachuma is full and subject to spilling at elevation 750 ft.

However, the lake is surcharged to 753 ft. for fish release water.

(Cachuma water storage is based on Dec 2013 capacity revision)

Click on Site for Real-Time Readings	Spillway Elev. (ft)	Current Elev. (ft)	Max. Storage (ac-ft)	Current Storage (ac-ft)	Current Capacity (%)	Storage Change Mo.(ac-ft)	Storage Change Year*(ac-ft)
Gibraltar Reservoir	1,400.00	1,387.93	4,559	2,231	48.9%	-606	-308
Cachuma Reservoir	753.**	735.46	193,305	144,025	74.5%	-3,853	-3,981
Jameson Reservoir	2,224.00	2,219.44	4,848	4,297	88.6%	-198	-350
Twitchell Reservoir	651.50	542.78	194,971	3,882	2.0%	-430	-14,924