



Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara CA 93101 - 805.568.3440 - www.countyofsb.org/pwd

Rainfall and Reservoir Summary

Updated 8am: 1/12/2018

Water Year: 2018

Storm Number: NA

Notes: Daily rainfall amounts are recorded as of 8am for the previous 24 hours. Rainfall units are expressed in inches. All data on this page are from automated sensors, are preliminary, and subject to verification.

*Each Water Year (WY) runs from Sept 1 through Aug 31 and is designated by the calendar year in which it ends

County Real-Time Rainfall and Reservoir Website link ➤ <http://www.countyofsb.org/hydrology>

Rainfall Location	ID	24 hrs	Storm 0 day(s)	Month	Year*	% to Date	% of Year*	AI
Buellton (Fire Stn)	233	0.01	0.00	2.63	2.84	45%	17%	
Cachuma Dam (USBR)	332	0.00	0.00	3.58	4.10	56%	21%	
Carpinteria (Fire Stn)	208	0.00	0.00	2.45	2.61	39%	15%	
Cuyama (Fire Stn)	436	0.00	0.00	0.60	1.07	36%	14%	
Figueroa Mtn (USFS Stn)	421	0.00	0.00	3.44	4.44	54%	21%	9.6
Gibraltar Dam (City Facility)	230	0.01	0.00	3.75	4.07	42%	15%	9.8
Goleta (Fire Stn-Los Carneros)	440	0.00	0.00	2.44	2.63	36%	14%	
Lompoc (City Hall)	439	0.00	0.00	2.01	2.42	43%	17%	10.1
Los Alamos (Fire Stn)	204	0.01	0.00	2.23	3.00	53%	20%	
San Marcos Pass (USFS Stn)	212	0.01	0.00	4.45	4.68	35%	14%	
Santa Barbara (County Bldg)	234	0.00	0.00	1.91	2.35	34%	13%	
Santa Maria (City Pub.Works)	380	0.00	0.00	1.86	2.38	46%	18%	
Santa Ynez (Fire Stn /Airport)	218	0.00	0.00	2.88	3.23	54%	20%	
Sisquoc (Fire Stn)	256	0.00	0.00	2.34	3.00	52%	20%	

County-wide percentage of "Normal-to-Date" rainfall : 45%

County-wide percentage of "Normal Water-Year" rainfall : 17%

County-wide percentage of "Normal Water-Year" calculated assuming no more rain through Aug. 31, 2018 (End of WY2018).

AI (Antecedent Index / Soil Wetness)

6.0 and below = Wet (min. = 2.5)
6.1 - 9.0 = Moderate
9.1 and above = Dry (max. = 12.5)

Reservoir Information

Reservoir Elevations referenced to NGVD-29.

**Cachuma is full and subject to spilling at elevation 750 ft.

However, the lake is surcharged to 753 ft. for fish release water.

(Cachuma water storage is based on Dec 2013 capacity revision)

	Spillway Elev. (ft)	Current Elev. (ft)	Max. Storage (ac-ft)	Current Storage (ac-ft)	Current Capacity (%)	Storage Change Mo.(ac-ft)	Storage Change Year*(ac-ft)
Gibraltar Reservoir	1,400.00	1,385.18	4,968	2,030	40.9%	538	-958
Cachuma Reservoir	753.**	701.98	193,305	75,384	39.0%	652	-13,403
Jameson Reservoir	2,224.00	2,203.34	5,144	2,906	56.5%	358	118
Twitchell Reservoir	651.50	551.67	194,971	8,711	4.5%	-2,429	-50,985



Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara CA 93101 - 805.568.3440 - www.countyofsb.org/pwd

Rainfall and Reservoir Summary

Updated 8am: 1/10/2018

Water Year: 2018

Storm Number: 5

Notes: Daily rainfall amounts are recorded as of 8am for the previous 24 hours. Rainfall units are expressed in inches. All data on this page are from automated sensors, are preliminary, and subject to verification.

*Each Water Year (WY) runs from Sept 1 through Aug 31 and is designated by the calendar year in which it ends

County Real-Time Rainfall and Reservoir Website link ➤ <http://www.countyofsb.org/hydrology>

Rainfall Location	ID	24 hrs	Storm 3 day(s)	Month	Year*	% to Date	% of Year*	AI
Buellton (Fire Stn)	233	0.52	2.25	2.62	2.83	46%	17%	
Cachuma Dam (USBR)	332	0.56	3.36	3.58	4.10	58%	21%	
Carpinteria (Fire Stn)	208	0.40	2.43	2.45	2.61	41%	15%	
Cuyama (Fire Stn)	436	0.16	0.60	0.60	1.07	37%	14%	
Figueroa Mtn (USFS Stn)	421	0.43	2.37	3.44	4.44	55%	21%	9.6
Gibraltar Dam (City Facility)	230	0.91	3.61	3.74	4.06	43%	15%	9.8
Goleta (Fire Stn-Los Carneros)	440	0.75	2.17	2.44	2.63	37%	14%	
Lompoc (City Hall)	439	0.08	1.85	2.01	2.42	44%	17%	10.1
Los Alamos (Fire Stn)	204	0.05	2.12	2.22	2.99	55%	20%	
San Marcos Pass (USFS Stn)	212	1.32	4.01	4.44	4.67	36%	14%	
Santa Barbara (County Bldg)	234	0.39	1.73	1.91	2.35	35%	13%	
Santa Maria (City Pub.Works)	380	0.01	1.49	1.86	2.38	47%	18%	
Santa Ynez (Fire Stn /Airport)	218	0.40	2.26	2.88	3.23	56%	20%	
Sisquoc (Fire Stn)	256	0.05	1.97	2.34	3.00	53%	20%	

County-wide percentage of "Normal-to-Date" rainfall : 46%

County-wide percentage of "Normal Water-Year" rainfall : 17%

County-wide percentage of "Normal Water-Year" calculated assuming no more rain through Aug. 31, 2018 (End of WY2018).

AI (Antecedent Index / Soil Wetness)

6.0 and below = Wet (min. = 2.5)
6.1 - 9.0 = Moderate
9.1 and above = Dry (max. = 12.5)

Reservoir Information

Reservoir Elevations referenced to NGVD-29.

**Cachuma is full and subject to spilling at elevation 750 ft.

However, the lake is surcharged to 753 ft. for fish release water.

(Cachuma water storage is based on Dec 2013 capacity revision)

	Spillway Elev. (ft)	Current Elev. (ft)	Max. Storage (ac-ft)	Current Storage (ac-ft)	Current Capacity (%)	Storage Change Mo.(ac-ft)	Storage Change Year*(ac-ft)
Gibraltar Reservoir	1,400.00	1,385.06	4,968	2,010	40.5%	518	-978
Cachuma Reservoir	753.**	701.95	193,305	75,335	39.0%	603	-13,452
Jameson Reservoir	2,224.00	2,203.34	5,144	2,906	56.5%	358	118
Twitchell Reservoir	651.50	551.88	194,971	8,841	4.5%	-2,299	-50,855



Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara CA 93101 - 805.568.3440 - www.countyofsb.org/pwd

Rainfall and Reservoir Summary

Updated 8am: 1/9/2018

Water Year: 2018

Storm Number: 5

Notes: Daily rainfall amounts are recorded as of 8am for the previous 24 hours. Rainfall units are expressed in inches. All data on this page are from automated sensors, are preliminary, and subject to verification.

*Each Water Year (WY) runs from Sept 1 through Aug 31 and is designated by the calendar year in which it ends

County Real-Time Rainfall and Reservoir Website link ➤ <http://www.countyofsb.org/hydrology>

Rainfall Location	ID	24 hrs	Storm 2 day(s)	Month	Year*	% to Date	% of Year*	AI
Buellton (Fire Stn)	233	1.73	1.73	2.10	2.31	38%	14%	
Cachuma Dam (USBR)	332	2.80	2.80	3.02	3.54	52%	18%	
Carpinteria (Fire Stn)	208	2.01	2.03	2.05	2.21	36%	13%	
Cuyama (Fire Stn)	436	0.42	0.44	0.44	0.91	33%	12%	
Figueroa Mtn (USFS Stn)	421	1.92	1.94	3.01	4.01	51%	19%	9.7
Gibraltar Dam (City Facility)	230	2.69	2.70	2.83	3.15	35%	12%	10.2
Goleta (Fire Stn-Los Carneros)	440	1.41	1.42	1.69	1.88	28%	10%	
Lompoc (City Hall)	439	1.73	1.77	1.93	2.34	44%	16%	10.1
Los Alamos (Fire Stn)	204	2.05	2.07	2.17	2.94	55%	19%	
San Marcos Pass (USFS Stn)	212	2.67	2.69	3.12	3.35	27%	10%	
Santa Barbara (County Bldg)	234	1.32	1.34	1.52	1.96	30%	11%	
Santa Maria (City Pub.Works)	380	1.35	1.48	1.85	2.37	48%	18%	
Santa Ynez (Fire Stn /Airport)	218	1.86	1.86	2.48	2.83	51%	18%	
Sisquoc (Fire Stn)	256	1.90	1.92	2.29	2.95	54%	19%	

County-wide percentage of "Normal-to-Date" rainfall : **42%**

County-wide percentage of "Normal Water-Year" rainfall : **15%**

County-wide percentage of "Normal Water-Year" calculated assuming no more rain through Aug. 31, 2018 (End of WY2018).

AI (Antecedent Index / Soil Wetness)

6.0 and below = Wet (min. = 2.5)
 6.1 - 9.0 = Moderate
 9.1 and above = Dry (max. = 12.5)

Reservoir Information

Reservoir Elevations referenced to NGVD-29.

**Cachuma is full and subject to spilling at elevation 750 ft.

However, the lake is surcharged to 753 ft. for fish release water.

(Cachuma water storage is based on Dec 2013 capacity revision)

	Spillway Elev. (ft)	Current Elev. (ft)	Max. Storage (ac-ft)	Current Storage (ac-ft)	Current Capacity (%)	Storage Change Mo.(ac-ft)	Storage Change Year*(ac-ft)
Gibraltar Reservoir	1,400.00	1,381.42	4,968	1,492	30.0%	0	-1,496
Cachuma Reservoir	753.**	701.90	193,305	75,253	38.9%	521	-13,534
Jameson Reservoir	2,224.00	2,199.08	5,144	2,548	49.5%	0	-240
Twitchell Reservoir	651.50	551.80	194,971	8,791	4.5%	-2,349	-50,905



Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara CA 93101 - 805.568.3440 - www.countyofsb.org/pwd

Rainfall and Reservoir Summary

Updated 8am: 1/8/2018

Water Year: 2018

Storm Number: 5

Notes: Daily rainfall amounts are recorded as of 8am for the previous 24 hours. Rainfall units are expressed in inches. All data on this page are from automated sensors, are preliminary, and subject to verification.

*Each Water Year (WY) runs from Sept 1 through Aug 31 and is designated by the calendar year in which it ends

County Real-Time Rainfall and Reservoir Website link ➤ <http://www.countyofsb.org/hydrology>

Rainfall Location	ID	24 hrs	Storm 1 day(s)	Month	Year*	% to Date	% of Year*	AI
Buellton (Fire Stn)	233	0.00	0.00	0.37	0.58	10%	3%	
Cachuma Dam (USBR)	332	0.00	0.00	0.22	0.74	11%	4%	
Carpinteria (Fire Stn)	208	0.02	0.02	0.04	0.20	3%	1%	
Cuyama (Fire Stn)	436	0.02	0.02	0.02	0.49	18%	6%	
Figueroa Mtn (USFS Stn)	421	0.02	0.02	1.09	2.09	27%	10%	10.6
Gibraltar Dam (City Facility)	230	0.01	0.01	0.14	0.46	5%	2%	11.4
Goleta (Fire Stn-Los Carneros)	440	0.01	0.01	0.28	0.47	7%	3%	
Lompoc (City Hall)	439	0.04	0.04	0.20	0.61	12%	4%	11.2
Los Alamos (Fire Stn)	204	0.02	0.02	0.12	0.89	17%	6%	
San Marcos Pass (USFS Stn)	212	0.02	0.02	0.45	0.68	6%	2%	
Santa Barbara (County Bldg)	234	0.02	0.02	0.20	0.64	10%	3%	
Santa Maria (City Pub.Works)	380	0.13	0.13	0.50	1.02	21%	8%	
Santa Ynez (Fire Stn /Airport)	218	0.00	0.00	0.62	0.97	18%	6%	
Sisquoc (Fire Stn)	256	0.02	0.02	0.39	1.05	20%	7%	

County-wide percentage of "Normal-to-Date" rainfall : 13%

County-wide percentage of "Normal Water-Year" rainfall : 5%

County-wide percentage of "Normal Water-Year" calculated assuming no more rain through Aug. 31, 2018 (End of WY2018).

AI (Antecedent Index / Soil Wetness)

6.0 and below = Wet (min. = 2.5)
6.1 - 9.0 = Moderate
9.1 and above = Dry (max. = 12.5)

Reservoir Information

Reservoir Elevations referenced to NGVD-29.

**Cachuma is full and subject to spilling at elevation 750 ft.

However, the lake is surcharged to 753 ft. for fish release water.

(Cachuma water storage is based on Dec 2013 capacity revision)

	Spillway Elev. (ft)	Current Elev. (ft)	Max. Storage (ac-ft)	Current Storage (ac-ft)	Current Capacity (%)	Storage Change Mo.(ac-ft)	Storage Change Year*(ac-ft)
Gibraltar Reservoir	1,400.00	1,381.00	4,968	1,437	28.9%	-55	-1,551
Cachuma Reservoir	753.**	701.64	193,305	74,829	38.7%	97	-13,958
Jameson Reservoir	2,224.00	2,199.00	5,144	2,542	49.4%	-6	-246
Twitchell Reservoir	651.50	551.68	194,971	8,717	4.5%	-2,423	-50,979



Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara CA 93101 - 805.568.3440 - www.countyofsb.org/pwd

Rainfall and Reservoir Summary

Updated 8am: 1/5/2018

Water Year: 2018

Storm Number: 4

Notes: Daily rainfall amounts are recorded as of 8am for the previous 24 hours. Rainfall units are expressed in inches. All data on this page are from automated sensors, are preliminary, and subject to verification.

*Each Water Year (WY) runs from Sept 1 through Aug 31 and is designated by the calendar year in which it ends

County Real-Time Rainfall and Reservoir Website link ➤ <http://www.countyofsb.org/hydrology>

Rainfall Location	ID	24 hrs	Storm 2 day(s)	Month	Year*	% to Date	% of Year*	AI
Buellton (Fire Stn)	233	0.04	0.37	0.37	0.58	10%	3%	
Cachuma Dam (USBR)	332	0.05	0.22	0.22	0.74	12%	4%	
Carpinteria (Fire Stn)	208	0.00	0.00	0.02	0.18	3%	1%	
Cuyama (Fire Stn)	436	0.00	0.00	0.00	0.47	18%	6%	
Figueroa Mtn (USFS Stn)	421	0.27	1.07	1.07	2.07	28%	10%	10.6
Gibraltar Dam (City Facility)	230	0.10	0.13	0.13	0.45	5%	2%	11.3
Goleta (Fire Stn-Los Carneros)	440	0.05	0.27	0.27	0.46	7%	2%	
Lompoc (City Hall)	439	0.02	0.16	0.16	0.57	12%	4%	11.2
Los Alamos (Fire Stn)	204	0.01	0.10	0.10	0.87	18%	6%	
San Marcos Pass (USFS Stn)	212	0.18	0.43	0.43	0.66	6%	2%	
Santa Barbara (County Bldg)	234	0.11	0.18	0.18	0.62	10%	3%	
Santa Maria (City Pub.Works)	380	0.02	0.37	0.37	0.89	20%	7%	
Santa Ynez (Fire Stn /Airport)	218	0.06	0.62	0.62	0.97	19%	6%	
Sisquoc (Fire Stn)	256	0.04	0.37	0.37	1.03	20%	7%	

County-wide percentage of "Normal-to-Date" rainfall : **13%**

County-wide percentage of "Normal Water-Year" rainfall : **4%**

County-wide percentage of "Normal Water-Year" calculated assuming no more rain through Aug. 31, 2018 (End of WY2018).

AI (Antecedent Index / Soil Wetness)

6.0 and below = Wet (min. = 2.5)
6.1 - 9.0 = Moderate
9.1 and above = Dry (max. = 12.5)

Reservoir Information

Reservoir Elevations referenced to NGVD-29.

**Cachuma is full and subject to spilling at elevation 750 ft.

However, the lake is surcharged to 753 ft. for fish release water.

(Cachuma water storage is based on Dec 2013 capacity revision)

	Spillway Elev. (ft)	Current Elev. (ft)	Max. Storage (ac-ft)	Current Storage (ac-ft)	Current Capacity (%)	Storage Change Mo.(ac-ft)	Storage Change Year*(ac-ft)
Gibraltar Reservoir	1,400.00	1,381.18	4,968	1,460	29.4%	-32	-1,528
Cachuma Reservoir	753.**	701.59	193,305	74,748	38.7%	16	-14,039
Jameson Reservoir	2,224.00	2,199.04	5,144	2,545	49.5%	-3	-243
Twitchell Reservoir	651.50	553.39	194,971	9,804	5.0%	-1,336	-49,892



Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara CA 93101 - 805.568.3440 - www.countyofsb.org/pwd

Rainfall and Reservoir Summary

Updated 8am: 1/4/2018

Water Year: 2018

Storm Number: 4

Notes: Daily rainfall amounts are recorded as of 8am for the previous 24 hours. Rainfall units are expressed in inches. All data on this page are from automated sensors, are preliminary, and subject to verification.

*Each Water Year (WY) runs from Sept 1 through Aug 31 and is designated by the calendar year in which it ends

County Real-Time Rainfall and Reservoir Website link ➤ <http://www.countyofsb.org/hydrology>

Rainfall Location	ID	24 hrs	Storm 1 day(s)	Month	Year*	% to Date	% of Year*	AI
Buellton (Fire Stn)	233	0.33	0.33	0.33	0.54	10%	3%	
Cachuma Dam (USBR)	332	0.17	0.17	0.17	0.69	11%	3%	
Carpinteria (Fire Stn)	208	0.02	0.02	0.02	0.18	3%	1%	
Cuyama (Fire Stn)	436	0.00	0.00	0.00	0.47	19%	6%	
Figueroa Mtn (USFS Stn)	421	0.80	0.80	0.80	1.80	25%	8%	11.1
Gibraltar Dam (City Facility)	230	0.03	0.03	0.03	0.35	4%	1%	11.4
Goleta (Fire Stn-Los Carneros)	440	0.22	0.22	0.22	0.41	7%	2%	
Lompoc (City Hall)	439	0.14	0.14	0.14	0.55	12%	4%	11.2
Los Alamos (Fire Stn)	204	0.09	0.09	0.09	0.86	18%	6%	
San Marcos Pass (USFS Stn)	212	0.25	0.25	0.25	0.48	4%	1%	
Santa Barbara (County Bldg)	234	0.07	0.07	0.07	0.51	9%	3%	
Santa Maria (City Pub.Works)	380	0.35	0.35	0.35	0.87	20%	7%	
Santa Ynez (Fire Stn /Airport)	218	0.56	0.56	0.56	0.91	18%	6%	
Sisquoc (Fire Stn)	256	0.33	0.33	0.33	0.99	20%	7%	

County-wide percentage of "Normal-to-Date" rainfall : 13%

County-wide percentage of "Normal Water-Year" rainfall : 4%

County-wide percentage of "Normal Water-Year" calculated assuming no more rain through Aug. 31, 2018 (End of WY2018).

AI (Antecedent Index / Soil Wetness)

6.0 and below = Wet (min. = 2.5)
6.1 - 9.0 = Moderate
9.1 and above = Dry (max. = 12.5)

Reservoir Information

Reservoir Elevations referenced to NGVD-29.

**Cachuma is full and subject to spilling at elevation 750 ft.

However, the lake is surcharged to 753 ft. for fish release water.

(Cachuma water storage is based on Dec 2013 capacity revision)

	Spillway Elev. (ft)	Current Elev. (ft)	Max. Storage (ac-ft)	Current Storage (ac-ft)	Current Capacity (%)	Storage Change Mo.(ac-ft)	Storage Change Year*(ac-ft)
Gibraltar Reservoir	1,400.00	1,381.24	4,968	1,468	29.5%	-24	-1,520
Cachuma Reservoir	753.**	701.57	193,305	74,716	38.7%	-16	-14,071
Jameson Reservoir	2,224.00	2,199.04	5,144	2,545	49.5%	-3	-243
Twitchell Reservoir	651.50	553.91	194,971	10,144	5.2%	-996	-49,552



Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara CA 93101 - 805.568.3440 - www.countyofsb.org/pwd

Rainfall and Reservoir Summary

Updated 8am: 1/1/2018

Water Year: 2018

Storm Number: NA

Notes: Daily rainfall amounts are recorded as of 8am for the previous 24 hours. Rainfall units are expressed in inches. All data on this page are from automated sensors, are preliminary, and subject to verification.

*Each Water Year (WY) runs from Sept 1 through Aug 31 and is designated by the calendar year in which it ends

County Real-Time Rainfall and Reservoir Website link ➤ <http://www.countyofsb.org/hydrology>

Rainfall Location	ID	24 hrs	Storm 0 day(s)	Month	Year*	% to Date	% of Year*	AI
Buellton (Fire Stn)	233	0.00	0.00	0.00	0.21	4%	1%	
Cachuma Dam (USBR)	332	0.00	0.00	0.00	0.52	9%	3%	
Carpinteria (Fire Stn)	208	0.00	0.00	0.00	0.16	3%	1%	
Cuyama (Fire Stn)	436	0.00	0.00	0.00	0.47	20%	6%	
Figueroa Mtn (USFS Stn)	421	0.00	0.00	0.00	1.00	15%	5%	11.0
Gibraltar Dam (City Facility)	230	0.00	0.00	0.00	0.32	4%	1%	11.4
Goleta (Fire Stn-Los Carneros)	440	0.00	0.00	0.00	0.19	3%	1%	
Lompoc (City Hall)	439	0.00	0.00	0.00	0.41	9%	3%	11.3
Los Alamos (Fire Stn)	204	0.00	0.00	0.00	0.77	17%	5%	
San Marcos Pass (USFS Stn)	212	0.00	0.00	0.00	0.23	2%	1%	
Santa Barbara (County Bldg)	234	0.00	0.00	0.00	0.44	8%	2%	
Santa Maria (City Pub.Works)	380	0.00	0.00	0.00	0.52	12%	4%	
Santa Ynez (Fire Stn /Airport)	218	0.00	0.00	0.00	0.35	7%	2%	
Sisquoc (Fire Stn)	256	0.00	0.00	0.00	0.66	14%	4%	

County-wide percentage of "Normal-to-Date" rainfall :

9%

County-wide percentage of "Normal Water-Year" rainfall :

3%

County-wide percentage of "Normal Water-Year" calculated assuming no more rain through Aug. 31, 2018 (End of WY2018).

AI (Antecedent Index / Soil Wetness)

6.0 and below = Wet (min. = 2.5)
6.1 - 9.0 = Moderate
9.1 and above = Dry (max. = 12.5)

Reservoir Information

Reservoir Elevations referenced to NGVD-29.

**Cachuma is full and subject to spilling at elevation 750 ft.

However, the lake is surcharged to 753 ft. for fish release water.

(Cachuma water storage is based on Dec 2013 capacity revision)

	Spillway Elev. (ft)	Current Elev. (ft)	Max. Storage (ac-ft)	Current Storage (ac-ft)	Current Capacity (%)	Storage Change Mo.(ac-ft)	Storage Change Year*(ac-ft)
Gibraltar Reservoir	1,400.00	1,381.42	4,968	1,492	30.0%	0	-1,496
Cachuma Reservoir	753.**	701.58	193,305	74,732	38.7%	0	-14,055
Jameson Reservoir	2,224.00	2,199.08	5,144	2,548	49.5%	0	-240
Twitchell Reservoir	651.50	555.39	194,971	11,140	5.7%	0	-48,556



Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara CA 93101 - 805.568.3440 - www.countyofsb.org/pwd

Rainfall and Reservoir Summary

Updated 8am: 12/21/2017

Water Year: 2018

Storm Number: NA

Notes: Daily rainfall amounts are recorded as of 8am for the previous 24 hours. Rainfall units are expressed in inches. All data on this page are from automated sensors, are preliminary, and subject to verification.

*Each Water Year (WY) runs from Sept 1 through Aug 31 and is designated by the calendar year in which it ends

County Real-Time Rainfall and Reservoir Website link ➤ <http://www.countyofsb.org/hydrology>

Rainfall Location	ID	24 hrs	Storm 0 day(s)	Month	Year*	% to Date	% of Year*	AI
Buellton (Fire Stn)	233	0.01	0.00	0.01	0.21	5%	1%	
Cachuma Dam (USBR)	332	0.00	0.00	0.00	0.52	12%	3%	
Carpinteria (Fire Stn)	208	0.00	0.00	0.00	0.16	4%	1%	
Cuyama (Fire Stn)	436	0.00	0.00	0.00	0.47	24%	6%	
Figueroa Mtn (USFS Stn)	421	0.00	0.00	0.00	1.00	18%	5%	10.9
Gibraltar Dam (City Facility)	230	0.00	0.00	0.00	0.32	6%	1%	11.3
Goleta (Fire Stn-Los Carneros)	440	0.00	0.00	0.00	0.19	4%	1%	
Lompoc (City Hall)	439	0.01	0.00	0.01	0.41	11%	3%	11.2
Los Alamos (Fire Stn)	204	0.02	0.00	0.02	0.77	21%	5%	
San Marcos Pass (USFS Stn)	212	0.00	0.00	0.00	0.23	3%	1%	
Santa Barbara (County Bldg)	234	0.00	0.00	0.00	0.44	10%	2%	
Santa Maria (City Pub.Works)	380	0.01	0.00	0.01	0.52	16%	4%	
Santa Ynez (Fire Stn /Airport)	218	0.00	0.00	0.00	0.35	9%	2%	
Sisquoc (Fire Stn)	256	0.01	0.00	0.01	0.66	17%	4%	

County-wide percentage of "Normal-to-Date" rainfall : **11%**

County-wide percentage of "Normal Water-Year" rainfall : **3%**

County-wide percentage of "Normal Water-Year" calculated assuming no more rain through Aug. 31, 2018 (End of WY2018).

AI (Antecedent Index / Soil Wetness)

6.0 and below = Wet (min. = 2.5)
6.1 - 9.0 = Moderate
9.1 and above = Dry (max. = 12.5)

Reservoir Information

Reservoir Elevations referenced to NGVD-29.

**Cachuma is full and subject to spilling at elevation 750 ft.

However, the lake is surcharged to 753 ft. for fish release water.

(Cachuma water storage is based on Dec 2013 capacity revision)

	Spillway Elev. (ft)	Current Elev. (ft)	Max. Storage (ac-ft)	Current Storage (ac-ft)	Current Capacity (%)	Storage Change Mo.(ac-ft)	Storage Change Year*(ac-ft)
Gibraltar Reservoir	1,400.00	1,382.10	4,968	1,580	31.8%	-182	-1,408
Cachuma Reservoir	753.**	701.65	193,305	74,846	38.7%	-734	-13,941
Jameson Reservoir	2,224.00	2,199.26	5,144	2,563	49.8%	-32	-225
Twitchell Reservoir	651.50	560.67	194,971	14,955	7.7%	-6,667	-44,741



Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara CA 93101 - 805.568.3440 - www.countyofsb.org/pwd

Rainfall and Reservoir Summary

Updated 8am: 12/1/2017

Water Year: 2018

Storm Number: NA

Notes: Daily rainfall amounts are recorded as of 8am for the previous 24 hours. Rainfall units are expressed in inches. All data on this page are from automated sensors, are preliminary, and subject to verification.

*Each Water Year (WY) runs from Sept 1 through Aug 31 and is designated by the calendar year in which it ends

County Real-Time Rainfall and Reservoir Website link ➤ <http://www.countyofsb.org/hydrology>

Rainfall Location	ID	24 hrs	Storm 0 day(s)	Month	Year*	% to Date	% of Year*	AI
Buellton (Fire Stn)	233	0.00	0.00	0.00	0.20	8%	1%	
Cachuma Dam (USBR)	332	0.00	0.00	0.00	0.52	19%	3%	
Carpinteria (Fire Stn)	208	0.00	0.00	0.00	0.16	6%	1%	
Cuyama (Fire Stn)	436	0.00	0.00	0.00	0.47	34%	6%	
Figueroa Mtn (USFS Stn)	421	0.00	0.00	0.00	1.00	27%	5%	10.9
Gibraltar Dam (City Facility)	230	0.00	0.00	0.00	0.32	10%	1%	11.2
Goleta (Fire Stn-Los Carneros)	440	0.00	0.00	0.00	0.19	7%	1%	
Lompoc (City Hall)	439	0.00	0.00	0.00	0.40	18%	3%	11.1
Los Alamos (Fire Stn)	204	0.00	0.00	0.00	0.75	35%	5%	
San Marcos Pass (USFS Stn)	212	0.00	0.00	0.00	0.23	4%	1%	
Santa Barbara (County Bldg)	234	0.00	0.00	0.00	0.44	17%	2%	
Santa Maria (City Pub.Works)	380	0.00	0.00	0.00	0.51	25%	4%	
Santa Ynez (Fire Stn /Airport)	218	0.00	0.00	0.00	0.35	15%	2%	
Sisquoc (Fire Stn)	256	0.00	0.00	0.00	0.65	27%	4%	

County-wide percentage of "Normal-to-Date" rainfall : **18%**

County-wide percentage of "Normal Water-Year" rainfall : **3%**

County-wide percentage of "Normal Water-Year" calculated assuming no more rain through Aug. 31, 2018 (End of WY2018).

AI (Antecedent Index / Soil Wetness)

6.0 and below = Wet (min. = 2.5)
6.1 - 9.0 = Moderate
9.1 and above = Dry (max. = 12.5)

Reservoir Information

Reservoir Elevations referenced to NGVD-29.

**Cachuma is full and subject to spilling at elevation 750 ft.

However, the lake is surcharged to 753 ft. for fish release water.

(Cachuma water storage is based on Dec 2013 capacity revision)

	Spillway Elev. (ft)	Current Elev. (ft)	Max. Storage (ac-ft)	Current Storage (ac-ft)	Current Capacity (%)	Storage Change Mo.(ac-ft)	Storage Change Year*(ac-ft)
Gibraltar Reservoir	1,400.00	1,383.42	4,968	1,762	35.5%	0	-1,226
Cachuma Reservoir	753.**	702.10	193,305	75,580	39.1%	0	-13,207
Jameson Reservoir	2,224.00	2,199.66	5,144	2,595	50.4%	0	-193
Twitchell Reservoir	651.50	568.77	194,971	21,622	11.1%	0	-38,074



Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara CA 93101 - 805.568.3440 - www.countyofsb.org/pwd

Rainfall and Reservoir Summary

Updated 8am: 11/27/2017

Water Year: 2018

Storm Number: 3

Notes: Daily rainfall amounts are recorded as of 8am for the previous 24 hours. Rainfall units are expressed in inches. All data on this page are from automated sensors, are preliminary, and subject to verification.

*Each Water Year (WY) runs from Sept 1 through Aug 31 and is designated by the calendar year in which it ends

County Real-Time Rainfall and Reservoir Website link ➤ <http://www.countyofsb.org/hydrology>

Rainfall Location	ID	24 hrs	Storm 1 day(s)	Month	Year*	% to Date	% of Year*	AI
Buellton (Fire Stn)	233	0.00	0.00	0.00	0.20	9%	1%	
Cachuma Dam (USBR)	332	0.02	0.02	0.07	0.52	21%	3%	
Carpinteria (Fire Stn)	208	0.00	0.00	0.06	0.16	7%	1%	
Cuyama (Fire Stn)	436	0.00	0.00	0.00	0.47	37%	6%	
Figueroa Mtn (USFS Stn)	421	0.07	0.07	0.14	1.00	30%	5%	10.9
Gibraltar Dam (City Facility)	230	0.01	0.01	0.08	0.32	11%	1%	11.2
Goleta (Fire Stn-Los Carneros)	440	0.00	0.00	0.04	0.19	8%	1%	
Lompoc (City Hall)	439	0.04	0.04	0.06	0.40	20%	3%	11.1
Los Alamos (Fire Stn)	204	0.06	0.06	0.08	0.75	38%	5%	
San Marcos Pass (USFS Stn)	212	0.00	0.00	0.02	0.23	5%	1%	
Santa Barbara (County Bldg)	234	0.00	0.00	0.07	0.44	18%	2%	
Santa Maria (City Pub.Works)	380	0.06	0.06	0.11	0.51	27%	4%	
Santa Ynez (Fire Stn /Airport)	218	0.01	0.01	0.01	0.35	16%	2%	
Sisquoc (Fire Stn)	256	0.06	0.06	0.10	0.65	30%	4%	

County-wide percentage of "Normal-to-Date" rainfall : **20%**

County-wide percentage of "Normal Water-Year" rainfall : **3%**

County-wide percentage of "Normal Water-Year" calculated assuming no more rain through Aug. 31, 2018 (End of WY2018).

AI (Antecedent Index / Soil Wetness)

6.0 and below = Wet (min. = 2.5)
6.1 - 9.0 = Moderate
9.1 and above = Dry (max. = 12.5)

Reservoir Information

Reservoir Elevations referenced to NGVD-29.

**Cachuma is full and subject to spilling at elevation 750 ft.

However, the lake is surcharged to 753 ft. for fish release water.

(Cachuma water storage is based on Dec 2013 capacity revision)

	Spillway Elev. (ft)	Current Elev. (ft)	Max. Storage (ac-ft)	Current Storage (ac-ft)	Current Capacity (%)	Storage Change Mo.(ac-ft)	Storage Change Year*(ac-ft)
Gibraltar Reservoir	1,400.00	1,383.68	4,968	1,799	36.2%	-130	-1,189
Cachuma Reservoir	753.**	702.17	193,305	75,694	39.2%	-1,808	-13,093
Jameson Reservoir	2,224.00	2,199.76	5,144	2,604	50.6%	-40	-184
Twitchell Reservoir	651.50	570.22	194,971	22,963	11.8%	-8,473	-36,733



Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara CA 93101 - 805.568.3440 - www.countyofsb.org/pwd

Rainfall and Reservoir Summary

Updated 8am: 11/16/2017

Water Year: 2018

Storm Number: NA

Notes: Daily rainfall amounts are recorded as of 8am for the previous 24 hours. Rainfall units are expressed in inches. All data on this page are from automated sensors, are preliminary, and subject to verification.

*Each Water Year (WY) runs from Sept 1 through Aug 31 and is designated by the calendar year in which it ends

County Real-Time Rainfall and Reservoir Website link ➤ <http://www.countyofsb.org/hydrology>

Rainfall Location	ID	24 hrs	Storm 0 day(s)	Month	Year*	% to Date	% of Year*	AI
Buellton (Fire Stn)	233	0.00	0.00	0.00	0.20	12%	1%	
Cachuma Dam (USBR)	332	0.00	0.00	0.05	0.50	28%	3%	
Carpinteria (Fire Stn)	208	0.03	0.00	0.03	0.13	7%	1%	
Cuyama (Fire Stn)	436	0.00	0.00	0.00	0.47	48%	6%	
Figueroa Mtn (USFS Stn)	421	0.00	0.00	0.06	0.92	39%	4%	11.0
Gibraltar Dam (City Facility)	230	0.02	0.00	0.05	0.29	14%	1%	11.3
Goleta (Fire Stn-Los Carneros)	440	0.01	0.00	0.01	0.16	9%	1%	
Lompoc (City Hall)	439	0.00	0.00	0.02	0.36	26%	2%	11.2
Los Alamos (Fire Stn)	204	0.00	0.00	0.01	0.68	48%	4%	
San Marcos Pass (USFS Stn)	212	0.00	0.00	0.02	0.23	7%	1%	
Santa Barbara (County Bldg)	234	0.04	0.00	0.04	0.41	24%	2%	
Santa Maria (City Pub.Works)	380	0.00	0.00	0.00	0.40	29%	3%	
Santa Ynez (Fire Stn /Airport)	218	0.00	0.00	0.00	0.34	22%	2%	
Sisquoc (Fire Stn)	256	0.00	0.00	0.01	0.56	35%	4%	

County-wide percentage of "Normal-to-Date" rainfall : **25%**

County-wide percentage of "Normal Water-Year" rainfall : **3%**

County-wide percentage of "Normal Water-Year" calculated assuming no more rain through Aug. 31, 2018 (End of WY2018).

AI (Antecedent Index / Soil Wetness)

6.0 and below = Wet (min. = 2.5)
6.1 - 9.0 = Moderate
9.1 and above = Dry (max. = 12.5)

Reservoir Information

Reservoir Elevations referenced to NGVD-29.

**Cachuma is full and subject to spilling at elevation 750 ft.

However, the lake is surcharged to 753 ft. for fish release water.

(Cachuma water storage is based on Dec 2013 capacity revision)

	Spillway Elev. (ft)	Current Elev. (ft)	Max. Storage (ac-ft)	Current Storage (ac-ft)	Current Capacity (%)	Storage Change Mo.(ac-ft)	Storage Change Year*(ac-ft)
Gibraltar Reservoir	1,400.00	1,384.33	4,968	1,896	38.2%	-33	-1,092
Cachuma Reservoir	753.**	702.41	193,305	76,085	39.4%	-1,417	-12,702
Jameson Reservoir	2,224.00	2,199.96	5,144	2,620	50.9%	-24	-168
Twitchell Reservoir	651.50	573.72	194,971	26,351	13.5%	-5,085	-33,345



Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara CA 93101 - 805.568.3440 - www.countyofsb.org/pwd

Rainfall and Reservoir Summary

Updated 8am: 11/1/2017

Water Year: 2018

Storm Number: NA

Notes: Daily rainfall amounts are recorded as of 8am for the previous 24 hours. Rainfall units are expressed in inches. All data on this page are from automated sensors, are preliminary, and subject to verification.

*Each Water Year (WY) runs from Sept 1 through Aug 31 and is designated by the calendar year in which it ends

County Real-Time Rainfall and Reservoir Website link ➤ <http://www.countyofsb.org/hydrology>

Rainfall Location	ID	24 hrs	Storm 0 day(s)	Month	Year*	% to Date	% of Year*	AI
Buellton (Fire Stn)	233	0.00	0.00	0.00	0.20	22%	1%	
Cachuma Dam (USBR)	332	0.00	0.00	0.00	0.45	51%	2%	
Carpinteria (Fire Stn)	208	0.00	0.00	0.00	0.10	11%	1%	
Cuyama (Fire Stn)	436	0.00	0.00	0.00	0.47	72%	6%	
Figueroa Mtn (USFS Stn)	421	0.00	0.00	0.00	0.86	67%	4%	11.2
Gibraltar Dam (City Facility)	230	0.00	0.00	0.00	0.24	24%	1%	11.5
Goleta (Fire Stn-Los Carneros)	440	0.00	0.00	0.00	0.15	17%	1%	
Lompoc (City Hall)	439	0.01	0.00	0.01	0.35	48%	2%	11.4
Los Alamos (Fire Stn)	204	0.00	0.00	0.00	0.67	88%	4%	
San Marcos Pass (USFS Stn)	212	0.00	0.00	0.00	0.21	12%	1%	
Santa Barbara (County Bldg)	234	0.00	0.00	0.00	0.37	38%	2%	
Santa Maria (City Pub.Works)	380	0.00	0.00	0.00	0.40	49%	3%	
Santa Ynez (Fire Stn /Airport)	218	0.00	0.00	0.00	0.34	43%	2%	
Sisquoc (Fire Stn)	256	0.00	0.00	0.00	0.55	64%	4%	

County-wide percentage of "Normal-to-Date" rainfall : **43%**

County-wide percentage of "Normal Water-Year" rainfall : **2%**

County-wide percentage of "Normal Water-Year" calculated assuming no more rain through Aug. 31, 2018 (End of WY2018).

AI (Antecedent Index / Soil Wetness)

6.0 and below = Wet (min. = 2.5)
 6.1 - 9.0 = Moderate
 9.1 and above = Dry (max. = 12.5)

Reservoir Information

Reservoir Elevations referenced to NGVD-29.

**Cachuma is full and subject to spilling at elevation 750 ft.

However, the lake is surcharged to 753 ft. for fish release water.

(Cachuma water storage is based on Dec 2013 capacity revision)

	Spillway Elev. (ft)	Current Elev. (ft)	Max. Storage (ac-ft)	Current Storage (ac-ft)	Current Capacity (%)	Storage Change Mo.(ac-ft)	Storage Change Year*(ac-ft)
Gibraltar Reservoir	1,400.00	1,384.54	4,968	1,929	38.8%	0	-1,059
Cachuma Reservoir	753.**	703.27	193,305	77,502	40.1%	0	-11,285
Jameson Reservoir	2,224.00	2,200.26	5,144	2,644	51.4%	0	-144
Twitchell Reservoir	651.50	578.59	194,971	31,436	16.1%	0	-28,260



Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara CA 93101 - 805.568.3440 - www.countyofsb.org/pwd

Rainfall and Reservoir Summary

Updated 8am: 10/16/2017

Water Year: 2018

Storm Number: NA

Notes: Daily rainfall amounts are recorded as of 8am for the previous 24 hours. Rainfall units are expressed in inches. All data on this page are from automated sensors, are preliminary, and subject to verification.

*Each Water Year (WY) runs from Sept 1 through Aug 31 and is designated by the calendar year in which it ends

County Real-Time Rainfall and Reservoir Website link ➤ <http://www.countyofsb.org/hydrology>

Rainfall Location	ID	24 hrs	Storm 0 day(s)	Month	Year*	% to Date	% of Year*	AI
Buellton (Fire Stn)	233	0.00	0.00	0.00	0.20	47%	1%	
Cachuma Dam (USBR)	332	0.00	0.00	0.00	0.45	105%	2%	
Carpinteria (Fire Stn)	208	0.00	0.00	0.00	0.10	20%	1%	
Cuyama (Fire Stn)	436	0.00	0.00	0.00	0.47	115%	6%	
Figueroa Mtn (USFS Stn)	421	0.00	0.00	0.00	0.86	132%	4%	11.5
Gibraltar Dam (City Facility)	230	0.00	0.00	0.00	0.24	55%	1%	11.8
Goleta (Fire Stn-Los Carneros)	440	0.00	0.00	0.00	0.15	31%	1%	
Lompoc (City Hall)	439	0.00	0.00	0.00	0.30	81%	2%	11.8
Los Alamos (Fire Stn)	204	0.00	0.00	0.00	0.67	177%	4%	
San Marcos Pass (USFS Stn)	212	0.00	0.00	0.00	0.21	24%	1%	
Santa Barbara (County Bldg)	234	0.00	0.00	0.00	0.37	75%	2%	
Santa Maria (City Pub.Works)	380	0.00	0.00	0.00	0.37	91%	3%	
Santa Ynez (Fire Stn /Airport)	218	0.00	0.00	0.00	0.34	90%	2%	
Sisquoc (Fire Stn)	256	0.00	0.00	0.00	0.54	115%	4%	

County-wide percentage of "Normal-to-Date" rainfall : **83%**

County-wide percentage of "Normal Water-Year" rainfall : **2%**

County-wide percentage of "Normal Water-Year" calculated assuming no more rain through Aug. 31, 2018 (End of WY2018).

AI (Antecedent Index / Soil Wetness)

6.0 and below = Wet (min. = 2.5)
6.1 - 9.0 = Moderate
9.1 and above = Dry (max. = 12.5)

Reservoir Information

Reservoir Elevations referenced to NGVD-29.

**Cachuma is full and subject to spilling at elevation 750 ft.

However, the lake is surcharged to 753 ft. for fish release water.

(Cachuma water storage is based on Dec 2013 capacity revision)

	Spillway Elev. (ft)	Current Elev. (ft)	Max. Storage (ac-ft)	Current Storage (ac-ft)	Current Capacity (%)	Storage Change Mo.(ac-ft)	Storage Change Year*(ac-ft)
Gibraltar Reservoir	1,400.00	1,385.44	4,968	2,073	41.7%	-587	-915
Cachuma Reservoir	753.**	704.73	193,305	79,947	41.4%	-2,616	-8,840
Jameson Reservoir	2,224.00	2,200.64	5,144	2,675	52.0%	-37	-113
Twitchell Reservoir	651.50	583.53	194,971	37,001	19.0%	-5,536	-22,695



Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara CA 93101 - 805.568.3440 - www.countyofsb.org/pwd

Rainfall and Reservoir Summary

Updated 8am: 10/1/2017

Water Year: 2018

Storm Number: NA

Notes: Daily rainfall amounts are recorded as of 8am for the previous 24 hours. Rainfall units are expressed in inches. All data on this page are from automated sensors, are preliminary, and subject to verification.

*Each Water Year (WY) runs from Sept 1 through Aug 31 and is designated by the calendar year in which it ends

County Real-Time Rainfall and Reservoir Website link ➤ <http://www.countyofsb.org/hydrology>

Rainfall Location	ID	24 hrs	Storm 0 day(s)	Month	Year*	% to Date	% of Year*	AI
Buellton (Fire Stn)	233	0.00	0.00	0.00	0.20	76%	1%	
Cachuma Dam (USBR)	332	0.00	0.00	0.00	0.45	189%	2%	
Carpinteria (Fire Stn)	208	0.00	0.00	0.00	0.10	30%	1%	
Cuyama (Fire Stn)	436	0.00	0.00	0.00	0.47	166%	6%	
Figueroa Mtn (USFS Stn)	421	0.00	0.00	0.00	0.86	219%	4%	11.9
Gibraltar Dam (City Facility)	230	0.00	0.00	0.00	0.24	102%	1%	12.3
Goleta (Fire Stn-Los Carneros)	440	0.00	0.00	0.00	0.15	49%	1%	
Lompoc (City Hall)	439	0.00	0.00	0.00	0.30	158%	2%	12.2
Los Alamos (Fire Stn)	204	0.00	0.00	0.00	0.67	303%	4%	
San Marcos Pass (USFS Stn)	212	0.00	0.00	0.00	0.21	43%	1%	
Santa Barbara (County Bldg)	234	0.00	0.00	0.00	0.37	117%	2%	
Santa Maria (City Pub.Works)	380	0.00	0.00	0.00	0.37	172%	3%	
Santa Ynez (Fire Stn /Airport)	218	0.00	0.00	0.00	0.34	147%	2%	
Sisquoc (Fire Stn)	256	0.00	0.00	0.00	0.54	209%	4%	

County-wide percentage of "Normal-to-Date" rainfall : **142%**

County-wide percentage of "Normal Water-Year" rainfall : **2%**

County-wide percentage of "Normal Water-Year" calculated assuming no more rain through Aug. 31, 2018 (End of WY2018).

AI (Antecedent Index / Soil Wetness)

6.0 and below = Wet (min. = 2.5)
6.1 - 9.0 = Moderate
9.1 and above = Dry (max. = 12.5)

Reservoir Information

Reservoir Elevations referenced to NGVD-29.

**Cachuma is full and subject to spilling at elevation 750 ft.

However, the lake is surcharged to 753 ft. for fish release water.

(Cachuma water storage is based on Dec 2013 capacity revision)

	Spillway Elev. (ft)	Current Elev. (ft)	Max. Storage (ac-ft)	Current Storage (ac-ft)	Current Capacity (%)	Storage Change Mo.(ac-ft)	Storage Change Year*(ac-ft)
Gibraltar Reservoir	1,400.00	1,387.22	4,968	2,379	47.9%	0	-609
Cachuma Reservoir	753.**	706.26	193,305	82,563	42.7%	0	-6,224
Jameson Reservoir	2,224.00	2,201.08	5,144	2,712	52.7%	0	-76
Twitchell Reservoir	651.50	588.06	194,971	42,537	21.8%	0	-17,159



Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara CA 93101 - 805.568.3440 - www.countyofsb.org/pwd

Rainfall and Reservoir Summary

Updated 8am: 9/25/2017

Water Year: 2018

Storm Number: NA

Notes: Daily rainfall amounts are recorded as of 8am for the previous 24 hours. Rainfall units are expressed in inches. All data on this page are from automated sensors, are preliminary, and subject to verification.

*Each Water Year (WY) runs from Sept 1 through Aug 31 and is designated by the calendar year in which it ends

County Real-Time Rainfall and Reservoir Website link ➤ <http://www.countyofsb.org/hydrology>

Rainfall Location	ID	24 hrs	Storm 0 day(s)	Month	Year*	% to Date	% of Year*	AI
Buellton (Fire Stn)	233	0.00	0.00	0.20	0.20	120%	1%	
Cachuma Dam (USBR)	332	0.00	0.00	0.45	0.45	298%	2%	
Carpinteria (Fire Stn)	208	0.00	0.00	0.10	0.10	56%	1%	
Cuyama (Fire Stn)	436	0.00	0.00	0.47	0.47	227%	6%	
Figueroa Mtn (USFS Stn)	421	0.00	0.00	0.86	0.86	333%	4%	12.5
Gibraltar Dam (City Facility)	230	0.00	0.00	0.24	0.24	188%	1%	12.4
Goleta (Fire Stn-Los Carneros)	440	0.00	0.00	0.15	0.15	97%	1%	
Lompoc (City Hall)	439	0.00	0.00	0.30	0.30	223%	2%	12.3
Los Alamos (Fire Stn)	204	0.00	0.00	0.67	0.67	438%	4%	
San Marcos Pass (USFS Stn)	212	0.00	0.00	0.21	0.21	78%	1%	
Santa Barbara (County Bldg)	234	0.00	0.00	0.37	0.37	197%	2%	
Santa Maria (City Pub.Works)	380	0.00	0.00	0.37	0.37	306%	3%	
Santa Ynez (Fire Stn /Airport)	218	0.00	0.00	0.34	0.34	241%	2%	
Sisquoc (Fire Stn)	256	0.00	0.00	0.54	0.54	342%	4%	

County-wide percentage of "Normal-to-Date" rainfall : **225%**

County-wide percentage of "Normal Water-Year" rainfall : **2%**

County-wide percentage of "Normal Water-Year" calculated assuming no more rain through Aug. 31, 2018 (End of WY2018).

AI (Antecedent Index / Soil Wetness)

6.0 and below = Wet (min. = 2.5)
6.1 - 9.0 = Moderate
9.1 and above = Dry (max. = 12.5)

Reservoir Information

Reservoir Elevations referenced to NGVD-29.

**Cachuma is full and subject to spilling at elevation 750 ft.

However, the lake is surcharged to 753 ft. for fish release water.

(Cachuma water storage is based on Dec 2013 capacity revision)

	Spillway Elev. (ft)	Current Elev. (ft)	Max. Storage (ac-ft)	Current Storage (ac-ft)	Current Capacity (%)	Storage Change Mo.(ac-ft)	Storage Change Year*(ac-ft)
Gibraltar Reservoir	1,400.00	1,387.90	4,968	2,500	50.3%	-488	-488
Cachuma Reservoir	753.**	706.84	193,305	83,567	43.2%	-5,220	-5,220
Jameson Reservoir	2,224.00	2,201.24	5,144	2,725	53.0%	-63	-63
Twitchell Reservoir	651.50	590.14	194,971	45,304	23.2%	-14,392	-14,392



Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara CA 93101 - 805.568.3440 - www.countyofsb.org/pwd

Rainfall and Reservoir Summary

Updated 8am: 9/11/2017

Water Year: 2018

Storm Number: 2

Notes: Daily rainfall amounts are recorded as of 8am for the previous 24 hours. Rainfall units are expressed in inches. All data on this page are from automated sensors, are preliminary, and subject to verification.

*Each Water Year (WY) runs from Sept 1 through Aug 31 and is designated by the calendar year in which it ends

County Real-Time Rainfall and Reservoir Website link ➤ <http://www.countyofsb.org/hydrology>

Rainfall Location	ID	24 hrs	Storm 1 day(s)	Month	Year*	% to Date	% of Year*	AI
Buellton (Fire Stn)	233	0.18	0.00	0.19	0.19	170%	1%	
Cachuma Dam (USBR)	332	0.45	0.00	0.45	0.45	470%	2%	
Carpinteria (Fire Stn)	208	0.05	0.00	0.10	0.10	99%	1%	
Cuyama (Fire Stn)	436	0.23	0.00	0.47	0.47	436%	6%	
Figueroa Mtn (USFS Stn)	421	0.43	0.00	0.85	0.85	584%	4%	12.5
Gibraltar Dam (City Facility)	230	0.21	0.21	0.24	0.24	335%	1%	12.5
Goleta (Fire Stn-Los Carneros)	440	0.12	0.12	0.15	0.15	183%	1%	
Lompoc (City Hall)	439	0.29	0.00	0.29	0.29	457%	2%	12.5
Los Alamos (Fire Stn)	204	0.33	0.00	0.66	0.66	800%	4%	
San Marcos Pass (USFS Stn)	212	0.17	0.17	0.21	0.21	132%	1%	
Santa Barbara (County Bldg)	234	0.09	0.00	0.37	0.37	748%	2%	
Santa Maria (City Pub.Works)	380	0.18	0.00	0.37	0.37	729%	3%	
Santa Ynez (Fire Stn /Airport)	218	0.32	0.00	0.33	0.33	353%	2%	
Sisquoc (Fire Stn)	256	0.25	0.00	0.54	0.54	656%	4%	

County-wide percentage of "Normal-to-Date" rainfall : **439%**

County-wide percentage of "Normal Water-Year" rainfall : **2%**

County-wide percentage of "Normal Water-Year" calculated assuming no more rain through Aug. 31, 2018 (End of WY2018).

AI (Antecedent Index / Soil Wetness)

6.0 and below = Wet (min. = 2.5)
6.1 - 9.0 = Moderate
9.1 and above = Dry (max. = 12.5)

Reservoir Information

Reservoir Elevations referenced to NGVD-29.

**Cachuma is full and subject to spilling at elevation 750 ft.

However, the lake is surcharged to 753 ft. for fish release water.

(Cachuma water storage is based on Dec 2013 capacity revision)

	Spillway Elev. (ft)	Current Elev. (ft)	Max. Storage (ac-ft)	Current Storage (ac-ft)	Current Capacity (%)	Storage Change Mo.(ac-ft)	Storage Change Year*(ac-ft)
Gibraltar Reservoir	1,400.00	1,389.48	4,968	2,790	56.2%	-198	-198
Cachuma Reservoir	753.**	708.23	193,305	86,014	44.5%	-2,773	-2,773
Jameson Reservoir	2,224.00	2,201.66	5,144	2,761	53.7%	-27	-27
Twitchell Reservoir	651.50	595.81	194,971	53,629	27.5%	-6,067	-6,067



Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara CA 93101 - 805.568.3440 - www.countyofsb.org/pwd

Rainfall and Reservoir Summary

Updated 8am: 9/4/2017

Water Year: 2018

Storm Number: 1

Notes: Daily rainfall amounts are recorded as of 8am for the previous 24 hours. Rainfall units are expressed in inches. All data on this page are from automated sensors, are preliminary, and subject to verification.

*Each Water Year (WY) runs from Sept 1 through Aug 31 and is designated by the calendar year in which it ends

County Real-Time Rainfall and Reservoir Website link ➤ <http://www.countyofsb.org/hydrology>

Rainfall Location	ID	24 hrs	Storm 1 day(s)	Month	Year*	% to Date	% of Year*	AI
Buellton (Fire Stn)	233	0.01	0.01	0.01	0.01	21%	0%	
Cachuma Dam (USBR)	332	0.00	0.00	0.00	0.00	0%	0%	
Carpinteria (Fire Stn)	208	0.05	0.05	0.05	0.05	448%	0%	
Cuyama (Fire Stn)	436	0.23	0.00	0.23	0.23	1509%	3%	
Figueroa Mtn (USFS Stn)	421	0.38	0.00	0.41	0.41	1981%	2%	12.5
Gibraltar Dam (City Facility)	230	0.03	0.03	0.03	0.03	150%	0%	12.5
Goleta (Fire Stn-Los Carneros)	440	0.03	0.00	0.03	0.03	131%	0%	
Lompoc (City Hall)	439	0.00	0.00	0.00	0.00	0%	0%	12.5
Los Alamos (Fire Stn)	204	0.33	0.00	0.33	0.33	827%	2%	
San Marcos Pass (USFS Stn)	212	0.02	0.02	0.02	0.02	63%	0%	
Santa Barbara (County Bldg)	234	0.27	0.00	0.27	0.27	3186%	1%	
Santa Maria (City Pub.Works)	380	0.18	0.00	0.18	0.18	775%	1%	
Santa Ynez (Fire Stn /Airport)	218	0.01	0.00	0.01	0.01	29%	0%	
Sisquoc (Fire Stn)	256	0.29	0.00	0.29	0.29	2267%	2%	

County-wide percentage of "Normal-to-Date" rainfall : **813%**

County-wide percentage of "Normal Water-Year" rainfall : **1%**

County-wide percentage of "Normal Water-Year" calculated assuming no more rain through Aug. 31, 2018 (End of WY2018).

AI (Antecedent Index / Soil Wetness)

6.0 and below = Wet (min. = 2.5)
6.1 - 9.0 = Moderate
9.1 and above = Dry (max. = 12.5)

Reservoir Information

Reservoir Elevations referenced to NGVD-29.

**Cachuma is full and subject to spilling at elevation 750 ft.

However, the lake is surcharged to 753 ft. for fish release water.

(Cachuma water storage is based on Dec 2013 capacity revision)

	Spillway Elev. (ft)	Current Elev. (ft)	Max. Storage (ac-ft)	Current Storage (ac-ft)	Current Capacity (%)	Storage Change Mo.(ac-ft)	Storage Change Year*(ac-ft)
Gibraltar Reservoir	1,400.00	1,390.22	4,968	2,929	59.0%	-59	-59
Cachuma Reservoir	753.**	709.12	193,305	87,611	45.3%	-1,176	-1,176
Jameson Reservoir	2,224.00	2,201.88	5,144	2,780	54.0%	-8	-8
Twitchell Reservoir	651.50	598.43	194,971	57,863	29.7%	-1,833	-1,833



Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara CA 93101 - 805.568.3440 - www.countyofsb.org/pwd

Rainfall and Reservoir Summary

Updated 8am: 9/1/2017

Water Year: 2018

Storm Number:

Notes: Daily rainfall amounts are recorded as of 8am for the previous 24 hours. Rainfall units are expressed in inches. All data on this page are from automated sensors, are preliminary, and subject to verification.

*Each Water Year (WY) runs from Sept 1 through Aug 31 and is designated by the calendar year in which it ends

County Real-Time Rainfall and Reservoir Website link ➤ <http://www.countyofsb.org/hydrology>

Rainfall Location	ID	24 hrs	Storm 0 day(s)	Month	Year*	% to Date	% of Year*	AI
Buellton (Fire Stn)	233	0.00	0.00	0.00	0.00	0%	0%	
Cachuma Dam (USBR)	332	0.00	0.00	0.00	0.00	0%	0%	
Carpinteria (Fire Stn)	208	0.00	0.00	0.00	0.00	0%	0%	
Cuyama (Fire Stn)	436	0.00	0.00	0.00	0.00	0%	0%	
Figueroa Mtn (USFS Stn)	421	0.00	0.00	0.00	0.00	0%	0%	12.5
Gibraltar Dam (City Facility)	230	0.00	0.00	0.00	0.00	0%	0%	12.5
Goleta (Fire Stn-Los Carneros)	440	0.00	0.00	0.00	0.00	0%	0%	
Lompoc (City Hall)	439	0.00	0.00	0.00	0.00	0%	0%	12.5
Los Alamos (Fire Stn)	204	0.00	0.00	0.00	0.00	0%	0%	
San Marcos Pass (USFS Stn)	212	0.00	0.00	0.00	0.00	0%	0%	
Santa Barbara (County Bldg)	234	0.00	0.00	0.00	0.00	0%	0%	
Santa Maria (City Pub.Works)	380	0.00	0.00	0.00	0.00	0%	0%	
Santa Ynez (Fire Stn /Airport)	218	0.00	0.00	0.00	0.00	0%	0%	
Sisquoc (Fire Stn)	256	0.00	0.00	0.00	0.00	0%	0%	

County-wide percentage of "Normal-to-Date" rainfall : **0%**

County-wide percentage of "Normal Water-Year" rainfall : **0%**

County-wide percentage of "Normal Water-Year" calculated assuming no more rain through Aug. 31, 2018 (End of WY2018).

AI (Antecedent Index / Soil Wetness)

6.0 and below = Wet (min. = 2.5)
6.1 - 9.0 = Moderate
9.1 and above = Dry (max. = 12.5)

Reservoir Information

Reservoir Elevations referenced to NGVD-29.

**Cachuma is full and subject to spilling at elevation 750 ft.

However, the lake is surcharged to 753 ft. for fish release water.

(Cachuma water storage is based on Dec 2013 capacity revision)

	Spillway Elev. (ft)	Current Elev. (ft)	Max. Storage (ac-ft)	Current Storage (ac-ft)	Current Capacity (%)	Storage Change Mo.(ac-ft)	Storage Change Year*(ac-ft)
Gibraltar Reservoir	1,400.00	1,390.53	4,968	2,988	60.1%	0	0
Cachuma Reservoir	753.**	709.77	193,305	88,787	45.9%	0	0
Jameson Reservoir	2,224.00	2,201.98	5,144	2,788	54.2%	0	0
Twitchell Reservoir	651.50	599.52	194,971	59,696	30.6%	0	0



Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara CA 93101 - 805.568.3440 - www.countyofsb.org/pwd

Rainfall and Reservoir Summary

Updated 8am: 8/31/2017

Water Year: 2017

Storm Number: NA

Notes: Daily rainfall amounts are recorded as of 8am for the previous 24 hours. Rainfall units are expressed in inches. All data on this page are from automated sensors, are preliminary, and subject to verification.

*Each Water Year (WY) runs from Sept 1 through Aug 31 and is designated by the calendar year in which it ends

County Real-Time Rainfall and Reservoir Website link ➤ <http://www.countyofsb.org/hydrology>

Rainfall Location	ID	24 hrs	Storm 0 day(s)	Month	Year*	% to Date	% of Year*	AI
Buellton (Fire Stn)	233	0.00	0.00	0.00	20.16	121%	121%	
Cachuma Dam (USBR)	332	0.00	0.00	0.00	25.47	129%	129%	
Carpinteria (Fire Stn)	208	0.00	0.00	0.00	21.75	125%	125%	
Cuyama (Fire Stn)	436	0.00	0.00	0.05	10.74	140%	140%	
Figueroa Mtn (USFS Stn)	421	0.00	0.00	0.00	27.73	130%	130%	
Gibraltar Dam (City Facility)	230	0.00	0.00	0.00	31.15	118%	118%	
Goleta (Fire Stn-Los Carneros)	440	0.00	0.00	0.00	25.47	138%	138%	
Lompoc (City Hall)	439	0.00	0.00	0.02	22.19	153%	153%	
Los Alamos (Fire Stn)	204	0.00	0.00	0.00	21.82	143%	143%	
San Marcos Pass (USFS Stn)	212	0.00	0.00	0.00	44.23	130%	130%	
Santa Barbara (County Bldg)	234	0.00	0.00	0.00	26.20	143%	143%	
Santa Maria (City Pub.Works)	380	0.00	0.00	0.00	19.85	149%	149%	
Santa Ynez (Fire Stn /Airport)	218	0.00	0.00	0.00	20.61	131%	131%	
Sisquoc (Fire Stn)	256	0.00	0.00	0.00	23.34	155%	155%	

County-wide percentage of "Normal-to-Date" rainfall :

136%

County-wide percentage of "Normal Water-Year" rainfall :

136%

County-wide percentage of "Normal Water-Year" calculated assuming no more rain through Aug. 31, 2018 (End of WY2018).

AI (Antecedent Index / Soil Wetness)

6.0 and below = Wet (min. = 2.5)

6.1 - 9.0 = Moderate

9.1 and above = Dry (max. = 12.5)

Reservoir Information

Reservoir Elevations referenced to NGVD-29.

**Cachuma is full and subject to spilling at elevation 750 ft.

However, the lake is surcharged to 753 ft. for fish release water.

(Cachuma water storage is based on Dec 2013 capacity revision)

	Spillway Elev. (ft)	Current Elev. (ft)	Max. Storage (ac-ft)	Current Storage (ac-ft)	Current Capacity (%)	Storage Change Mo.(ac-ft)	Storage Change Year*(ac-ft)
Gibraltar Reservoir	1,400.00	1,390.64	5,272	3,290	62.4%	-637	2,675
Cachuma Reservoir	753.**	709.98	193,305	89,172	46.1%	-5,460	74,561
Jameson Reservoir	2,224.00	2,202.00	5,144	2,790	54.2%	-83	2,232
Twitchell Reservoir	651.50	599.71	194,971	60,018	30.8%	-12,465	60,017