



Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara CA 93101 - 805.568.3440 - www.countyofsb.org/pwd

Rainfall and Reservoir Summary

Updated 8am: 12/7/2018

Water Year: 2019

Storm Number: 4

Notes: Daily rainfall amounts are recorded as of 8am for the previous 24 hours. Rainfall units are expressed in inches. All data on this page are from automated sensors, are preliminary, and subject to verification.

*Each Water Year (WY) runs from Sept 1 through Aug 31 and is designated by the calendar year in which it ends

County Real-Time Rainfall and Reservoir Website link ➤ <http://www.countyofsb.org/hydrology>

Rainfall Location	ID	24 hrs	Storm 3 day(s)	Month	Year*	% to Date	% of Year*	AI
Buellton (Fire Stn)	233	0.07	0.18	0.18	1.86	62%	11%	
Cachuma Dam (USBR)	332	0.06	0.26	0.32	2.68	79%	14%	
Carpinteria (Fire Stn)	208	0.05	0.23	0.23	2.46	78%	14%	
Cuyama (Fire Stn)	436	0.04	0.17	0.20	0.90	57%	12%	
Figueroa Mtn (USFS Stn)	421	0.32	0.59	0.66	4.28	99%	20%	9.4
Gibraltar Dam (City Facility)	230	0.03	0.59	0.61	4.70	116%	18%	9.3
Goleta (Fire Stn-Los Carneros)	440	0.03	0.32	0.32	3.50	103%	19%	
Lompoc (City Hall)	439	0.31	0.62	0.64	3.15	118%	22%	9.5
Los Alamos (Fire Stn)	204	0.12	0.21	0.25	2.66	102%	17%	
San Marcos Pass (USFS Stn)	212	0.03	0.77	0.83	7.42	121%	22%	
Santa Barbara (County Bldg)	234	0.02	0.19	0.19	3.68	118%	20%	
Santa Maria (City Pub.Works)	380	0.01	0.19	0.25	2.32	95%	17%	
Santa Ynez (Fire Stn /Airport)	218	0.11	0.15	0.20	1.81	63%	12%	
Sisquoc (Fire Stn)	256	0.08	0.18	0.21	2.35	83%	16%	

County-wide percentage of "Normal-to-Date" rainfall : 92%

County-wide percentage of "Normal Water-Year" rainfall : 17%

County-wide percentage of "Normal Water-Year" calculated assuming no more rain through Aug. 31, 2019 (End of WY2019).

AI (Antecedent Index / Soil Wetness)

6.0 and below = Wet (min. = 2.5)
6.1 - 9.0 = Moderate
9.1 and above = Dry (max. = 12.5)

Reservoir Information

Reservoir Elevations referenced to NGVD-29.

**Cachuma is full and subject to spilling at elevation 750 ft.

However, the lake is surcharged to 753 ft. for fish release water.

(Cachuma water storage is based on Dec 2013 capacity revision)

	Spillway Elev. (ft)	Current Elev. (ft)	Max. Storage (ac-ft)	Current Storage (ac-ft)	Current Capacity (%)	Storage Change Mo.(ac-ft)	Storage Change Year*(ac-ft)
Gibraltar Reservoir	1,400.00	1,392.32	4,314	2,776	64.3%	-21	-508
Cachuma Reservoir	753.**	691.38	193,305	59,199	30.6%	56	-4,047
Jameson Reservoir	2,224.00	2,204.13	5,144	2,977	57.9%	0	-27
Twitchell Reservoir	651.50	NA	194,971	NA		NA	NA



Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara CA 93101 - 805.568.3440 - www.countyofsb.org/pwd

Rainfall and Reservoir Summary

Updated 8am: 12/6/2018

Water Year: 2019

Storm Number: 4

Notes: Daily rainfall amounts are recorded as of 8am for the previous 24 hours. Rainfall units are expressed in inches. All data on this page are from automated sensors, are preliminary, and subject to verification.

*Each Water Year (WY) runs from Sept 1 through Aug 31 and is designated by the calendar year in which it ends

County Real-Time Rainfall and Reservoir Website link ➤ <http://www.countyofsb.org/hydrology>

Rainfall Location	ID	24 hrs	Storm 2 day(s)	Month	Year*	% to Date	% of Year*	AI
Buellton (Fire Stn)	233	0.04	0.11	0.11	1.79	60%	11%	
Cachuma Dam (USBR)	332	0.08	0.20	0.26	2.62	78%	13%	
Carpinteria (Fire Stn)	208	0.16	0.18	0.18	2.41	79%	14%	
Cuyama (Fire Stn)	436	0.11	0.13	0.16	0.86	55%	11%	
Figueroa Mtn (USFS Stn)	421	0.12	0.27	0.34	3.96	93%	19%	9.5
Gibraltar Dam (City Facility)	230	0.54	0.56	0.58	4.67	120%	18%	9.3
Goleta (Fire Stn-Los Carneros)	440	0.17	0.29	0.29	3.47	104%	19%	
Lompoc (City Hall)	439	0.19	0.31	0.33	2.84	109%	20%	9.6
Los Alamos (Fire Stn)	204	0.01	0.09	0.13	2.54	101%	17%	
San Marcos Pass (USFS Stn)	212	0.60	0.74	0.80	7.39	123%	22%	
Santa Barbara (County Bldg)	234	0.15	0.17	0.17	3.66	120%	20%	
Santa Maria (City Pub.Works)	380	0.17	0.18	0.24	2.31	98%	17%	
Santa Ynez (Fire Stn /Airport)	218	0.02	0.04	0.09	1.70	61%	11%	
Sisquoc (Fire Stn)	256	0.07	0.10	0.13	2.27	83%	15%	

County-wide percentage of "Normal-to-Date" rainfall : **92%**

County-wide percentage of "Normal Water-Year" rainfall : **16%**

County-wide percentage of "Normal Water-Year" calculated assuming no more rain through Aug. 31, 2019 (End of WY2019).

AI (Antecedent Index / Soil Wetness)

6.0 and below = Wet (min. = 2.5)
6.1 - 9.0 = Moderate
9.1 and above = Dry (max. = 12.5)

Reservoir Information

Reservoir Elevations referenced to NGVD-29.

**Cachuma is full and subject to spilling at elevation 750 ft.

However, the lake is surcharged to 753 ft. for fish release water.

(Cachuma water storage is based on Dec 2013 capacity revision)

	Spillway Elev. (ft)	Current Elev. (ft)	Max. Storage (ac-ft)	Current Storage (ac-ft)	Current Capacity (%)	Storage Change Mo.(ac-ft)	Storage Change Year*(ac-ft)
Gibraltar Reservoir	1,400.00	1,392.34	4,314	2,780	64.4%	-17	-504
Cachuma Reservoir	753.**	691.38	193,305	59,199	30.6%	56	-4,047
Jameson Reservoir	2,224.00	2,204.11	5,144	2,975	57.8%	-2	-29
Twitchell Reservoir	651.50	NA	194,971	NA		NA	NA



Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara CA 93101 - 805.568.3440 - www.countyofsb.org/pwd

Rainfall and Reservoir Summary

Updated 8am: 12/5/2018

Water Year: 2019

Storm Number: 4

Notes: Daily rainfall amounts are recorded as of 8am for the previous 24 hours. Rainfall units are expressed in inches. All data on this page are from automated sensors, are preliminary, and subject to verification.

*Each Water Year (WY) runs from Sept 1 through Aug 31 and is designated by the calendar year in which it ends

County Real-Time Rainfall and Reservoir Website link ➤ <http://www.countyofsb.org/hydrology>

Rainfall Location	ID	24 hrs	Storm 1 day(s)	Month	Year*	% to Date	% of Year*	AI
Buellton (Fire Stn)	233	0.07	0.07	0.07	1.75	61%	11%	
Cachuma Dam (USBR)	332	0.12	0.12	0.18	2.54	80%	13%	
Carpinteria (Fire Stn)	208	0.02	0.02	0.02	2.25	77%	13%	
Cuyama (Fire Stn)	436	0.02	0.02	0.05	0.75	51%	10%	
Figueroa Mtn (USFS Stn)	421	0.15	0.15	0.22	3.84	93%	18%	9.6
Gibraltar Dam (City Facility)	230	0.02	0.02	0.04	4.13	109%	16%	9.5
Goleta (Fire Stn-Los Carneros)	440	0.12	0.12	0.12	3.30	103%	18%	
Lompoc (City Hall)	439	0.12	0.12	0.14	2.65	105%	18%	9.7
Los Alamos (Fire Stn)	204	0.08	0.08	0.12	2.53	104%	17%	
San Marcos Pass (USFS Stn)	212	0.14	0.14	0.20	6.79	119%	20%	
Santa Barbara (County Bldg)	234	0.02	0.02	0.02	3.51	119%	19%	
Santa Maria (City Pub.Works)	380	0.01	0.01	0.07	2.14	92%	16%	
Santa Ynez (Fire Stn /Airport)	218	0.02	0.02	0.07	1.68	62%	11%	
Sisquoc (Fire Stn)	256	0.03	0.03	0.06	2.20	82%	15%	

County-wide percentage of "Normal-to-Date" rainfall : 90%

County-wide percentage of "Normal Water-Year" rainfall : 15%

County-wide percentage of "Normal Water-Year" calculated assuming no more rain through Aug. 31, 2019 (End of WY2019).

AI (Antecedent Index / Soil Wetness)

6.0 and below = Wet (min. = 2.5)
6.1 - 9.0 = Moderate
9.1 and above = Dry (max. = 12.5)

Reservoir Information

Reservoir Elevations referenced to NGVD-29.

**Cachuma is full and subject to spilling at elevation 750 ft.

However, the lake is surcharged to 753 ft. for fish release water.

(Cachuma water storage is based on Dec 2013 capacity revision)

	Spillway Elev. (ft)	Current Elev. (ft)	Max. Storage (ac-ft)	Current Storage (ac-ft)	Current Capacity (%)	Storage Change Mo.(ac-ft)	Storage Change Year*(ac-ft)
Gibraltar Reservoir	1,400.00	1,392.32	4,314	2,776	64.3%	-21	-508
Cachuma Reservoir	753.**	691.37	193,305	59,185	30.6%	42	-4,061
Jameson Reservoir	2,224.00	2,204.05	5,144	2,970	57.7%	-7	-34
Twitchell Reservoir	651.50	NA	194,971	NA		NA	NA



Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara CA 93101 - 805.568.3440 - www.countyofsb.org/pwd

Rainfall and Reservoir Summary

Updated 8am: 12/3/2018

Water Year: 2019

Storm Number: NA

Notes: Daily rainfall amounts are recorded as of 8am for the previous 24 hours. Rainfall units are expressed in inches. All data on this page are from automated sensors, are preliminary, and subject to verification.

*Each Water Year (WY) runs from Sept 1 through Aug 31 and is designated by the calendar year in which it ends

County Real-Time Rainfall and Reservoir Website link ➤ <http://www.countyofsb.org/hydrology>

Rainfall Location	ID	24 hrs	Storm 0 day(s)	Month	Year*	% to Date	% of Year*	AI
Buellton (Fire Stn)	233	0.00	0.00	0.00	1.68	62%	10%	
Cachuma Dam (USBR)	332	0.00	0.00	0.06	2.42	83%	12%	
Carpinteria (Fire Stn)	208	0.00	0.00	0.00	2.23	82%	13%	
Cuyama (Fire Stn)	436	0.00	0.00	0.03	0.73	52%	10%	
Figueroa Mtn (USFS Stn)	421	0.00	0.00	0.07	3.69	95%	17%	9.6
Gibraltar Dam (City Facility)	230	0.01	0.00	0.02	4.11	116%	16%	9.5
Goleta (Fire Stn-Los Carneros)	440	0.00	0.00	0.00	3.18	104%	17%	
Lompoc (City Hall)	439	0.00	0.00	0.02	2.53	108%	17%	9.8
Los Alamos (Fire Stn)	204	0.00	0.00	0.04	2.45	108%	16%	
San Marcos Pass (USFS Stn)	212	0.00	0.00	0.06	6.65	120%	20%	
Santa Barbara (County Bldg)	234	0.00	0.00	0.00	3.49	127%	19%	
Santa Maria (City Pub.Works)	380	0.00	0.00	0.06	2.13	97%	16%	
Santa Ynez (Fire Stn /Airport)	218	0.00	0.00	0.05	1.66	65%	11%	
Sisquoc (Fire Stn)	256	0.01	0.00	0.03	2.17	87%	14%	

County-wide percentage of "Normal-to-Date" rainfall : 93%

County-wide percentage of "Normal Water-Year" rainfall : 15%

County-wide percentage of "Normal Water-Year" calculated assuming no more rain through Aug. 31, 2019 (End of WY2019).

AI (Antecedent Index / Soil Wetness)

6.0 and below = Wet (min. = 2.5)
 6.1 - 9.0 = Moderate
 9.1 and above = Dry (max. = 12.5)

Reservoir Information

Reservoir Elevations referenced to NGVD-29.

**Cachuma is full and subject to spilling at elevation 750 ft.

However, the lake is surcharged to 753 ft. for fish release water.

(Cachuma water storage is based on Dec 2013 capacity revision)

	Spillway Elev. (ft)	Current Elev. (ft)	Max. Storage (ac-ft)	Current Storage (ac-ft)	Current Capacity (%)	Storage Change Mo.(ac-ft)	Storage Change Year*(ac-ft)
Gibraltar Reservoir	1,400.00	1,392.38	4,314	2,788	64.6%	-9	-496
Cachuma Reservoir	753.**	691.35	193,305	59,156	30.6%	13	-4,090
Jameson Reservoir	2,224.00	2,204.09	5,144	2,973	57.8%	-4	-31
Twitchell Reservoir	651.50	NA	194,971	NA		NA	NA



Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara CA 93101 - 805.568.3440 - www.countyofsb.org/pwd

Rainfall and Reservoir Summary

Updated 8am: 12/1/2018

Water Year: 2019

Storm Number: NA

Notes: Daily rainfall amounts are recorded as of 8am for the previous 24 hours. Rainfall units are expressed in inches. All data on this page are from automated sensors, are preliminary, and subject to verification.

*Each Water Year (WY) runs from Sept 1 through Aug 31 and is designated by the calendar year in which it ends

County Real-Time Rainfall and Reservoir Website link ➤ <http://www.countyofsb.org/hydrology>

Rainfall Location	ID	24 hrs	Storm 0 day(s)	Month	Year*	% to Date	% of Year*	AI
Buellton (Fire Stn)	233	0.00	0.00	0.00	1.68	67%	10%	
Cachuma Dam (USBR)	332	0.00	0.00	0.00	2.36	85%	12%	
Carpinteria (Fire Stn)	208	0.00	0.00	0.00	2.23	86%	13%	
Cuyama (Fire Stn)	436	0.00	0.00	0.00	0.70	51%	9%	
Figueroa Mtn (USFS Stn)	421	0.00	0.00	0.00	3.62	99%	17%	9.6
Gibraltar Dam (City Facility)	230	0.01	0.00	0.01	4.10	125%	16%	9.5
Goleta (Fire Stn-Los Carneros)	440	0.00	0.00	0.00	3.18	116%	17%	
Lompoc (City Hall)	439	0.00	0.00	0.00	2.51	114%	17%	9.8
Los Alamos (Fire Stn)	204	0.00	0.00	0.00	2.41	114%	16%	
San Marcos Pass (USFS Stn)	212	0.00	0.00	0.00	6.59	131%	19%	
Santa Barbara (County Bldg)	234	0.00	0.00	0.00	3.49	136%	19%	
Santa Maria (City Pub.Works)	380	0.00	0.00	0.00	2.07	102%	16%	
Santa Ynez (Fire Stn /Airport)	218	0.00	0.00	0.00	1.61	68%	10%	
Sisquoc (Fire Stn)	256	0.00	0.00	0.00	2.14	89%	14%	

County-wide percentage of "Normal-to-Date" rainfall : 99%

County-wide percentage of "Normal Water-Year" rainfall : 15%

County-wide percentage of "Normal Water-Year" calculated assuming no more rain through Aug. 31, 2019 (End of WY2019).

AI (Antecedent Index / Soil Wetness)

6.0 and below = Wet (min. = 2.5)
6.1 - 9.0 = Moderate
9.1 and above = Dry (max. = 12.5)

Reservoir Information

Reservoir Elevations referenced to NGVD-29.

**Cachuma is full and subject to spilling at elevation 750 ft.

However, the lake is surcharged to 753 ft. for fish release water.

(Cachuma water storage is based on Dec 2013 capacity revision)

	Spillway Elev. (ft)	Current Elev. (ft)	Max. Storage (ac-ft)	Current Storage (ac-ft)	Current Capacity (%)	Storage Change Mo.(ac-ft)	Storage Change Year*(ac-ft)
Gibraltar Reservoir	1,400.00	1,392.43	4,314	2,797	64.8%	0	-487
Cachuma Reservoir	753.**	691.34	193,305	59,143	30.6%	0	-4,103
Jameson Reservoir	2,224.00	2,204.13	5,144	2,977	57.9%	0	-27
Twitchell Reservoir	651.50	NA	194,971	NA		NA	NA



Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara CA 93101 - 805.568.3440 - www.countyofsb.org/pwd

Rainfall and Reservoir Summary

Updated 8am: 11/29/2018

Water Year: 2019

Storm Number: 3

Notes: Daily rainfall amounts are recorded as of 8am for the previous 24 hours. Rainfall units are expressed in inches. All data on this page are from automated sensors, are preliminary, and subject to verification.

*Each Water Year (WY) runs from Sept 1 through Aug 31 and is designated by the calendar year in which it ends

County Real-Time Rainfall and Reservoir Website link ➤ <http://www.countyofsb.org/hydrology>

Rainfall Location	ID	24 hrs	Storm 1 day(s)	Month	Year*	% to Date	% of Year*	AI
Buellton (Fire Stn)	233	0.56	0.56	0.84	1.09	46%	7%	
Cachuma Dam (USBR)	332	1.04	1.04	1.36	1.57	61%	8%	
Carpinteria (Fire Stn)	208	0.96	0.96	1.76	1.97	80%	11%	
Cuyama (Fire Stn)	436	0.33	0.33	0.48	0.53	41%	7%	
Figueroa Mtn (USFS Stn)	421	2.12	2.12	2.54	2.81	82%	13%	10.0
Gibraltar Dam (City Facility)	230	2.57	2.57	3.10	3.28	106%	13%	9.9
Goleta (Fire Stn-Los Carneros)	440	1.59	1.59	2.39	2.89	112%	16%	
Lompoc (City Hall)	439	0.78	0.78	1.16	1.97	96%	14%	10.1
Los Alamos (Fire Stn)	204	0.76	0.76	1.36	1.70	84%	11%	
San Marcos Pass (USFS Stn)	212	4.18	4.18	5.15	5.83	123%	17%	
Santa Barbara (County Bldg)	234	1.53	1.53	2.11	3.11	127%	17%	
Santa Maria (City Pub.Works)	380	0.95	0.95	1.17	1.55	79%	12%	
Santa Ynez (Fire Stn /Airport)	218	0.65	0.65	0.83	0.99	44%	6%	
Sisquoc (Fire Stn)	256	1.20	1.20	1.43	1.68	75%	11%	

County-wide percentage of "Normal-to-Date" rainfall : **83%**

County-wide percentage of "Normal Water-Year" rainfall : **12%**

County-wide percentage of "Normal Water-Year" calculated assuming no more rain through Aug. 31, 2019 (End of WY2019).

AI (Antecedent Index / Soil Wetness)

6.0 and below = Wet (min. = 2.5)
6.1 - 9.0 = Moderate
9.1 and above = Dry (max. = 12.5)

Reservoir Information

Reservoir Elevations referenced to NGVD-29.

**Cachuma is full and subject to spilling at elevation 750 ft.

However, the lake is surcharged to 753 ft. for fish release water.

(Cachuma water storage is based on Dec 2013 capacity revision)

	Spillway Elev. (ft)	Current Elev. (ft)	Max. Storage (ac-ft)	Current Storage (ac-ft)	Current Capacity (%)	Storage Change Mo.(ac-ft)	Storage Change Year*(ac-ft)
Gibraltar Reservoir	1,400.00	1,391.79	4,314	2,677	62.1%	-126	-607
Cachuma Reservoir	753.**	691.26	193,305	59,030	30.5%	-1,122	-4,216
Jameson Reservoir	2,224.00	2,202.83	5,144	2,861	55.6%	-23	-143
Twitchell Reservoir	651.50	NA	194,971	NA		NA	NA



Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara CA 93101 - 805.568.3440 - www.countyofsb.org/pwd

Rainfall and Reservoir Summary

Updated 8am: 11/22/2018

Water Year: 2019

Storm Number: 2

Notes: Daily rainfall amounts are recorded as of 8am for the previous 24 hours. Rainfall units are expressed in inches. All data on this page are from automated sensors, are preliminary, and subject to verification.

*Each Water Year (WY) runs from Sept 1 through Aug 31 and is designated by the calendar year in which it ends

County Real-Time Rainfall and Reservoir Website link ➤ <http://www.countyofsb.org/hydrology>

Rainfall Location	ID	24 hrs	Storm 1 day(s)	Month	Year*	% to Date	% of Year*	AI
Buellton (Fire Stn)	233	0.28	0.28	0.28	0.53	26%	3%	
Cachuma Dam (USBR)	332	0.32	0.32	0.32	0.53	24%	3%	
Carpinteria (Fire Stn)	208	0.79	0.79	0.79	1.00	47%	6%	
Cuyama (Fire Stn)	436	0.15	0.15	0.15	0.20	18%	3%	
Figueroa Mtn (USFS Stn)	421	0.41	0.41	0.41	0.68	23%	3%	11.0
Gibraltar Dam (City Facility)	230	0.52	0.52	0.52	0.70	27%	3%	11.0
Goleta (Fire Stn-Los Carneros)	440	0.79	0.79	0.79	1.29	57%	7%	
Lompoc (City Hall)	439	0.24	0.24	0.24	1.05	61%	7%	10.7
Los Alamos (Fire Stn)	204	0.50	0.50	0.50	0.84	49%	6%	
San Marcos Pass (USFS Stn)	212	0.96	0.96	0.96	1.64	42%	5%	
Santa Barbara (County Bldg)	234	0.58	0.58	0.58	1.58	75%	9%	
Santa Maria (City Pub.Works)	380	0.20	0.20	0.20	0.58	35%	4%	
Santa Ynez (Fire Stn /Airport)	218	0.18	0.18	0.18	0.34	18%	2%	
Sisquoc (Fire Stn)	256	0.22	0.22	0.22	0.47	25%	3%	

County-wide percentage of "Normal-to-Date" rainfall : **38%**

County-wide percentage of "Normal Water-Year" rainfall : **4%**

County-wide percentage of "Normal Water-Year" calculated assuming no more rain through Aug. 31, 2019 (End of WY2019).

AI (Antecedent Index / Soil Wetness)

6.0 and below = Wet (min. = 2.5)
 6.1 - 9.0 = Moderate
 9.1 and above = Dry (max. = 12.5)

Reservoir Information

Reservoir Elevations referenced to NGVD-29.

**Cachuma is full and subject to spilling at elevation 750 ft.

However, the lake is surcharged to 753 ft. for fish release water.

(Cachuma water storage is based on Dec 2013 capacity revision)

	Spillway Elev. (ft)	Current Elev. (ft)	Max. Storage (ac-ft)	Current Storage (ac-ft)	Current Capacity (%)	Storage Change Mo.(ac-ft)	Storage Change Year*(ac-ft)
Gibraltar Reservoir	1,400.00	1,391.77	4,314	2,673	62.0%	-130	-611
Cachuma Reservoir	753.**	691.11	193,305	58,818	30.4%	-1,334	-4,428
Jameson Reservoir	2,224.00	2,202.83	5,144	2,861	55.6%	-23	-143
Twitchell Reservoir	651.50	NA	194,971	NA		NA	NA



Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara CA 93101 - 805.568.3440 - www.countyofsb.org/pwd

Rainfall and Reservoir Summary

Updated 8am: 11/16/2018

Water Year: 2019

Storm Number: NA

Notes: Daily rainfall amounts are recorded as of 8am for the previous 24 hours. Rainfall units are expressed in inches. All data on this page are from automated sensors, are preliminary, and subject to verification.

*Each Water Year (WY) runs from Sept 1 through Aug 31 and is designated by the calendar year in which it ends

County Real-Time Rainfall and Reservoir Website link ➤ <http://www.countyofsb.org/hydrology>

Rainfall Location	ID	24 hrs	Storm 0 day(s)	Month	Year*	% to Date	% of Year*	AI
Buellton (Fire Stn)	233	0.00	0.00	0.00	0.25	15%	2%	
Cachuma Dam (USBR)	332	0.00	0.00	0.00	0.21	12%	1%	
Carpinteria (Fire Stn)	208	0.00	0.00	0.00	0.21	12%	1%	
Cuyama (Fire Stn)	436	0.00	0.00	0.00	0.05	5%	1%	
Figueroa Mtn (USFS Stn)	421	0.00	0.00	0.00	0.27	12%	1%	11.3
Gibraltar Dam (City Facility)	230	0.00	0.00	0.00	0.18	9%	1%	11.3
Goleta (Fire Stn-Los Carneros)	440	0.00	0.00	0.00	0.50	27%	3%	
Lompoc (City Hall)	439	0.00	0.00	0.00	0.81	59%	6%	10.9
Los Alamos (Fire Stn)	204	0.00	0.00	0.00	0.34	24%	2%	
San Marcos Pass (USFS Stn)	212	0.00	0.00	0.00	0.68	21%	2%	
Santa Barbara (County Bldg)	234	0.00	0.00	0.00	1.00	58%	5%	
Santa Maria (City Pub.Works)	380	0.00	0.00	0.00	0.38	28%	3%	
Santa Ynez (Fire Stn /Airport)	218	0.00	0.00	0.00	0.16	10%	1%	
Sisquoc (Fire Stn)	256	0.00	0.00	0.00	0.25	16%	2%	

County-wide percentage of "Normal-to-Date" rainfall : **22%**

County-wide percentage of "Normal Water-Year" rainfall : **2%**

County-wide percentage of "Normal Water-Year" calculated assuming no more rain through Aug. 31, 2019 (End of WY2019).

AI (Antecedent Index / Soil Wetness)

6.0 and below = Wet (min. = 2.5)
6.1 - 9.0 = Moderate
9.1 and above = Dry (max. = 12.5)

Reservoir Information

Reservoir Elevations referenced to NGVD-29.

**Cachuma is full and subject to spilling at elevation 750 ft.

However, the lake is surcharged to 753 ft. for fish release water.

(Cachuma water storage is based on Dec 2013 capacity revision)

	Spillway Elev. (ft)	Current Elev. (ft)	Max. Storage (ac-ft)	Current Storage (ac-ft)	Current Capacity (%)	Storage Change Mo.(ac-ft)	Storage Change Year*(ac-ft)
Gibraltar Reservoir	1,400.00	1,391.93	4,314	2,703	62.7%	-100	-581
Cachuma Reservoir	753.**	691.26	193,305	59,030	30.5%	-1,122	-4,216
Jameson Reservoir	2,224.00	2,202.85	5,144	2,863	55.7%	-21	-141
Twitchell Reservoir	651.50	NA	194,971	NA		NA	NA



Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara CA 93101 - 805.568.3440 - www.countyofsb.org/pwd

Rainfall and Reservoir Summary

Updated 8am: 11/1/2018

Water Year: 2019

Storm Number: NA

Notes: Daily rainfall amounts are recorded as of 8am for the previous 24 hours. Rainfall units are expressed in inches. All data on this page are from automated sensors, are preliminary, and subject to verification.

*Each Water Year (WY) runs from Sept 1 through Aug 31 and is designated by the calendar year in which it ends

County Real-Time Rainfall and Reservoir Website link ➤ <http://www.countyofsb.org/hydrology>

Rainfall Location	ID	24 hrs	Storm 0 day(s)	Month	Year*	% to Date	% of Year*	AI
Buellton (Fire Stn)	233	0.00	0.00	0.00	0.25	28%	2%	
Cachuma Dam (USBR)	332	0.00	0.00	0.00	0.21	24%	1%	
Carpinteria (Fire Stn)	208	0.00	0.00	0.00	0.21	24%	1%	
Cuyama (Fire Stn)	436	0.00	0.00	0.00	0.05	8%	1%	
Figueroa Mtn (USFS Stn)	421	0.00	0.00	0.00	0.27	21%	1%	11.5
Gibraltar Dam (City Facility)	230	0.00	0.00	0.00	0.18	18%	1%	11.5
Goleta (Fire Stn-Los Carneros)	440	0.00	0.00	0.00	0.50	58%	3%	
Lompoc (City Hall)	439	0.00	0.00	0.00	0.81	111%	6%	11.1
Los Alamos (Fire Stn)	204	0.00	0.00	0.00	0.34	45%	2%	
San Marcos Pass (USFS Stn)	212	0.00	0.00	0.00	0.68	39%	2%	
Santa Barbara (County Bldg)	234	0.00	0.00	0.00	1.00	103%	5%	
Santa Maria (City Pub.Works)	380	0.00	0.00	0.00	0.38	46%	3%	
Santa Ynez (Fire Stn /Airport)	218	0.00	0.00	0.00	0.16	21%	1%	
Sisquoc (Fire Stn)	256	0.00	0.00	0.00	0.25	29%	2%	

County-wide percentage of "Normal-to-Date" rainfall : 41%

County-wide percentage of "Normal Water-Year" rainfall : 2%

County-wide percentage of "Normal Water-Year" calculated assuming no more rain through Aug. 31, 2019 (End of WY2019).

AI (Antecedent Index / Soil Wetness)

6.0 and below = Wet (min. = 2.5)
6.1 - 9.0 = Moderate
9.1 and above = Dry (max. = 12.5)

Reservoir Information

Reservoir Elevations referenced to NGVD-29.

**Cachuma is full and subject to spilling at elevation 750 ft.

However, the lake is surcharged to 753 ft. for fish release water.

(Cachuma water storage is based on Dec 2013 capacity revision)

	Spillway Elev. (ft)	Current Elev. (ft)	Max. Storage (ac-ft)	Current Storage (ac-ft)	Current Capacity (%)	Storage Change Mo.(ac-ft)	Storage Change Year*(ac-ft)
Gibraltar Reservoir	1,400.00	1,392.46	4,314	2,803	65.0%	0	-481
Cachuma Reservoir	753.**	692.05	193,305	60,152	31.1%	0	-3,094
Jameson Reservoir	2,224.00	2,203.09	5,144	2,884	56.1%	0	-120
Twitchell Reservoir	651.50	NA	194,971	NA		NA	NA



Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara CA 93101 - 805.568.3440 - www.countyofsb.org/pwd

Rainfall and Reservoir Summary

Updated 8am: 10/15/2018

Water Year: 2019

Storm Number: NA

Notes: Daily rainfall amounts are recorded as of 8am for the previous 24 hours. Rainfall units are expressed in inches. All data on this page are from automated sensors, are preliminary, and subject to verification.

*Each Water Year (WY) runs from Sept 1 through Aug 31 and is designated by the calendar year in which it ends

County Real-Time Rainfall and Reservoir Website link ➤ <http://www.countyofsb.org/hydrology>

Rainfall Location	ID	24 hrs	Storm 0 day(s)	Month	Year*	% to Date	% of Year*	AI
Buellton (Fire Stn)	233	0.00	0.00	0.25	0.25	61%	2%	
Cachuma Dam (USBR)	332	0.00	0.00	0.21	0.21	50%	1%	
Carpinteria (Fire Stn)	208	0.00	0.00	0.19	0.21	44%	1%	
Cuyama (Fire Stn)	436	0.00	0.00	0.05	0.05	12%	1%	
Figueroa Mtn (USFS Stn)	421	0.00	0.00	0.27	0.27	43%	1%	12.5
Gibraltar Dam (City Facility)	230	0.00	0.00	0.18	0.18	43%	1%	12.5
Goleta (Fire Stn-Los Carneros)	440	0.00	0.00	0.50	0.50	107%	3%	
Lompoc (City Hall)	439	0.00	0.00	0.80	0.80	221%	6%	12.5
Los Alamos (Fire Stn)	204	0.00	0.00	0.34	0.34	93%	2%	
San Marcos Pass (USFS Stn)	212	0.00	0.00	0.68	0.68	80%	2%	
Santa Barbara (County Bldg)	234	0.00	0.00	1.00	1.00	206%	5%	
Santa Maria (City Pub.Works)	380	0.00	0.00	0.38	0.38	99%	3%	
Santa Ynez (Fire Stn /Airport)	218	0.00	0.00	0.16	0.16	45%	1%	
Sisquoc (Fire Stn)	256	0.00	0.00	0.25	0.25	57%	2%	

County-wide percentage of "Normal-to-Date" rainfall : **83%**

County-wide percentage of "Normal Water-Year" rainfall : **2%**

County-wide percentage of "Normal Water-Year" calculated assuming no more rain through Aug. 31, 2019 (End of WY2019).

AI (Antecedent Index / Soil Wetness)

6.0 and below = Wet (min. = 2.5)
6.1 - 9.0 = Moderate
9.1 and above = Dry (max. = 12.5)

Reservoir Information

Reservoir Elevations referenced to NGVD-29.

**Cachuma is full and subject to spilling at elevation 750 ft.

However, the lake is surcharged to 753 ft. for fish release water.

(Cachuma water storage is based on Dec 2013 capacity revision)

	Spillway Elev. (ft)	Current Elev. (ft)	Max. Storage (ac-ft)	Current Storage (ac-ft)	Current Capacity (%)	Storage Change Mo.(ac-ft)	Storage Change Year*(ac-ft)
Gibraltar Reservoir	1,400.00	1,393.19	4,314	2,941	68.2%	-95	-343
Cachuma Reservoir	753.**	692.45	193,305	60,724	31.4%	-476	-2,522
Jameson Reservoir	2,224.00	2,203.39	5,144	2,911	56.6%	-23	-93
Twitchell Reservoir	651.50	NA	194,971	NA		NA	NA



Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara CA 93101 - 805.568.3440 - www.countyofsb.org/pwd

Rainfall and Reservoir Summary

Updated 8am: 10/5/2018

Water Year: 2019

Storm Number: 1

Notes: Daily rainfall amounts are recorded as of 8am for the previous 24 hours. Rainfall units are expressed in inches. All data on this page are from automated sensors, are preliminary, and subject to verification.

*Each Water Year (WY) runs from Sept 1 through Aug 31 and is designated by the calendar year in which it ends

County Real-Time Rainfall and Reservoir Website link ➤ <http://www.countyofsb.org/hydrology>

Rainfall Location	ID	24 hrs	Storm 3 day(s)	Month	Year*	% to Date	% of Year*	AI
Buellton (Fire Stn)	233	0.00	0.25	0.25	0.25	87%	2%	
Cachuma Dam (USBR)	332	0.00	0.21	0.21	0.21	72%	1%	
Carpinteria (Fire Stn)	208	0.02	0.19	0.19	0.21	60%	1%	
Cuyama (Fire Stn)	436	0.00	0.05	0.05	0.05	16%	1%	
Figueroa Mtn (USFS Stn)	421	0.00	0.27	0.27	0.27	62%	1%	12.5
Gibraltar Dam (City Facility)	230	0.00	0.18	0.18	0.18	64%	1%	12.5
Goleta (Fire Stn-Los Carneros)	440	0.05	0.49	0.49	0.49	147%	3%	
Lompoc (City Hall)	439	0.01	0.80	0.80	0.80	355%	6%	12.5
Los Alamos (Fire Stn)	204	0.00	0.34	0.34	0.34	139%	2%	
San Marcos Pass (USFS Stn)	212	0.00	0.63	0.63	0.63	115%	2%	
Santa Barbara (County Bldg)	234	0.62	0.98	0.98	0.98	273%	5%	
Santa Maria (City Pub.Works)	380	0.01	0.37	0.37	0.37	142%	3%	
Santa Ynez (Fire Stn /Airport)	218	0.01	0.16	0.16	0.16	63%	1%	
Sisquoc (Fire Stn)	256	0.00	0.00	0.24	0.24	78%	2%	

County-wide percentage of "Normal-to-Date" rainfall : **119%**

County-wide percentage of "Normal Water-Year" rainfall : **2%**

County-wide percentage of "Normal Water-Year" calculated assuming no more rain through Aug. 31, 2019 (End of WY2019).

AI (Antecedent Index / Soil Wetness)

6.0 and below = Wet (min. = 2.5)
6.1 - 9.0 = Moderate
9.1 and above = Dry (max. = 12.5)

Reservoir Information

Reservoir Elevations referenced to NGVD-29.

**Cachuma is full and subject to spilling at elevation 750 ft.

However, the lake is surcharged to 753 ft. for fish release water.

(Cachuma water storage is based on Dec 2013 capacity revision)

	Spillway Elev. (ft)	Current Elev. (ft)	Max. Storage (ac-ft)	Current Storage (ac-ft)	Current Capacity (%)	Storage Change Mo.(ac-ft)	Storage Change Year*(ac-ft)
Gibraltar Reservoir	1,400.00	1,393.55	4,314	3,011	69.8%	-25	-273
Cachuma Reservoir	753.**	692.67	193,305	61,040	31.6%	-160	-2,206
Jameson Reservoir	2,224.00	2,203.57	5,144	2,927	56.9%	-7	-77
Twitchell Reservoir	651.50	NA	194,971	NA		NA	NA



Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara CA 93101 - 805.568.3440 - www.countyofsb.org/pwd

Rainfall and Reservoir Summary

Updated 8am: 10/4/2018

Water Year: 2019

Storm Number: 1

Notes: Daily rainfall amounts are recorded as of 8am for the previous 24 hours. Rainfall units are expressed in inches. All data on this page are from automated sensors, are preliminary, and subject to verification.

*Each Water Year (WY) runs from Sept 1 through Aug 31 and is designated by the calendar year in which it ends

County Real-Time Rainfall and Reservoir Website link ➤ <http://www.countyofsb.org/hydrology>

Rainfall Location	ID	24 hrs	Storm 2 day(s)	Month	Year*	% to Date	% of Year*	AI
Buellton (Fire Stn)	233	0.15	0.25	0.25	0.25	90%	2%	
Cachuma Dam (USBR)	332	0.21	0.21	0.21	0.21	76%	1%	
Carpinteria (Fire Stn)	208	0.17	0.17	0.17	0.19	56%	1%	
Cuyama (Fire Stn)	436	0.05	0.05	0.05	0.05	16%	1%	
Figueroa Mtn (USFS Stn)	421	0.25	0.27	0.27	0.27	65%	1%	12.5
Gibraltar Dam (City Facility)	230	0.18	0.18	0.18	0.18	71%	1%	12.5
Goleta (Fire Stn-Los Carneros)	440	0.39	0.44	0.44	0.44	140%	2%	
Lompoc (City Hall)	439	0.33	0.79	0.79	0.79	370%	5%	12.5
Los Alamos (Fire Stn)	204	0.12	0.34	0.34	0.34	142%	2%	
San Marcos Pass (USFS Stn)	212	0.63	0.63	0.63	0.63	124%	2%	
Santa Barbara (County Bldg)	234	0.36	0.36	0.36	0.36	105%	2%	
Santa Maria (City Pub.Works)	380	0.15	0.36	0.36	0.36	155%	3%	
Santa Ynez (Fire Stn /Airport)	218	0.15	0.15	0.15	0.15	62%	1%	
Sisquoc (Fire Stn)	256	0.07	0.24	0.24	0.24	83%	2%	

County-wide percentage of "Normal-to-Date" rainfall : **111%**

County-wide percentage of "Normal Water-Year" rainfall : **2%**

County-wide percentage of "Normal Water-Year" calculated assuming no more rain through Aug. 31, 2019 (End of WY2019).

AI (Antecedent Index / Soil Wetness)

6.0 and below = Wet (min. = 2.5)
6.1 - 9.0 = Moderate
9.1 and above = Dry (max. = 12.5)

Reservoir Information

Reservoir Elevations referenced to NGVD-29.

**Cachuma is full and subject to spilling at elevation 750 ft.

However, the lake is surcharged to 753 ft. for fish release water.

(Cachuma water storage is based on Dec 2013 capacity revision)

	Spillway Elev. (ft)	Current Elev. (ft)	Max. Storage (ac-ft)	Current Storage (ac-ft)	Current Capacity (%)	Storage Change Mo.(ac-ft)	Storage Change Year*(ac-ft)
Gibraltar Reservoir	1,400.00	1,393.59	4,314	3,018	70.0%	-18	-266
Cachuma Reservoir	753.**	692.70	193,305	61,084	31.6%	-116	-2,162
Jameson Reservoir	2,224.00	2,203.59	5,144	2,929	56.9%	-5	-75
Twitchell Reservoir	651.50	NA	194,971	NA		NA	NA



Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara CA 93101 - 805.568.3440 - www.countyofsb.org/pwd

Rainfall and Reservoir Summary

Updated 8am: 10/3/2018

Water Year: 2019

Storm Number: 1

Notes: Daily rainfall amounts are recorded as of 8am for the previous 24 hours. Rainfall units are expressed in inches. All data on this page are from automated sensors, are preliminary, and subject to verification.

*Each Water Year (WY) runs from Sept 1 through Aug 31 and is designated by the calendar year in which it ends

County Real-Time Rainfall and Reservoir Website link ➤ <http://www.countyofsb.org/hydrology>

Rainfall Location	ID	24 hrs	Storm 1 day(s)	Month	Year*	% to Date	% of Year*	AI
Buellton (Fire Stn)	233	0.10	0.10	0.10	0.10	38%	1%	
Cachuma Dam (USBR)	332	0.00	0.00	0.00	0.00	0%	0%	
Carpinteria (Fire Stn)	208	0.00	0.00	0.00	0.02	6%	0%	
Cuyama (Fire Stn)	436	0.00	0.00	0.00	0.00	0%	0%	
Figueroa Mtn (USFS Stn)	421	0.02	0.02	0.02	0.02	5%	0%	12.5
Gibraltar Dam (City Facility)	230	0.00	0.00	0.00	0.00	0%	0%	12.5
Goleta (Fire Stn-Los Carneros)	440	0.05	0.05	0.05	0.05	16%	0%	
Lompoc (City Hall)	439	0.46	0.46	0.46	0.46	232%	3%	12.5
Los Alamos (Fire Stn)	204	0.22	0.22	0.22	0.22	96%	1%	
San Marcos Pass (USFS Stn)	212	0.00	0.00	0.00	0.00	0%	0%	
Santa Barbara (County Bldg)	234	0.00	0.00	0.00	0.00	0%	0%	
Santa Maria (City Pub.Works)	380	0.21	0.21	0.21	0.21	94%	2%	
Santa Ynez (Fire Stn /Airport)	218	0.00	0.00	0.00	0.00	0%	0%	
Sisquoc (Fire Stn)	256	0.17	0.17	0.17	0.17	61%	1%	

County-wide percentage of "Normal-to-Date" rainfall : **39%**

County-wide percentage of "Normal Water-Year" rainfall : **1%**

County-wide percentage of "Normal Water-Year" calculated assuming no more rain through Aug. 31, 2019 (End of WY2019).

AI (Antecedent Index / Soil Wetness)

6.0 and below = Wet (min. = 2.5)
6.1 - 9.0 = Moderate
9.1 and above = Dry (max. = 12.5)

Reservoir Information

Reservoir Elevations referenced to NGVD-29.

**Cachuma is full and subject to spilling at elevation 750 ft.

However, the lake is surcharged to 753 ft. for fish release water.

(Cachuma water storage is based on Dec 2013 capacity revision)

	Spillway Elev. (ft)	Current Elev. (ft)	Max. Storage (ac-ft)	Current Storage (ac-ft)	Current Capacity (%)	Storage Change Mo.(ac-ft)	Storage Change Year*(ac-ft)
Gibraltar Reservoir	1,400.00	1,393.60	4,314	3,020	70.0%	-16	-264
Cachuma Reservoir	753.**	692.70	193,305	61,084	31.6%	-116	-2,162
Jameson Reservoir	2,224.00	2,203.61	5,144	2,930	57.0%	-4	-74
Twitchell Reservoir	651.50	NA	194,971	NA		NA	NA



Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara CA 93101 - 805.568.3440 - www.countyofsb.org/pwd

Rainfall and Reservoir Summary

Updated 8am: 10/1/2018

Water Year: 2019

Storm Number: NA

Notes: Daily rainfall amounts are recorded as of 8am for the previous 24 hours. Rainfall units are expressed in inches. All data on this page are from automated sensors, are preliminary, and subject to verification.

*Each Water Year (WY) runs from Sept 1 through Aug 31 and is designated by the calendar year in which it ends

County Real-Time Rainfall and Reservoir Website link ➤ <http://www.countyofsb.org/hydrology>

Rainfall Location	ID	24 hrs	Storm 0 day(s)	Month	Year*	% to Date	% of Year*	AI
Buellton (Fire Stn)	233	0.00	0.00	0.00	0.00	0%	0%	
Cachuma Dam (USBR)	332	0.00	0.00	0.00	0.00	0%	0%	
Carpinteria (Fire Stn)	208	0.00	0.00	0.00	0.02	6%	0%	
Cuyama (Fire Stn)	436	0.00	0.00	0.00	0.00	0%	0%	
Figueroa Mtn (USFS Stn)	421	0.00	0.00	0.00	0.00	0%	0%	12.5
Gibraltar Dam (City Facility)	230	0.00	0.00	0.00	0.00	0%	0%	12.5
Goleta (Fire Stn-Los Carneros)	440	0.00	0.00	0.00	0.00	0%	0%	
Lompoc (City Hall)	439	0.00	0.00	0.00	0.00	0%	0%	12.5
Los Alamos (Fire Stn)	204	0.00	0.00	0.00	0.00	0%	0%	
San Marcos Pass (USFS Stn)	212	0.00	0.00	0.00	0.00	0%	0%	
Santa Barbara (County Bldg)	234	0.00	0.00	0.00	0.00	0%	0%	
Santa Maria (City Pub.Works)	380	0.00	0.00	0.00	0.00	0%	0%	
Santa Ynez (Fire Stn /Airport)	218	0.00	0.00	0.00	0.00	0%	0%	
Sisquoc (Fire Stn)	256	0.00	0.00	0.00	0.00	0%	0%	

County-wide percentage of "Normal-to-Date" rainfall : 0%

County-wide percentage of "Normal Water-Year" rainfall : 0%

County-wide percentage of "Normal Water-Year" calculated assuming no more rain through Aug. 31, 2019 (End of WY2019).

AI (Antecedent Index / Soil Wetness)

6.0 and below = Wet (min. = 2.5)
6.1 - 9.0 = Moderate
9.1 and above = Dry (max. = 12.5)

Reservoir Information

Reservoir Elevations referenced to NGVD-29.

**Cachuma is full and subject to spilling at elevation 750 ft.

However, the lake is surcharged to 753 ft. for fish release water.

(Cachuma water storage is based on Dec 2013 capacity revision)

	Spillway Elev. (ft)	Current Elev. (ft)	Max. Storage (ac-ft)	Current Storage (ac-ft)	Current Capacity (%)	Storage Change Mo.(ac-ft)	Storage Change Year*(ac-ft)
Gibraltar Reservoir	1,400.00	1,393.67	4,314	3,036	70.4%	0	-248
Cachuma Reservoir	753.**	692.78	193,305	61,200	31.7%	0	-2,046
Jameson Reservoir	2,224.00	2,203.65	5,144	2,934	57.0%	0	-70
Twitchell Reservoir	651.50	NA	194,971	NA		NA	NA



Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara CA 93101 - 805.568.3440 - www.countyofsb.org/pwd

Rainfall and Reservoir Summary

Updated 8am: 9/14/2018

Water Year: 2019

Storm Number: NA

Notes: Daily rainfall amounts are recorded as of 8am for the previous 24 hours. Rainfall units are expressed in inches. All data on this page are from automated sensors, are preliminary, and subject to verification.

*Each Water Year (WY) runs from Sept 1 through Aug 31 and is designated by the calendar year in which it ends

County Real-Time Rainfall and Reservoir Website link ➤ <http://www.countyofsb.org/hydrology>

Rainfall Location	ID	24 hrs	Storm 0 day(s)	Month	Year*	% to Date	% of Year*	AI
Buellton (Fire Stn)	233	0.00	0.00	0.00	0.00	0%	0%	
Cachuma Dam (USBR)	332	0.00	0.00	0.00	0.00	0%	0%	
Carpinteria (Fire Stn)	208	0.00	0.00	0.01	0.01	9%	0%	
Cuyama (Fire Stn)	436	0.00	0.00	0.00	0.00	0%	0%	
Figueroa Mtn (USFS Stn)	421	0.00	0.00	0.00	0.00	0%	0%	12.5
Gibraltar Dam (City Facility)	230	0.00	0.00	0.00	0.00	0%	0%	12.5
Goleta (Fire Stn-Los Carneros)	440	0.00	0.00	0.00	0.00	0%	0%	
Lompoc (City Hall)	439	0.00	0.00	0.00	0.00	0%	0%	
Los Alamos (Fire Stn)	204	0.00	0.00	0.00	0.00	0%	0%	
San Marcos Pass (USFS Stn)	212	0.00	0.00	0.00	0.00	0%	0%	
Santa Barbara (County Bldg)	234	0.00	0.00	0.00	0.00	0%	0%	
Santa Maria (City Pub.Works)	380	0.00	0.00	0.00	0.00	0%	0%	
Santa Ynez (Fire Stn /Airport)	218	0.00	0.00	0.00	0.00	0%	0%	
Sisquoc (Fire Stn)	256	0.00	0.00	0.00	0.00	0%	0%	

County-wide percentage of "Normal-to-Date" rainfall : 1%

County-wide percentage of "Normal Water-Year" rainfall : 0%

County-wide percentage of "Normal Water-Year" calculated assuming no more rain through Aug. 31, 2019 (End of WY2019).

AI (Antecedent Index / Soil Wetness)

6.0 and below = Wet (min. = 2.5)
6.1 - 9.0 = Moderate
9.1 and above = Dry (max. = 12.5)

Reservoir Information

Reservoir Elevations referenced to NGVD-29.

**Cachuma is full and subject to spilling at elevation 750 ft.

However, the lake is surcharged to 753 ft. for fish release water.

(Cachuma water storage is based on Dec 2013 capacity revision)

	Spillway Elev. (ft)	Current Elev. (ft)	Max. Storage (ac-ft)	Current Storage (ac-ft)	Current Capacity (%)	Storage Change Mo.(ac-ft)	Storage Change Year*(ac-ft)
Gibraltar Reservoir	1,400.00	1,394.40	4,314	3,175	73.6%	-109	-109
Cachuma Reservoir	753.**	693.37	193,305	62,056	32.1%	-1,190	-1,190
Jameson Reservoir	2,224.00	2,204.07	5,144	2,971	57.8%	-33	-33
Twitchell Reservoir	651.50	NA	194,971	NA		NA	NA



Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara CA 93101 - 805.568.3440 - www.countyofsb.org/pwd

Rainfall and Reservoir Summary

Updated 8am: 9/1/2018

Water Year: 2019

Storm Number:

Notes: Daily rainfall amounts are recorded as of 8am for the previous 24 hours. Rainfall units are expressed in inches. All data on this page are from automated sensors, are preliminary, and subject to verification.

*Each Water Year (WY) runs from Sept 1 through Aug 31 and is designated by the calendar year in which it ends

County Real-Time Rainfall and Reservoir Website link ➤ <http://www.countyofsb.org/hydrology>

Rainfall Location	ID	24 hrs	Storm 0 day(s)	Month	Year*	% to Date	% of Year*	AI
Buellton (Fire Stn)	233	0.00	0.00	0.00	0.00	0%	0%	
Cachuma Dam (USBR)	332	0.00	0.00	0.00	0.00	0%	0%	
Carpinteria (Fire Stn)	208	0.00	0.00	0.00	0.00	0%	0%	
Cuyama (Fire Stn)	436	0.00	0.00	0.00	0.00	0%	0%	
Figueroa Mtn (USFS Stn)	421	0.00	0.00	0.00	0.00	0%	0%	12.5
Gibraltar Dam (City Facility)	230	0.00	0.00	0.00	0.00	0%	0%	12.5
Goleta (Fire Stn-Los Carneros)	440	0.00	0.00	0.00	0.00	0%	0%	
Lompoc (City Hall)	439	0.00	0.00	0.00	0.00	0%	0%	
Los Alamos (Fire Stn)	204	0.00	0.00	0.00	0.00	0%	0%	
San Marcos Pass (USFS Stn)	212	0.00	0.00	0.00	0.00	0%	0%	
Santa Barbara (County Bldg)	234	0.00	0.00	0.00	0.00	0%	0%	
Santa Maria (City Pub.Works)	380	0.00	0.00	0.00	0.00	0%	0%	
Santa Ynez (Fire Stn /Airport)	218	0.00	0.00	0.00	0.00	0%	0%	
Sisquoc (Fire Stn)	256	0.00	0.00	0.00	0.00	0%	0%	

County-wide percentage of "Normal-to-Date" rainfall : **0%**

County-wide percentage of "Normal Water-Year" rainfall : **0%**

County-wide percentage of "Normal Water-Year" calculated assuming no more rain through Aug. 31, 2019 (End of WY2019).

AI (Antecedent Index / Soil Wetness)

6.0 and below = Wet (min. = 2.5)
6.1 - 9.0 = Moderate
9.1 and above = Dry (max. = 12.5)

Reservoir Information

Reservoir Elevations referenced to NGVD-29.

**Cachuma is full and subject to spilling at elevation 750 ft.

However, the lake is surcharged to 753 ft. for fish release water.

(Cachuma water storage is based on Dec 2013 capacity revision)

	Spillway Elev. (ft)	Current Elev. (ft)	Max. Storage (ac-ft)	Current Storage (ac-ft)	Current Capacity (%)	Storage Change Mo.(ac-ft)	Storage Change Year*(ac-ft)
Gibraltar Reservoir	1,400.00	1,394.96	4,314	3,284	76.1%	0	0
Cachuma Reservoir	753.**	694.18	193,305	63,246	32.7%	0	0
Jameson Reservoir	2,224.00	2,204.43	5,144	3,004	58.4%	0	0
Twitchell Reservoir	651.50	NA	194,971	NA		NA	NA



Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara CA 93101 - 805.568.3440 - www.countyofsb.org/pwd

Rainfall and Reservoir Summary

Updated 8am: 8/31/2018

Water Year: 2018

Storm Number: NA

Notes: Daily rainfall amounts are recorded as of 8am for the previous 24 hours. Rainfall units are expressed in inches. All data on this page are from automated sensors, are preliminary, and subject to verification.

*Each Water Year (WY) runs from Sept 1 through Aug 31 and is designated by the calendar year in which it ends

County Real-Time Rainfall and Reservoir Website link ➤ <http://www.countyofsb.org/hydrology>

Rainfall Location	ID	24 hrs	Storm 0 day(s)	Month	Year*	% to Date	% of Year*	AI
Buellton (Fire Stn)	233	0.00	0.00	0.00	8.12	48%	48%	
Cachuma Dam (USBR)	332	0.00	0.00	0.00	10.00	50%	50%	
Carpinteria (Fire Stn)	208	0.00	0.00	0.00	9.04	52%	52%	
Cuyama (Fire Stn)	436	0.00	0.00	0.00	4.04	52%	52%	
Figueroa Mtn (USFS Stn)	421	0.00	0.00	0.00	13.99	65%	65%	12.5
Gibraltar Dam (City Facility)	230	0.00	0.00	0.00	11.71	44%	44%	12.5
Goleta (Fire Stn-Los Carneros)	440	0.00	0.00	0.00	9.15	49%	49%	
Lompoc (City Hall)	439	0.00	0.00	0.00	8.60	59%	59%	12.5
Los Alamos (Fire Stn)	204	0.00	0.00	0.00	9.13	60%	60%	
San Marcos Pass (USFS Stn)	212	0.00	0.00	0.00	18.40	54%	54%	
Santa Barbara (County Bldg)	234	0.00	0.00	0.00	9.89	54%	54%	
Santa Maria (City Pub.Works)	380	0.00	0.00	0.00	7.34	55%	55%	
Santa Ynez (Fire Stn /Airport)	218	0.00	0.00	0.00	8.27	52%	52%	
Sisquoc (Fire Stn)	256	0.00	0.00	0.00	9.08	60%	60%	

County-wide percentage of "Normal-to-Date" rainfall : 54%

County-wide percentage of "Normal Water-Year" rainfall : 54%

County-wide percentage of "Normal Water-Year" calculated assuming no more rain through Aug. 31, 2018 (End of WY2018).

AI (Antecedent Index / Soil Wetness)

6.0 and below = Wet (min. = 2.5)
6.1 - 9.0 = Moderate
9.1 and above = Dry (max. = 12.5)

Reservoir Information

Reservoir Elevations referenced to NGVD-29.

**Cachuma is full and subject to spilling at elevation 750 ft.

However, the lake is surcharged to 753 ft. for fish release water.

(Cachuma water storage is based on Dec 2013 capacity revision)

	Spillway Elev. (ft)	Current Elev. (ft)	Max. Storage (ac-ft)	Current Storage (ac-ft)	Current Capacity (%)	Storage Change Mo.(ac-ft)	Storage Change Year*(ac-ft)
Gibraltar Reservoir	1,400.00	1,395.01	4,968	3,877	78.0%	-278	889
Cachuma Reservoir	753.**	694.27	193,305	63,379	32.8%	-8,922	-25,408
Jameson Reservoir	2,224.00	2,204.47	5,144	3,008	58.5%	-82	220
Twitchell Reservoir	651.50	NA	194,971	NA		NA	NA