

IRWM PROJECT SCORING TABLES – APPEAL SCORING SHEET (May, 2019) from the Sub-Committee

Emergency Intertie Project

Project Proponent: Carpinteria Valley Water District and Casitas Municipal Water District

Criteria	April 2019 Score Pre-Appeal	Appellate rescore	Notes
Address Critical Water Needs of the Santa Barbara County IRWM	23 points		
Measurable progress to regional water supply self-reliance (10 points total)		9	
Address climate change through direct adaptation (10 points total)		3	
Enhance water and/or wastewater infrastructure efficiency and reliability (10 points total)		9	
Improve water quality (10 points total)		2	
Protect and augment groundwater supplies (10 points total)		5	
Ensure natural resource stewardship (10 points total)		1	
Ensure equitable distribution of benefits within the IRWM region (5 points total)		1	
Consistent with Statewide Priorities in Guidelines (5 points total)		5	
Expected useful life of 15+ years (5 points total)		5	
CEQA completed – CEQA must be completed within 12 months of award (0-2)			The sub-committee was not able to complete the scoring based on the following: <ol style="list-style-type: none"> 1. The subcommittee was unclear about the assumptions made and background documentation for the determination of an MND; 2. As CEQA undergirds the project schedule, the sub-committee was unclear to what extent a CEQA delay would impact the project start date.
Project Start Date (0-2)			
Technical Justification (0/1)			
Benefits estimates (0/1)			
Score: 40			

Decision Support for Water Quality and Sediment Management at Lake Cachuma

Project Proponent: Cachuma Operations and Maintenance Board (COMB)

Criteria	April 2019 Score Pre-Appeal	Appellate rescore	Notes
Address Critical Water Needs of the Santa Barbara County IRWM	15 points		
Measurable progress to regional water supply self-reliance (10 points total)		3	
Address climate change through direct adaptation (10 points total)		4	
Enhance water and/or wastewater infrastructure efficiency and reliability (10 points total)		2	
Improve water quality (10 points total)		5	
Protect and augment groundwater supplies (10 points total)		0	
Ensure natural resource stewardship (10 points total)		5	
Ensure equitable distribution of benefits within the IRWM region (5 points total)		5	
Consistent with Statewide Priorities in Guidelines (5 points total)		5	
Expected useful life of 15+ years (5 points total)		2	
CEQA completed – CEQA must be completed within 12 months of award (0-2)		2	The sub-committee was not able to complete the scoring based on the following: 1. We need information about the start date and the end date
Project Start Date (0-2)			
Technical Justification (0/1)			
Benefits estimates (0/1)			
Score: 33			

Regional Supply Pipeline Project

Project Proponents: City of Santa Barbara and the Montecito Water District

Criteria	April 2019 Score Pre-Appeal	Appellate rescore	Notes
Address Critical Water Needs of the Santa Barbara County IRWM	20 points		
Measurable progress to regional water supply self-reliance (10 points total)		7	
Address climate change through direct adaptation (10 points total)		9	
Enhance water and/or wastewater infrastructure efficiency and reliability (10 points total)		9	
Improve water quality (10 points total)		7	
Protect and augment groundwater supplies (10 points total)		5	
Ensure natural resource stewardship (10 points total)		1	
Ensure equitable distribution of benefits within the IRWM region (5 points total)		1	
Consistent with Statewide Priorities in Guidelines (5 points total)		5	
Expected useful life of 15+ years (5 points total)		5	
CEQA completed – CEQA must be completed within 12 months of award (0-2)		2	
Project Start Date (0-2)		2	
Technical Justification (0/1)		1	
Benefits estimates (0/1)		1	
Total Score: 55			

Recycled Water Project

Project Proponent: La Cumbre Mutual Water Company

Criteria	April 2019 Score Pre-Appeal	Appellate rescore	Notes
Address Critical Water Needs of the Santa Barbara County IRWM	16 points		
Measurable progress to regional water supply self-reliance (10 points total)		3	
Address climate change through direct adaptation (10 points total)		7	
Enhance water and/or wastewater infrastructure efficiency and reliability (10 points total)		7	
Improve water quality (10 points total)		2	
Protect and augment groundwater supplies (10 points total)		6	
Ensure natural resource stewardship (10 points total)		4	
Ensure equitable distribution of benefits within the IRWM region (5 points total)		1	
Consistent with Statewide Priorities in Guidelines (5 points total)		5	
Expected useful life of 15+ years (5 points total)		5	
CEQA completed – CEQA must be completed within 12 months of award (0-2)		1	The sub-committee was not able to complete the scoring based on the following: <ol style="list-style-type: none"> 1. The sub-committee was unclear as to how the CEQA determination was arrived at and whether or not a CEQA specialist had been consulted. 2. Incomplete information about the start date and the end date of the project.
Project Start Date (0-2)			
Technical Justification (0/1)			
Benefits estimates (0/1)			
Score: 41			

Solvang Wastewater Treatment Plan Water Quality Project

Project Proponent: City of Solvang

Criteria	April 2019 Score Pre-Appeal	Appellate rescore	Notes
Address Critical Water Needs of the Santa Barbara County IRWM	36 points		
Measurable progress to regional water supply self-reliance (10 points total)		3	
Address climate change through direct adaptation (10 points total)		1	
Enhance water and/or wastewater infrastructure efficiency and reliability (10 points total)		7	
Improve water quality (10 points total)		9	
Protect and augment groundwater supplies (10 points total)		5	
Ensure natural resource stewardship (10 points total)		5	
Ensure equitable distribution of benefits within the IRWM region (5 points total)		1	
Consistent with Statewide Priorities in Guidelines (5 points total)		5	
Expected useful life of 15+ years (5 points total)		5	
CEQA completed – CEQA must be completed within 12 months of award (0-2)		2	
Project Start Date (0-2)		2	
Technical Justification (0/1)		1	
Benefits estimates (0/1)		1	
Total Score: 47			

Waller Park Recycled Water Project

Project Proponent: Laguna County Sanitation District

Criteria	April 2019 Score Pre-Appeal	Appellate rescore	Notes
Address Critical Water Needs of the Santa Barbara County IRWM	30 points		
Measurable progress to regional water supply self-reliance (10 points total)		3	
Address climate change through direct adaptation (10 points total)		7	
Enhance water and/or wastewater infrastructure efficiency and reliability (10 points total)		7	
Improve water quality (10 points total)		3	
Protect and augment groundwater supplies (10 points total)		8	
Ensure natural resource stewardship (10 points total)		6	
Ensure equitable distribution of benefits within the IRWM region (5 points total)		5	
Consistent with Statewide Priorities in Guidelines (5 points total)		5	
Expected useful life of 15+ years (5 points total)		5	
CEQA completed – CEQA must be completed within 12 months of award (0-2)		2	
Project Start Date (0-2)		2	
Technical Justification (0/1)		1	
Benefits estimates (0/1)		1	
Total Score: 55			