



# Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara, CA 93101  
805.568.3440 - www.countyofsb.org/pwd

## Daily Rainfall Record

Station Number: 270 Report Produced: 11/18/2021  
 Station Name: Shell Peak Record Checked Through: 8/31/2021  
 Nearest Landmark: Shell Peak, SLO County  
 Latitude (dms): 350437 Longitude (dms): 1201131 Elevation (ft): 2080  
 Current Observer: SBCFCD Gauge Type: Alert, Data Logger w/TB

Daily Rainfall amounts are recorded as of 8am for the previous 24 hours (PST). Days with no recorded rainfall have been omitted from this report.  
 Rainfall units are expressed in inches. E = Data estimated from nearby gauge, S = Snowfall or snowmelt has affected daily rainfall total,  
 P = Data has been prorated using nearby gauge data, PR = Preliminary data subject to verification, MT = Monthly total only.

### Water Year: 2020-21

| Day | Sep  | Oct  | Nov  | Dec  | Jan  | Feb  | Mar  | Apr  | May  | Jun  | Jul  | Aug  |
|-----|------|------|------|------|------|------|------|------|------|------|------|------|
| 7   |      |      | 0.12 |      |      |      |      |      |      |      |      |      |
| 8   |      |      | 0.16 |      |      |      |      |      |      |      |      |      |
| 10  |      |      |      |      |      |      | 0.75 |      |      |      |      |      |
| 11  |      |      |      |      |      |      | 0.12 |      |      |      |      |      |
| 12  |      |      |      |      |      | 0.16 | 0.39 |      |      |      |      |      |
| 15  |      |      |      |      |      |      | 0.31 |      |      |      |      |      |
| 16  |      |      |      |      |      |      | 0.04 |      |      |      |      |      |
| 18  |      |      | 0.08 |      |      |      |      |      |      |      |      |      |
| 19  |      |      | 0.04 |      |      |      |      |      |      |      |      |      |
| 20  |      |      |      |      |      |      | 0.08 |      |      |      |      |      |
| 23  |      |      |      |      | 0.24 |      |      |      |      |      |      |      |
| 24  |      |      |      |      | 0.08 |      |      |      |      |      |      |      |
| 25  |      |      |      |      | 0.28 |      |      |      |      |      |      |      |
| 26  |      |      |      | 0.04 |      |      |      |      |      |      |      |      |
| 27  |      |      |      |      | 0.08 |      |      |      |      |      |      |      |
| 28  |      |      |      | 0.87 | 0.47 |      |      |      |      |      |      |      |
| 29  |      |      |      | 0.35 | 2.44 |      |      |      |      |      |      |      |
| 30  |      |      |      |      | 0.08 |      |      |      |      |      |      |      |
|     | 0.00 | 0.00 | 0.39 | 1.26 | 3.66 | 0.16 | 1.69 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |

WY Total 7.17



# Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara, CA 93101  
805.568.3440 - www.countyofsb.org/pwd

## Daily Rainfall Record

Station Number: 270 Report Produced: 11/18/2021  
 Station Name: Shell Peak Record Checked Through: 8/31/2021  
 Nearest Landmark: Shell Peak, SLO County  
 Latitude (dms): 350437 Longitude (dms): 1201131 Elevation (ft): 2080  
 Current Observer: SBCFCD Gauge Type: Alert, Data Logger w/TB

Daily Rainfall amounts are recorded as of 8am for the previous 24 hours (PST). Days with no recorded rainfall have been omitted from this report. Rainfall units are expressed in inches. E = Data estimated from nearby gauge, S = Snowfall or snowmelt has affected daily rainfall total, P = Data has been prorated using nearby gauge data, PR = Preliminary data subject to verification, MT = Monthly total only.

### Water Year: 2019-20

| Day         | Sep         | Oct         | Nov         | Dec         | Jan         | Feb         | Mar         | Apr         | May         | Jun         | Jul         | Aug         |
|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| 1           |             |             |             | 0.47        |             |             |             |             |             |             |             |             |
| 2           |             |             |             |             |             |             | 0.12        |             |             |             |             |             |
| 4           |             |             |             | 0.35        |             |             |             |             |             |             |             |             |
| 5           |             |             |             | 0.12        |             |             |             |             |             |             |             |             |
| 6           |             |             |             | 0.04        |             |             |             | 2.28        |             | 0.04        |             |             |
| 7           |             |             |             |             |             |             | 0.04        | 0.08        |             |             |             |             |
| 8           |             |             |             | 0.67        |             |             | 0.04        | 0.71        |             |             |             |             |
| 9           |             |             |             | 0.51        |             |             |             | 0.59        |             |             |             |             |
| 10          |             |             |             |             | 0.04        |             |             | 0.12        |             |             |             |             |
| 11          |             |             |             |             |             |             | 1.85        |             |             |             |             |             |
| 12          |             |             |             |             |             |             | 0.31        | 0.04        |             |             |             |             |
| 14          |             |             |             |             |             |             | 0.12        |             |             |             |             |             |
| 15          |             |             |             |             |             |             | 0.43        |             |             |             |             |             |
| 16          |             |             |             |             |             |             | 0.91        |             |             |             |             |             |
| 17          |             |             |             |             | 0.35        |             | 1.22        |             |             |             |             |             |
| 18          |             |             |             |             | 0.04        |             | 0.04        |             | 0.31        |             |             |             |
| 20          |             |             | 0.12        |             |             |             | 0.08        |             |             |             |             |             |
| 21          |             |             |             |             |             |             | 0.20        |             |             |             |             |             |
| 23          |             |             |             |             | 0.67        |             | 0.71        |             |             |             |             |             |
| 24          |             |             |             |             | 0.20        |             |             |             |             |             |             |             |
| 25          |             |             |             |             |             |             | 0.04        |             |             |             |             |             |
| 26          |             |             |             |             | 0.87        |             | 0.04        |             |             |             |             |             |
| 27          |             |             | 0.83        |             |             |             | 0.04        |             |             |             |             |             |
| 28          |             |             | 0.67        |             |             |             |             |             |             |             |             |             |
| 29          |             |             | 0.43        |             |             |             |             |             |             |             |             |             |
| 30          |             |             |             |             | 0.31        |             |             |             |             |             |             |             |
| <b>0.00</b> | <b>0.00</b> | <b>2.05</b> | <b>4.21</b> | <b>0.43</b> | <b>0.00</b> | <b>6.18</b> | <b>3.82</b> | <b>0.31</b> | <b>0.04</b> | <b>0.00</b> | <b>0.00</b> | <b>0.00</b> |

WY Total 17.05



# Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara, CA 93101  
805.568.3440 - www.countyofsb.org/pwd

## Daily Rainfall Record

Station Number: 270 Report Produced: 11/18/2021  
 Station Name: Shell Peak Record Checked Through: 8/31/2021  
 Nearest Landmark: Shell Peak, SLO County  
 Latitude (dms): 350437 Longitude (dms): 1201131 Elevation (ft): 2080  
 Current Observer: SBCFCD Gauge Type: Alert, Data Logger w/TB

Daily Rainfall amounts are recorded as of 8am for the previous 24 hours (PST). Days with no recorded rainfall have been omitted from this report. Rainfall units are expressed in inches. E = Data estimated from nearby gauge, S = Snowfall or snowmelt has affected daily rainfall total, P = Data has been prorated using nearby gauge data, PR = Preliminary data subject to verification, MT = Monthly total only.

### Water Year: 2018-19

| Day | Sep  | Oct  | Nov  | Dec  | Jan  | Feb  | Mar  | Apr  | May  | Jun  | Jul  | Aug  |
|-----|------|------|------|------|------|------|------|------|------|------|------|------|
| 1   |      |      |      |      |      | 0.35 |      |      |      |      |      |      |
| 2   |      |      |      | 0.08 |      | 0.47 | 0.94 |      |      |      |      |      |
| 3   |      | 0.04 |      |      |      | 1.73 | 0.75 | 0.04 |      |      |      |      |
| 4   |      | 0.12 |      |      |      | 1.06 | 0.20 |      |      |      |      |      |
| 5   |      |      |      |      |      | 0.91 |      |      |      |      |      |      |
| 6   |      |      |      | 0.28 | 0.63 | 0.12 | 1.61 |      |      |      |      |      |
| 7   |      |      |      | 0.08 | 1.46 | 0.04 | 0.35 |      | 0.04 |      |      |      |
| 8   |      |      |      |      |      |      | 0.20 |      |      |      |      |      |
| 9   |      |      |      |      |      | 0.59 |      |      | 0.04 |      |      |      |
| 10  |      |      |      |      | 0.12 | 0.31 |      |      | 0.08 |      |      |      |
| 11  |      |      |      |      |      | 0.43 |      |      | 0.04 |      |      |      |
| 12  |      |      |      |      | 0.51 |      |      |      |      |      |      |      |
| 13  |      |      |      |      |      | 0.04 |      |      |      |      |      |      |
| 14  |      |      |      |      |      | 0.75 |      |      |      |      |      |      |
| 15  |      |      |      |      | 0.20 | 0.59 |      |      |      |      |      |      |
| 16  |      |      |      |      | 0.04 | 0.63 |      | 0.04 | 0.31 |      |      |      |
| 17  |      |      |      | 0.43 | 1.85 |      |      |      | 0.08 |      |      |      |
| 18  |      |      |      | 0.04 | 0.04 | 0.28 |      |      |      |      |      |      |
| 19  |      |      |      |      |      |      |      |      | 0.91 |      |      |      |
| 20  |      |      |      |      |      |      |      |      | 0.47 |      |      |      |
| 21  |      |      |      |      | 0.12 | 0.16 | 0.28 |      |      | 0.04 |      |      |
| 22  |      |      | 0.31 |      |      |      | 0.04 |      |      |      |      |      |
| 23  |      |      |      |      |      |      |      |      | 0.04 |      |      |      |
| 24  |      |      |      |      |      |      | 0.08 |      | 0.04 |      |      |      |
| 25  |      |      |      | 0.20 |      |      |      |      |      |      |      |      |
| 26  |      |      |      | 0.08 |      |      |      |      | 0.08 |      |      |      |
| 27  |      |      |      |      |      | 0.08 | 0.04 |      | 0.39 |      |      |      |
| 28  |      |      | 0.04 |      |      | 0.79 | 0.31 |      |      |      |      |      |
| 29  |      |      | 1.85 |      |      |      |      | 0.39 |      |      |      |      |
| 30  |      |      | 0.91 |      |      |      |      | 0.04 |      |      |      |      |
| 31  |      |      |      |      | 0.71 |      |      |      |      |      |      |      |
|     | 0.00 | 0.16 | 3.11 | 1.18 | 5.67 | 9.33 | 4.80 | 0.51 | 2.52 | 0.04 | 0.00 | 0.00 |

WY Total 27.32



# Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara, CA 93101  
805.568.3440 - www.countyofsb.org/pwd

## Daily Rainfall Record

Station Number: 270 Report Produced: 11/18/2021  
 Station Name: Shell Peak Record Checked Through: 8/31/2021  
 Nearest Landmark: Shell Peak, SLO County  
 Latitude (dms): 350437 Longitude (dms): 1201131 Elevation (ft): 2080  
 Current Observer: SBCFCD Gauge Type: Alert, Data Logger w/TB

Daily Rainfall amounts are recorded as of 8am for the previous 24 hours (PST). Days with no recorded rainfall have been omitted from this report.  
 Rainfall units are expressed in inches. E = Data estimated from nearby gauge, S = Snowfall or snowmelt has affected daily rainfall total,  
 P = Data has been prorated using nearby gauge data, PR = Preliminary data subject to verification, MT = Monthly total only.

### Water Year: 2017-18

| Day         | Sep         | Oct         | Nov         | Dec         | Jan         | Feb          | Mar         | Apr         | May         | Jun         | Jul         | Aug         |
|-------------|-------------|-------------|-------------|-------------|-------------|--------------|-------------|-------------|-------------|-------------|-------------|-------------|
| 2           |             |             |             |             |             |              | 1.02        |             |             |             |             |             |
| 3           |             |             |             |             |             |              | 0.59        |             |             |             |             |             |
| 4           | 0.24        |             |             |             | 0.47        |              | 0.04        |             |             |             |             |             |
| 5           |             |             | 0.08        |             | 0.08        |              |             |             |             |             |             |             |
| 7           |             |             |             |             |             |              |             | 0.04        |             |             |             |             |
| 8           |             |             |             |             | 0.12        |              |             | 0.20        |             |             |             |             |
| 9           |             |             |             |             | 1.42        |              |             |             |             |             |             |             |
| 10          |             |             |             |             | 0.04        |              |             |             |             |             |             |             |
| 11          | 0.16        |             |             |             |             |              | 0.63        |             |             |             |             |             |
| 13          |             |             |             |             |             | 0.08         | 0.24        | 0.04        |             |             |             |             |
| 14          |             |             |             |             |             |              | 1.18        |             |             |             |             |             |
| 15          |             |             |             |             |             |              | 0.47        |             |             |             |             |             |
| 17          |             |             | 0.12        |             |             |              | 0.35        | 0.08        |             |             |             |             |
| 19          |             |             |             |             | 0.04        |              | 0.04        | 0.28        |             |             |             |             |
| 20          |             |             |             |             | 0.04        |              |             |             |             |             |             |             |
| 21          |             |             |             | 0.04        |             |              | 1.06        |             |             |             |             |             |
| 22          |             |             |             |             |             |              | 2.72        |             |             |             |             |             |
| 23          |             |             |             |             |             |              | 1.69        |             |             |             |             |             |
| 25          |             |             |             |             | 0.08        |              |             |             |             |             |             |             |
| 27          |             |             | 0.12        |             |             | 0.20         |             |             |             |             |             |             |
| 28          |             |             |             |             |             | 0.04         |             |             |             |             |             |             |
| <b>0.39</b> | <b>0.00</b> | <b>0.31</b> | <b>0.04</b> | <b>2.28</b> | <b>0.31</b> | <b>10.04</b> | <b>0.63</b> | <b>0.00</b> | <b>0.00</b> | <b>0.00</b> | <b>0.00</b> | <b>0.00</b> |

WY Total 14.02



# Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara, CA 93101  
805.568.3440 - www.countyofsb.org/pwd

## Daily Rainfall Record

Station Number: 270 Report Produced: 11/18/2021  
 Station Name: Shell Peak Record Checked Through: 8/31/2021  
 Nearest Landmark: Shell Peak, SLO County  
 Latitude (dms): 350437 Longitude (dms): 1201131 Elevation (ft): 2080  
 Current Observer: SBCFCD Gauge Type: Alert, Data Logger w/TB

Daily Rainfall amounts are recorded as of 8am for the previous 24 hours (PST). Days with no recorded rainfall have been omitted from this report. Rainfall units are expressed in inches. E = Data estimated from nearby gauge, S = Snowfall or snowmelt has affected daily rainfall total, P = Data has been prorated using nearby gauge data, PR = Preliminary data subject to verification, MT = Monthly total only.

### Water Year: 2016-17

| Day         | Sep         | Oct         | Nov         | Dec          | Jan          | Feb         | Mar         | Apr         | May         | Jun         | Jul         | Aug         |
|-------------|-------------|-------------|-------------|--------------|--------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| 1           |             |             |             |              | 0.08         |             |             |             |             |             |             |             |
| 2           |             |             |             |              |              | 0.16        |             |             |             |             |             |             |
| 3           |             |             |             |              |              | 0.24        |             |             |             |             |             |             |
| 4           |             |             |             |              | 0.04         | 0.35        |             |             |             |             |             |             |
| 5           |             |             |             |              | 2.64         |             | 0.12        |             |             |             |             |             |
| 6           |             |             |             |              | 0.04         | 1.57        | 0.16        |             |             |             |             |             |
| 7           |             |             |             |              | 0.20         | 0.28        |             |             | 0.39        |             |             |             |
| 8           |             |             |             |              | 0.59         | 1.57        |             | 0.51        |             |             |             |             |
| 9           |             |             |             | 0.24         | 2.24         |             |             |             |             |             |             |             |
| 10          |             |             |             | 0.04         | 0.04         | 0.43        |             |             |             |             |             |             |
| 11          |             |             |             | 0.04         | 1.34         | 0.51        |             |             | 0.04        |             |             |             |
| 12          |             |             |             |              | 0.43         | 1.22        |             |             |             |             |             |             |
| 13          |             |             |             |              | 0.16         |             |             |             |             |             |             |             |
| 14          |             |             |             |              |              |             |             | 0.12        |             |             |             |             |
| 16          |             | 0.75        |             |              | 1.69         |             |             |             |             |             |             |             |
| 17          |             | 0.59        |             |              |              | 0.87        |             | 0.08        |             |             |             |             |
| 18          |             |             |             |              |              | 1.77        |             | 0.59        |             |             |             |             |
| 19          |             |             |             |              | 0.55         | 0.16        |             | 0.16        |             |             |             |             |
| 20          |             |             |             |              | 0.79         | 0.67        |             |             |             |             |             |             |
| 21          |             |             | 0.55        |              | 0.75         | 0.04        | 0.47        |             |             |             |             |             |
| 22          |             |             |             |              | 0.20         | 0.24        | 0.51        |             |             |             |             |             |
| 23          |             |             |             |              | 1.14         |             | 0.04        |             |             |             |             |             |
| 24          |             |             |             | 1.42         | 0.08         |             |             |             |             |             |             |             |
| 25          |             |             |             |              |              |             | 0.31        |             |             |             |             |             |
| 26          |             |             |             |              |              | 0.04        | 0.04        |             |             |             |             |             |
| 27          |             |             | 1.42        |              |              | 0.08        |             |             |             |             |             |             |
| 28          |             | 0.67        | 0.12        |              |              | 0.12        |             |             |             |             |             |             |
| 29          |             | 0.31        |             |              |              |             |             |             |             |             |             |             |
| 30          |             | 0.04        |             |              | 0.04         |             |             |             |             |             |             |             |
| 31          |             | 0.31        |             |              | 0.08         |             |             |             |             |             |             |             |
| <b>0.00</b> | <b>2.68</b> | <b>2.09</b> | <b>3.54</b> | <b>11.30</b> | <b>10.31</b> | <b>1.65</b> | <b>1.46</b> | <b>0.43</b> | <b>0.00</b> | <b>0.00</b> | <b>0.00</b> | <b>0.00</b> |

**WY Total 33.46**



# Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara, CA 93101  
805.568.3440 - www.countyofsb.org/pwd

## Daily Rainfall Record

Station Number: 270 Report Produced: 11/18/2021  
 Station Name: Shell Peak Record Checked Through: 8/31/2021  
 Nearest Landmark: Shell Peak, SLO County  
 Latitude (dms): 350437 Longitude (dms): 1201131 Elevation (ft): 2080  
 Current Observer: SBCFCD Gauge Type: Alert, Data Logger w/TB

Daily Rainfall amounts are recorded as of 8am for the previous 24 hours (PST). Days with no recorded rainfall have been omitted from this report.  
 Rainfall units are expressed in inches. E = Data estimated from nearby gauge, S = Snowfall or snowmelt has affected daily rainfall total,  
 P = Data has been prorated using nearby gauge data, PR = Preliminary data subject to verification, MT = Monthly total only.

### Water Year: 2015-16

| Day | Sep  | Oct  | Nov  | Dec  | Jan  | Feb  | Mar  | Apr  | May  | Jun  | Jul  | Aug  |
|-----|------|------|------|------|------|------|------|------|------|------|------|------|
| 1   |      |      |      |      |      | 0.94 |      |      |      |      |      |      |
| 3   |      |      | 0.51 |      |      |      |      | 0.04 |      |      |      |      |
| 4   |      |      |      | 0.04 |      |      |      |      |      |      |      |      |
| 5   |      |      |      |      | 0.31 |      | 0.04 |      |      |      |      |      |
| 6   |      |      |      |      | 1.06 |      | 1.10 |      | 0.12 |      |      |      |
| 7   |      |      |      |      | 0.75 |      | 0.59 |      | 0.04 |      |      |      |
| 8   |      |      |      |      | 0.04 |      | 0.28 | 0.08 |      |      |      |      |
| 9   |      |      | 0.12 |      |      |      |      | 0.20 |      |      |      |      |
| 10  |      |      | 0.31 |      | 0.08 |      |      | 0.31 |      |      |      |      |
| 11  |      |      |      | 0.47 | 0.04 |      |      | 0.87 |      |      |      |      |
| 12  |      |      |      |      | 0.04 |      | 1.06 |      |      |      |      |      |
| 14  |      |      |      | 0.47 | 0.04 |      | 0.55 |      |      |      |      |      |
| 15  |      | 0.08 |      |      |      |      |      |      |      |      |      |      |
| 16  |      | 0.24 | 0.31 |      | 0.08 |      |      |      |      |      |      |      |
| 17  | 0.04 |      |      |      | 0.04 |      |      |      |      |      |      |      |
| 18  |      |      |      |      | 0.20 | 0.51 |      |      |      |      |      |      |
| 19  |      |      |      |      | 0.16 |      |      |      |      |      |      |      |
| 20  |      |      |      | 0.59 | 1.46 |      |      |      |      |      |      |      |
| 22  |      |      |      | 0.39 |      |      |      |      |      |      |      |      |
| 23  |      |      |      | 0.20 | 0.12 |      |      |      |      |      |      |      |
| 25  |      |      | 0.20 | 0.08 |      |      |      |      |      |      |      |      |
| 28  |      |      |      | 0.04 |      |      |      |      |      |      |      |      |
| 31  |      |      |      |      | 0.47 |      |      |      |      |      |      |      |
|     | 0.04 | 0.31 | 1.46 | 2.28 | 4.88 | 1.46 | 3.62 | 1.50 | 0.16 | 0.00 | 0.00 | 0.00 |

WY Total 15.71



# Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara, CA 93101  
805.568.3440 - www.countyofsb.org/pwd

## Daily Rainfall Record

Station Number: 270 Report Produced: 11/18/2021  
 Station Name: Shell Peak Record Checked Through: 8/31/2021  
 Nearest Landmark: Shell Peak, SLO County  
 Latitude (dms): 350437 Longitude (dms): 1201131 Elevation (ft): 2080  
 Current Observer: SBCFCD Gauge Type: Alert, Data Logger w/TB

Daily Rainfall amounts are recorded as of 8am for the previous 24 hours (PST). Days with no recorded rainfall have been omitted from this report.  
 Rainfall units are expressed in inches. E = Data estimated from nearby gauge, S = Snowfall or snowmelt has affected daily rainfall total,  
 P = Data has been prorated using nearby gauge data, PR = Preliminary data subject to verification, MT = Monthly total only.

### Water Year: 2014-15

| Day         | Sep         | Oct         | Nov         | Dec         | Jan         | Feb         | Mar         | Apr         | May         | Jun         | Jul         | Aug |
|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-----|
| 1           |             |             | 1.06        |             |             |             | 0.08        |             |             |             |             |     |
| 2           |             |             | 0.24        | 0.35        |             |             | 0.08        |             |             |             |             |     |
| 3           |             |             |             | 0.63        |             |             |             |             |             |             |             |     |
| 7           |             |             |             |             |             | 0.59        |             |             |             |             |             |     |
| 8           |             |             |             |             |             | 0.98        |             | 0.43        | 0.20        |             |             |     |
| 9           |             |             |             |             |             | 0.43        |             |             |             |             |             |     |
| 10          |             |             |             |             |             |             |             |             |             | 0.08        |             |     |
| 11          |             |             |             |             | 0.12        |             |             |             |             |             |             |     |
| 12          |             |             |             | 3.03        |             |             |             |             |             |             |             |     |
| 13          |             |             |             |             | 0.12        |             |             |             |             |             |             |     |
| 14          |             |             | 0.04        |             |             |             |             |             |             |             |             |     |
| 15          |             |             | 0.04        | 0.04        |             |             |             |             | 0.71        |             |             |     |
| 16          |             |             |             | 0.12        |             |             |             |             |             |             |             |     |
| 17          |             |             |             | 0.47        |             |             |             |             |             |             |             |     |
| 18          |             |             |             | 0.12        |             |             |             |             |             |             |             |     |
| 19          |             |             |             |             |             |             |             |             |             |             | 0.31        |     |
| 20          |             |             |             |             |             |             |             |             |             |             | 1.26        |     |
| 23          |             |             |             |             |             | 0.67        |             |             |             |             |             |     |
| 25          |             |             |             | 0.04        |             |             |             |             |             |             |             |     |
| 26          |             |             |             |             |             |             |             | 0.04        |             |             |             |     |
| 28          |             |             |             |             |             |             | 0.04        |             |             |             |             |     |
| <b>0.00</b> | <b>0.00</b> | <b>1.38</b> | <b>4.92</b> | <b>0.12</b> | <b>2.68</b> | <b>0.20</b> | <b>0.47</b> | <b>0.91</b> | <b>0.08</b> | <b>1.57</b> | <b>0.00</b> |     |

WY Total 12.32



# Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara, CA 93101  
805.568.3440 - www.countyofsb.org/pwd

## Daily Rainfall Record

Station Number: 270 Report Produced: 11/18/2021  
 Station Name: Shell Peak Record Checked Through: 8/31/2021  
 Nearest Landmark: Shell Peak, SLO County  
 Latitude (dms): 350437 Longitude (dms): 1201131 Elevation (ft): 2080  
 Current Observer: SBCFCD Gauge Type: Alert, Data Logger w/TB

Daily Rainfall amounts are recorded as of 8am for the previous 24 hours (PST). Days with no recorded rainfall have been omitted from this report.  
 Rainfall units are expressed in inches. E = Data estimated from nearby gauge, S = Snowfall or snowmelt has affected daily rainfall total,  
 P = Data has been prorated using nearby gauge data, PR = Preliminary data subject to verification, MT = Monthly total only.

### Water Year: 2013-14

| Day | Sep  | Oct  | Nov  | Dec  | Jan  | Feb  | Mar  | Apr  | May  | Jun  | Jul  | Aug  |
|-----|------|------|------|------|------|------|------|------|------|------|------|------|
| 1   |      |      |      |      |      |      | 1.38 | 0.43 |      |      |      |      |
| 2   |      |      |      |      |      |      | 0.39 | 0.28 |      |      |      |      |
| 3   |      |      |      |      |      | 0.16 | 0.08 | 0.16 |      |      |      |      |
| 7   |      |      |      | 0.43 |      | 0.59 |      |      |      |      |      |      |
| 9   |      |      |      |      |      | 0.16 |      |      |      |      |      |      |
| 10  |      | 0.12 |      |      |      |      |      |      |      |      |      |      |
| 19  |      |      |      | 0.04 |      |      |      |      |      |      |      |      |
| 21  |      |      | 0.39 |      |      |      |      |      |      |      |      |      |
| 22  |      |      | 0.20 |      |      |      |      |      |      |      |      |      |
| 26  |      |      |      |      |      |      | 0.20 | 0.47 |      |      |      |      |
| 27  |      |      |      |      |      | 0.39 | 0.16 |      |      |      |      |      |
| 28  |      | 0.04 |      |      |      | 0.63 |      |      |      |      |      |      |
| 29  |      | 0.24 |      |      |      |      |      |      |      |      |      |      |
| 30  |      |      |      |      |      |      | 0.28 |      |      |      |      |      |
| 31  |      |      |      |      | 0.08 |      |      |      |      |      |      |      |
|     | 0.00 | 0.39 | 0.59 | 0.47 | 0.08 | 1.93 | 2.48 | 1.34 | 0.00 | 0.00 | 0.00 | 0.00 |

WY Total 7.28





# Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara, CA 93101  
805.568.3440 - www.countyofsb.org/pwd

## Daily Rainfall Record

Station Number: 270 Report Produced: 11/18/2021  
 Station Name: Shell Peak Record Checked Through: 8/31/2021  
 Nearest Landmark: Shell Peak, SLO County  
 Latitude (dms): 350437 Longitude (dms): 1201131 Elevation (ft): 2080  
 Current Observer: SBCFCD Gauge Type: Alert, Data Logger w/TB

Daily Rainfall amounts are recorded as of 8am for the previous 24 hours (PST). Days with no recorded rainfall have been omitted from this report. Rainfall units are expressed in inches. E = Data estimated from nearby gauge, S = Snowfall or snowmelt has affected daily rainfall total, P = Data has been prorated using nearby gauge data, PR = Preliminary data subject to verification, MT = Monthly total only.

### Water Year: 2012-13

| Day         | Sep         | Oct         | Nov         | Dec         | Jan         | Feb         | Mar         | Apr         | May         | Jun         | Jul         | Aug         |
|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| 1           |             |             |             | 0.67        |             |             |             | 0.08        |             |             |             |             |
| 2           |             |             |             | 0.55        |             |             |             |             |             |             |             |             |
| 3           |             |             |             | 1.30        |             |             |             |             |             |             |             |             |
| 5           |             |             |             | 0.04        |             |             |             | 0.04        |             |             |             |             |
| 6           |             |             |             |             | 0.71        |             | 0.16        |             | 0.16        |             |             |             |
| 7           |             |             |             |             | 0.31        |             | 0.35        |             |             |             |             |             |
| 8           |             |             |             |             |             | 0.12        | 0.71        |             |             |             |             |             |
| 9           |             |             |             |             |             | 0.16        | 0.08        |             |             |             |             |             |
| 10          |             |             |             |             | 0.04        |             |             |             |             |             |             |             |
| 11          |             | 0.16        |             |             |             |             |             |             |             |             |             |             |
| 12          |             | 0.08        |             |             |             |             |             |             |             |             |             |             |
| 13          |             |             |             | 0.31        |             |             |             |             |             |             |             |             |
| 16          |             |             |             | 0.08        |             |             |             |             |             |             |             |             |
| 17          |             |             | 0.20        | 0.12        |             |             |             |             |             |             |             |             |
| 18          |             |             | 0.31        | 0.35        |             |             |             |             |             |             |             |             |
| 19          |             |             | 0.12        |             |             |             |             |             |             |             |             |             |
| 20          |             |             |             |             |             | 0.24        |             |             |             |             |             |             |
| 21          |             |             | 0.04        |             |             |             |             |             |             |             |             |             |
| 23          |             | 0.24        |             | 1.02        |             |             |             |             |             |             |             |             |
| 24          |             |             |             | 1.54        | 0.31        |             |             |             |             |             |             |             |
| 25          |             |             |             |             | 0.55        |             |             |             |             |             |             |             |
| 26          |             |             |             | 0.51        | 0.08        |             |             |             |             |             |             |             |
| 29          |             |             | 0.12        | 0.43        |             |             |             |             |             |             |             |             |
| 30          |             |             | 0.20        |             |             |             |             |             |             |             |             |             |
| <b>0.00</b> | <b>0.47</b> | <b>0.98</b> | <b>6.93</b> | <b>2.01</b> | <b>0.51</b> | <b>1.30</b> | <b>0.12</b> | <b>0.16</b> | <b>0.00</b> | <b>0.00</b> | <b>0.00</b> | <b>0.00</b> |

WY Total 12.48



# Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara, CA 93101  
805.568.3440 - www.countyofsb.org/pwd

## Daily Rainfall Record

Station Number: 270 Report Produced: 11/18/2021  
 Station Name: Shell Peak Record Checked Through: 8/31/2021  
 Nearest Landmark: Shell Peak, SLO County  
 Latitude (dms): 350437 Longitude (dms): 1201131 Elevation (ft): 2080  
 Current Observer: SBCFCD Gauge Type: Alert, Data Logger w/TB

Daily Rainfall amounts are recorded as of 8am for the previous 24 hours (PST). Days with no recorded rainfall have been omitted from this report.  
 Rainfall units are expressed in inches. E = Data estimated from nearby gauge, S = Snowfall or snowmelt has affected daily rainfall total,  
 P = Data has been prorated using nearby gauge data, PR = Preliminary data subject to verification, MT = Monthly total only.

### Water Year: 2011-12

| Day | Sep  | Oct  | Nov  | Dec  | Jan  | Feb  | Mar  | Apr  | May  | Jun  | Jul  | Aug  |
|-----|------|------|------|------|------|------|------|------|------|------|------|------|
| 1   |      |      |      |      |      |      | 0.35 | 0.39 |      |      |      |      |
| 4   |      | 0.08 | 0.28 |      |      |      |      |      |      |      |      |      |
| 5   |      | 0.47 | 0.12 |      |      |      |      |      |      |      |      |      |
| 6   |      | 0.51 | 0.28 |      |      |      |      |      |      |      |      |      |
| 7   |      | 0.20 |      |      |      | 0.04 |      |      |      |      |      |      |
| 10  | 0.04 |      |      |      |      |      |      |      |      |      |      |      |
| 11  | 0.28 |      |      |      |      | 0.08 |      | 0.43 |      |      |      |      |
| 12  |      |      | 0.55 |      |      |      |      | 0.04 |      |      |      |      |
| 13  |      |      |      | 0.08 |      | 0.04 |      | 1.57 |      |      |      |      |
| 14  |      |      |      |      |      | 0.12 |      | 0.43 |      |      |      |      |
| 15  |      |      |      |      |      | 0.04 |      |      |      |      |      |      |
| 17  |      |      |      |      |      |      | 1.38 |      |      |      |      |      |
| 18  |      |      |      |      |      |      | 0.91 |      |      |      |      |      |
| 19  |      |      |      |      |      |      | 0.04 |      |      |      |      |      |
| 20  |      |      | 0.59 |      |      |      |      |      |      |      |      |      |
| 21  |      |      | 0.24 |      | 1.85 |      |      |      |      |      |      |      |
| 23  |      |      |      |      | 0.47 |      |      |      |      |      |      |      |
| 24  |      |      |      |      | 0.43 |      |      | 0.04 |      |      |      |      |
| 25  |      |      |      |      |      |      | 0.43 | 0.04 | 0.04 |      |      |      |
| 26  |      |      |      |      |      |      | 0.24 |      |      |      |      |      |
| 27  |      |      |      |      |      |      |      | 0.08 |      |      |      |      |
| 28  |      |      |      |      |      | 0.16 |      |      |      |      |      |      |
| 29  |      |      |      |      |      |      | 0.04 |      |      |      |      |      |
|     | 0.31 | 1.26 | 2.05 | 0.08 | 2.76 | 0.47 | 3.39 | 3.03 | 0.04 | 0.00 | 0.00 | 0.00 |

WY Total 13.39



# Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara, CA 93101  
805.568.3440 - www.countyofsb.org/pwd

## Daily Rainfall Record

Station Number: 270 Report Produced: 11/18/2021  
 Station Name: Shell Peak Record Checked Through: 8/31/2021  
 Nearest Landmark: Shell Peak, SLO County  
 Latitude (dms): 350437 Longitude (dms): 1201131 Elevation (ft): 2080  
 Current Observer: SBCFCD Gauge Type: Alert, Data Logger w/TB

Daily Rainfall amounts are recorded as of 8am for the previous 24 hours (PST). Days with no recorded rainfall have been omitted from this report.  
 Rainfall units are expressed in inches. E = Data estimated from nearby gauge, S = Snowfall or snowmelt has affected daily rainfall total,  
 P = Data has been prorated using nearby gauge data, PR = Preliminary data subject to verification, MT = Monthly total only.

### Water Year: 2010-11

| Day         | Sep         | Oct         | Nov          | Dec         | Jan         | Feb         | Mar         | Apr         | May         | Jun         | Jul         | Aug         |
|-------------|-------------|-------------|--------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| 2           |             | 0.12        |              |             | 0.24        |             |             |             |             |             |             |             |
| 3           |             |             |              |             | 0.31        |             | 0.31        |             |             |             |             |             |
| 4           |             | 0.04        |              |             |             |             |             |             |             |             |             |             |
| 5           |             |             |              | 0.20        |             |             |             |             |             | 0.04        |             |             |
| 6           |             | 0.51        |              | 0.43        |             |             |             |             |             | 0.63        |             |             |
| 7           |             | 0.04        |              |             |             |             | 0.24        |             |             |             |             |             |
| 8           |             |             | 0.39         |             |             |             |             | 0.16        | 0.04        |             |             |             |
| 9           |             |             |              |             |             |             |             | 0.12        |             |             |             |             |
| 10          |             |             |              |             |             |             |             | 0.04        | 0.04        |             |             |             |
| 15          |             |             |              | 0.08        |             | 0.04        |             |             | 0.16        |             |             |             |
| 16          |             |             |              |             |             | 0.31        |             |             | 0.04        |             |             |             |
| 17          |             |             |              | 0.20        |             | 0.47        |             |             | 0.24        |             |             |             |
| 18          |             | 0.08        |              | 0.55        |             |             |             |             | 0.28        |             |             |             |
| 19          |             | 0.24        |              | 4.37        |             | 1.34        | 0.20        |             | 0.04        |             |             |             |
| 20          |             |             | 0.55         | 3.94        |             | 0.31        | 2.13        |             |             |             |             |             |
| 21          |             |             | 0.71         | 0.98        |             | 0.04        | 1.57        | 0.16        |             |             |             |             |
| 22          |             |             | 0.08         | 0.63        |             |             | 0.16        |             |             |             |             |             |
| 23          |             | 0.12        |              | 0.39        |             |             |             |             |             |             |             |             |
| 24          |             |             | 0.28         |             |             |             | 0.47        |             |             |             |             |             |
| 25          |             | 0.28        |              |             |             | 0.20        | 0.75        | 0.04        |             |             |             |             |
| 26          |             |             |              | 0.55        |             | 1.30        |             |             |             |             |             |             |
| 27          |             |             |              |             |             | 0.04        | 0.43        |             |             |             |             |             |
| 28          |             |             | 0.20         |             |             | 0.04        |             |             |             |             |             |             |
| 29          |             |             |              | 0.79        |             |             |             |             | 0.04        |             |             |             |
| 30          |             | 0.47        |              | 0.12        | 0.16        |             |             |             |             | 0.04        |             |             |
| 31          |             | 0.04        |              |             | 0.28        |             |             |             |             |             |             |             |
| <b>0.00</b> | <b>1.93</b> | <b>2.20</b> | <b>13.23</b> | <b>0.98</b> | <b>4.09</b> | <b>6.26</b> | <b>0.51</b> | <b>0.87</b> | <b>0.71</b> | <b>0.00</b> | <b>0.00</b> | <b>0.00</b> |

WY Total 30.79



# Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara, CA 93101  
805.568.3440 - www.countyofsb.org/pwd

## Daily Rainfall Record

Station Number: 270 Report Produced: 11/18/2021  
 Station Name: Shell Peak Record Checked Through: 8/31/2021  
 Nearest Landmark: Shell Peak, SLO County  
 Latitude (dms): 350437 Longitude (dms): 1201131 Elevation (ft): 2080  
 Current Observer: SBCFCD Gauge Type: Alert, Data Logger w/TB

Daily Rainfall amounts are recorded as of 8am for the previous 24 hours (PST). Days with no recorded rainfall have been omitted from this report. Rainfall units are expressed in inches. E = Data estimated from nearby gauge, S = Snowfall or snowmelt has affected daily rainfall total, P = Data has been prorated using nearby gauge data, PR = Preliminary data subject to verification, MT = Monthly total only.

### Water Year: 2009-10

| Day | Sep  | Oct  | Nov  | Dec  | Jan  | Feb  | Mar  | Apr  | May  | Jun  | Jul  | Aug  |
|-----|------|------|------|------|------|------|------|------|------|------|------|------|
| 1   |      |      |      |      |      |      |      | 0.04 |      |      |      |      |
| 3   |      |      |      |      |      |      | 0.31 |      |      |      |      |      |
| 4   |      |      |      |      |      |      | 0.55 |      |      |      |      |      |
| 5   |      |      |      |      |      | 0.08 |      | 0.71 |      |      |      |      |
| 6   |      |      |      |      |      | 0.39 |      |      |      |      |      |      |
| 7   |      |      |      | 0.39 |      | 0.51 | 0.16 |      |      |      |      |      |
| 8   |      |      |      | 0.67 |      |      |      |      |      |      |      |      |
| 9   |      |      |      |      |      | 0.12 |      |      |      |      |      |      |
| 10  |      |      |      |      |      | 0.20 |      |      |      |      |      |      |
| 11  |      |      |      | 1.22 |      |      |      |      |      |      | 0.12 |      |
| 12  |      |      |      | 0.16 |      |      |      | 1.06 |      |      |      |      |
| 13  |      |      |      | 1.50 | 0.91 |      | 0.08 | 0.43 |      |      |      |      |
| 14  |      | 2.72 |      | 0.04 |      |      |      |      |      |      |      |      |
| 15  | 0.04 | 0.31 |      |      |      |      |      |      |      |      |      |      |
| 18  |      |      |      |      | 0.47 |      |      | 0.24 |      |      |      |      |
| 19  |      |      |      |      | 0.59 |      |      |      |      |      |      |      |
| 20  |      | 0.04 |      |      | 0.94 | 0.12 |      | 0.04 |      |      |      |      |
| 21  |      |      | 0.04 |      | 0.83 | 0.08 |      | 0.59 |      |      |      |      |
| 22  |      |      |      | 0.12 | 1.61 | 0.24 |      |      |      |      |      |      |
| 23  |      |      |      |      | 0.35 |      |      | 0.04 |      |      |      |      |
| 24  |      |      |      |      | 0.04 | 0.24 |      |      |      |      |      |      |
| 25  |      |      |      |      |      | 0.43 |      |      |      |      |      |      |
| 27  |      |      |      |      | 0.28 | 1.18 |      |      |      |      |      |      |
| 28  |      |      |      |      |      | 0.51 |      | 0.43 |      |      |      |      |
| 30  |      |      |      | 0.08 | 0.04 |      | 0.04 |      |      |      |      |      |
| 31  |      |      |      | 0.04 |      |      | 0.12 |      |      |      |      |      |
|     | 0.04 | 3.07 | 0.04 | 4.21 | 6.06 | 4.09 | 1.26 | 3.35 | 0.24 | 0.00 | 0.12 | 0.00 |

WY Total 22.48



# Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara, CA 93101  
805.568.3440 - www.countyofsb.org/pwd

## Daily Rainfall Record

Station Number: 270 Report Produced: 11/18/2021  
 Station Name: Shell Peak Record Checked Through: 8/31/2021  
 Nearest Landmark: Shell Peak, SLO County  
 Latitude (dms): 350437 Longitude (dms): 1201131 Elevation (ft): 2080  
 Current Observer: SBCFCD Gauge Type: Alert, Data Logger w/TB

Daily Rainfall amounts are recorded as of 8am for the previous 24 hours (PST). Days with no recorded rainfall have been omitted from this report. Rainfall units are expressed in inches. E = Data estimated from nearby gauge, S = Snowfall or snowmelt has affected daily rainfall total, P = Data has been prorated using nearby gauge data, PR = Preliminary data subject to verification, MT = Monthly total only.

### Water Year: 2008-09

| Day | Sep  | Oct  | Nov  | Dec  | Jan  | Feb  | Mar  | Apr  | May  | Jun  | Jul  | Aug  |
|-----|------|------|------|------|------|------|------|------|------|------|------|------|
| 2   |      |      | 0.55 |      |      |      |      |      | 0.16 |      |      |      |
| 3   |      |      | 0.04 |      | 0.04 |      |      |      |      |      |      |      |
| 4   |      |      | 0.35 |      |      |      | 0.76 |      |      |      |      |      |
| 5   |      | 0.12 |      |      |      | 0.08 | 0.08 |      |      |      |      |      |
| 6   |      |      |      |      |      | 0.28 |      |      |      | 0.04 |      |      |
| 7   |      |      |      |      |      | 0.47 |      |      |      |      |      |      |
| 8   |      |      |      |      |      | 0.08 |      | 0.28 |      |      |      |      |
| 9   |      |      | 0.04 |      |      | 0.28 |      | 0.12 |      |      |      |      |
| 10  |      |      |      |      |      | 0.36 |      |      |      |      |      |      |
| 12  |      |      |      |      |      | 0.12 |      |      |      |      |      |      |
| 13  |      |      |      |      |      | 0.04 |      |      |      |      |      |      |
| 14  |      |      |      |      |      | 0.48 |      |      |      |      |      |      |
| 15  |      |      |      | 1.26 |      |      |      |      |      |      |      |      |
| 16  |      |      |      | 0.32 |      | 0.40 |      |      |      |      |      |      |
| 17  |      |      |      | 0.08 |      | 0.96 |      |      |      |      |      |      |
| 18  |      |      |      |      |      | 0.68 |      |      |      |      |      |      |
| 22  |      |      |      | 0.43 | 0.12 | 0.24 | 0.52 |      |      |      |      |      |
| 23  |      |      |      |      | 0.16 | 0.08 |      |      |      |      |      |      |
| 24  |      |      |      |      | 0.47 | 0.16 |      |      |      |      |      |      |
| 25  |      |      |      | 0.04 | 0.04 |      |      |      |      |      |      |      |
| 26  |      |      | 0.71 | 0.32 |      |      |      |      |      |      |      |      |
| 27  |      |      | 0.24 |      |      |      |      |      |      |      |      |      |
| 31  |      | 0.08 |      |      |      |      |      |      |      |      |      |      |
|     | 0.00 | 0.20 | 1.93 | 2.44 | 0.83 | 4.71 | 1.36 | 0.40 | 0.16 | 0.04 | 0.00 | 0.00 |

WY Total 12.06



# Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara, CA 93101  
805.568.3440 - www.countyofsb.org/pwd

## Daily Rainfall Record

Station Number: 270 Report Produced: 11/18/2021  
 Station Name: Shell Peak Record Checked Through: 8/31/2021  
 Nearest Landmark: Shell Peak, SLO County  
 Latitude (dms): 350437 Longitude (dms): 1201131 Elevation (ft): 2080  
 Current Observer: SBCFCD Gauge Type: Alert, Data Logger w/TB

Daily Rainfall amounts are recorded as of 8am for the previous 24 hours (PST). Days with no recorded rainfall have been omitted from this report.  
 Rainfall units are expressed in inches. E = Data estimated from nearby gauge, S = Snowfall or snowmelt has affected daily rainfall total,  
 P = Data has been prorated using nearby gauge data, PR = Preliminary data subject to verification, MT = Monthly total only.

### Water Year: 2007-08

| Day | Sep  | Oct  | Nov  | Dec  | Jan   | Feb  | Mar  | Apr  | May  | Jun  | Jul  | Aug  |
|-----|------|------|------|------|-------|------|------|------|------|------|------|------|
| 3   |      |      |      |      |       | 1.26 |      | 0.04 |      |      |      |      |
| 4   |      |      |      |      |       | 0.20 |      |      |      |      |      |      |
| 5   |      |      |      |      | 2.84  |      |      |      |      |      |      |      |
| 6   |      |      |      |      | 1.02  |      |      |      |      |      |      |      |
| 7   |      |      |      | 0.75 | 0.55  |      |      |      |      |      |      |      |
| 8   |      |      |      | 0.04 |       |      |      |      |      |      |      |      |
| 9   |      |      |      |      | 0.04  |      |      |      |      |      |      |      |
| 11  |      |      | 0.04 |      |       |      |      |      |      |      |      |      |
| 13  |      | 0.28 |      |      |       |      |      |      |      |      |      |      |
| 16  |      |      |      |      |       |      | 0.04 |      |      |      |      |      |
| 17  |      | 0.16 |      |      |       |      |      |      |      |      |      |      |
| 18  |      |      |      | 0.59 |       |      |      |      |      |      |      |      |
| 19  |      |      |      | 2.55 |       |      |      |      |      |      |      |      |
| 20  |      |      |      |      |       | 0.16 |      |      |      |      |      |      |
| 21  |      |      |      | 0.16 |       | 0.08 |      |      |      |      |      |      |
| 22  | 0.12 |      |      |      | 0.08  | 0.08 |      |      |      |      |      |      |
| 23  | 0.04 |      |      |      | 1.02  | 0.24 |      |      |      |      |      |      |
| 24  |      |      |      |      | 0.99  | 0.39 |      |      |      |      |      |      |
| 25  |      |      |      |      | 1.18  | 0.20 |      |      |      |      |      |      |
| 26  |      |      |      |      | 0.08  |      |      |      |      |      |      |      |
| 27  |      |      |      |      | 0.75  |      |      |      |      |      |      |      |
| 28  |      | 0.12 |      |      | 1.62  |      |      |      |      |      |      |      |
| 29  |      |      |      |      | 0.16  |      |      |      |      |      |      |      |
|     | 0.16 | 0.55 | 0.04 | 4.09 | 10.32 | 2.60 | 0.04 | 0.04 | 0.00 | 0.00 | 0.00 | 0.00 |

WY Total 17.84



# Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara, CA 93101  
805.568.3440 - www.countyofsb.org/pwd

## Daily Rainfall Record

Station Number: 270 Report Produced: 11/18/2021  
 Station Name: Shell Peak Record Checked Through: 8/31/2021  
 Nearest Landmark: Shell Peak, SLO County  
 Latitude (dms): 350437 Longitude (dms): 1201131 Elevation (ft): 2080  
 Current Observer: SBCFCD Gauge Type: Alert, Data Logger w/TB

Daily Rainfall amounts are recorded as of 8am for the previous 24 hours (PST). Days with no recorded rainfall have been omitted from this report. Rainfall units are expressed in inches. E = Data estimated from nearby gauge, S = Snowfall or snowmelt has affected daily rainfall total, P = Data has been prorated using nearby gauge data, PR = Preliminary data subject to verification, MT = Monthly total only.

### Water Year: 2006-07

| Day         | Sep         | Oct         | Nov         | Dec         | Jan         | Feb         | Mar         | Apr         | May         | Jun         | Jul         | Aug         |
|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| 1           |             |             |             |             |             |             | 0.28        |             |             |             |             |             |
| 2           |             | 0.04        | 0.04        |             |             |             |             |             |             |             |             |             |
| 5           |             | 0.08        |             |             | 0.12        |             |             |             |             |             |             |             |
| 9           |             |             |             | 0.31        |             |             |             |             |             |             |             |             |
| 10          |             |             |             | 0.91        |             |             |             |             |             |             |             |             |
| 11          |             |             |             | 0.24        |             | 1.42        |             |             |             |             |             |             |
| 12          |             |             | 0.04        |             |             |             |             |             |             |             |             |             |
| 13          |             | 0.12        |             |             |             |             |             |             |             |             |             |             |
| 14          |             | 0.08        | 0.04        |             |             | 0.04        |             |             |             |             |             |             |
| 17          |             |             |             |             | 0.04        |             |             |             |             |             |             |             |
| 18          |             | 0.04        |             |             |             |             |             |             |             |             |             |             |
| 20          |             |             |             |             |             |             |             | 0.35        |             |             |             |             |
| 21          |             |             |             |             |             |             | 0.31        | 0.16        |             |             |             |             |
| 22          |             |             |             | 0.20        |             | 0.08        |             | 0.04        |             |             |             |             |
| 23          |             |             |             |             |             | 0.75        |             | 0.16        |             |             |             |             |
| 25          |             |             |             |             |             | 0.08        |             |             |             |             |             |             |
| 27          |             |             | 0.35        | 0.55        | 0.04        | 1.34        | 0.12        |             |             |             |             |             |
| 28          |             |             |             | 0.08        | 0.55        | 0.12        |             |             |             |             |             |             |
| 29          |             |             |             |             | 0.31        |             |             |             |             |             |             |             |
| <b>0.00</b> | <b>0.36</b> | <b>0.47</b> | <b>2.28</b> | <b>1.06</b> | <b>3.82</b> | <b>0.71</b> | <b>0.71</b> | <b>0.00</b> | <b>0.00</b> | <b>0.00</b> | <b>0.00</b> | <b>0.00</b> |

WY Total 9.42



# Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara, CA 93101  
805.568.3440 - www.countyofsb.org/pwd

## Daily Rainfall Record

Station Number: 270 Report Produced: 11/18/2021  
 Station Name: Shell Peak Record Checked Through: 8/31/2021  
 Nearest Landmark: Shell Peak, SLO County  
 Latitude (dms): 350437 Longitude (dms): 1201131 Elevation (ft): 2080  
 Current Observer: SBCFCD Gauge Type: Alert, Data Logger w/TB

Daily Rainfall amounts are recorded as of 8am for the previous 24 hours (PST). Days with no recorded rainfall have been omitted from this report. Rainfall units are expressed in inches. E = Data estimated from nearby gauge, S = Snowfall or snowmelt has affected daily rainfall total, P = Data has been prorated using nearby gauge data, PR = Preliminary data subject to verification, MT = Monthly total only.

### Water Year: 2005-06

| Day | Sep  | Oct  | Nov  | Dec  | Jan  | Feb  | Mar  | Apr  | May  | Jun  | Jul  | Aug  |
|-----|------|------|------|------|------|------|------|------|------|------|------|------|
| 1   |      |      |      |      | 1.73 |      |      | 0.28 |      |      |      |      |
| 2   |      |      |      | 0.91 | 3.90 |      |      |      |      |      |      |      |
| 3   |      |      |      | 0.28 | 1.22 |      | 0.83 | 0.31 |      |      |      |      |
| 4   |      |      |      |      |      |      | 0.16 | 1.97 |      |      |      |      |
| 5   |      |      |      |      |      |      |      | 1.69 |      |      |      |      |
| 6   |      |      |      |      |      |      | 0.47 | 0.24 | 0.04 |      |      |      |
| 7   |      |      |      |      |      |      | 0.43 |      |      |      |      |      |
| 8   |      |      |      |      |      |      | 0.04 |      |      |      |      |      |
| 9   |      |      | 0.28 |      |      |      |      |      |      |      |      |      |
| 10  |      |      | 0.12 |      |      |      | 0.08 |      |      |      |      |      |
| 11  |      |      | 0.08 |      |      |      | 0.16 | 0.12 |      |      |      |      |
| 12  |      |      |      |      |      |      | 0.24 |      |      |      |      |      |
| 13  |      |      |      |      |      |      | 0.28 |      |      |      |      |      |
| 14  |      |      |      |      | 0.20 |      |      |      |      |      |      |      |
| 15  |      |      |      |      | 0.20 |      | 0.20 | 0.39 |      |      |      |      |
| 16  |      |      |      |      |      |      |      | 0.04 |      |      |      |      |
| 17  |      |      |      |      |      |      | 0.08 | 0.20 |      |      |      |      |
| 18  |      | 0.75 |      |      | 0.04 | 0.12 | 0.55 | 0.47 |      |      |      |      |
| 19  |      |      |      |      | 0.04 | 0.20 | 0.24 |      |      |      |      |      |
| 20  |      |      |      |      |      | 0.04 |      |      |      |      |      |      |
| 21  |      |      |      |      |      | 0.04 | 0.39 |      |      |      |      |      |
| 22  |      |      |      |      |      |      |      | 0.04 | 0.83 |      |      |      |
| 23  |      |      |      |      |      |      |      | 0.04 |      |      |      |      |
| 25  |      | 0.04 |      |      |      |      |      |      |      |      |      |      |
| 26  | 0.08 |      | 0.04 |      | 0.67 |      | 0.43 | 0.39 |      |      |      |      |
| 27  | 0.04 | 0.12 |      |      | 0.04 |      |      | 0.43 |      |      |      |      |
| 28  |      |      |      |      |      | 0.94 | 0.51 | 0.04 |      |      |      |      |
| 29  |      |      |      |      | 0.12 |      | 0.55 |      |      |      |      |      |
| 30  |      |      |      |      |      |      | 0.16 |      |      |      |      |      |
| 31  |      |      |      |      | 0.20 |      | 0.04 |      |      |      |      |      |
|     | 0.12 | 0.91 | 0.52 | 2.26 | 7.41 | 1.77 | 5.76 | 6.18 | 0.87 | 0.00 | 0.00 | 0.00 |

**WY Total 25.80**





# Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara, CA 93101  
805.568.3440 - www.countyofsb.org/pwd

## Daily Rainfall Record

Station Number: 270 Report Produced: 11/18/2021  
 Station Name: Shell Peak Record Checked Through: 8/31/2021  
 Nearest Landmark: Shell Peak, SLO County  
 Latitude (dms): 350437 Longitude (dms): 1201131 Elevation (ft): 2080  
 Current Observer: SBCFCD Gauge Type: Alert, Data Logger w/TB

Daily Rainfall amounts are recorded as of 8am for the previous 24 hours (PST). Days with no recorded rainfall have been omitted from this report. Rainfall units are expressed in inches. E = Data estimated from nearby gauge, S = Snowfall or snowmelt has affected daily rainfall total, P = Data has been prorated using nearby gauge data, PR = Preliminary data subject to verification, MT = Monthly total only.

### Water Year: 1998-99

| Day         | Sep         | Oct         | Nov         | Dec         | Jan         | Feb         | Mar                  | Apr                  | May         | Jun         | Jul         | Aug         |
|-------------|-------------|-------------|-------------|-------------|-------------|-------------|----------------------|----------------------|-------------|-------------|-------------|-------------|
| 1           |             |             |             | 0.51        |             | 0.39        |                      |                      |             |             |             |             |
| 2           |             |             |             | 0.04        |             |             |                      |                      |             |             |             |             |
| 4           | 0.31        |             |             | 0.20        |             |             |                      |                      |             |             |             |             |
| 5           | 0.59        |             |             |             |             | 0.04        |                      |                      |             |             |             |             |
| 6           | 0.04        |             |             | 0.24        |             |             |                      | 1.10 <sup>E356</sup> |             |             |             |             |
| 7           |             |             |             |             |             | 0.16        |                      |                      |             |             |             |             |
| 8           | 0.08        |             | 0.47        |             |             | 0.35        |                      |                      |             |             |             |             |
| 9           | 0.04        |             |             |             |             | 0.47        | 0.31                 | 0.06 <sup>E356</sup> |             |             |             |             |
| 10          |             |             |             |             |             | 1.10        | 0.12                 |                      |             |             |             |             |
| 11          |             |             | 0.20        |             |             |             | 0.08                 | 0.06 <sup>E356</sup> |             |             |             |             |
| 12          |             |             | 0.04        |             |             |             | 0.12                 | 0.72 <sup>E356</sup> |             |             |             |             |
| 15          |             |             |             |             |             |             | 0.59                 |                      |             |             |             |             |
| 16          |             |             |             |             |             |             | 0.75                 |                      |             |             |             |             |
| 17          |             |             | 0.08        |             |             |             |                      |                      |             |             |             |             |
| 20          |             |             |             |             | 1.18        |             | 1.21 <sup>E356</sup> |                      |             |             |             |             |
| 21          |             |             |             | 0.08        | 0.31        | 0.12        | 0.08 <sup>E356</sup> |                      |             |             |             |             |
| 23          |             |             |             |             |             |             | 0.07 <sup>E356</sup> |                      |             |             |             |             |
| 24          |             |             | 0.04        |             | 0.43        |             |                      |                      |             |             |             |             |
| 25          |             | 0.20        |             |             | 0.12        | 0.08        | 0.90 <sup>E356</sup> |                      |             |             |             |             |
| 26          |             | 0.04        |             |             | 0.43        |             | 0.06 <sup>E356</sup> |                      |             |             |             |             |
| 27          | 0.04        |             |             |             | 0.43        |             |                      |                      |             |             |             |             |
| 28          |             |             | 0.59        |             |             |             |                      |                      |             |             |             |             |
| 29          |             |             | 0.16        |             |             |             |                      |                      |             |             |             |             |
| 30          |             |             | 0.12        |             |             |             |                      |                      |             |             |             |             |
| 31          |             |             |             |             | 0.63        |             | 0.16 <sup>E356</sup> |                      |             |             |             |             |
| <b>1.10</b> | <b>0.24</b> | <b>1.70</b> | <b>1.07</b> | <b>3.53</b> | <b>2.71</b> | <b>4.45</b> | <b>1.94</b>          | <b>0.00</b>          | <b>0.00</b> | <b>0.00</b> | <b>0.00</b> | <b>0.00</b> |

**WY Total 16.74**



# Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara, CA 93101  
805.568.3440 - www.countyofsb.org/pwd

## Daily Rainfall Record

Station Number: 270 Report Produced: 11/18/2021  
 Station Name: Shell Peak Record Checked Through: 8/31/2021  
 Nearest Landmark: Shell Peak, SLO County  
 Latitude (dms): 350437 Longitude (dms): 1201131 Elevation (ft): 2080  
 Current Observer: SBCFCD Gauge Type: Alert, Data Logger w/TB

Daily Rainfall amounts are recorded as of 8am for the previous 24 hours (PST). Days with no recorded rainfall have been omitted from this report. Rainfall units are expressed in inches. E = Data estimated from nearby gauge, S = Snowfall or snowmelt has affected daily rainfall total, P = Data has been prorated using nearby gauge data, PR = Preliminary data subject to verification, MT = Monthly total only.

### Water Year: 1997-98

| Day | Sep                  | Oct  | Nov  | Dec  | Jan  | Feb   | Mar  | Apr  | May  | Jun  | Jul  | Aug  |
|-----|----------------------|------|------|------|------|-------|------|------|------|------|------|------|
| 1   |                      |      |      | 0.31 |      | 0.08  |      | 0.67 |      |      |      |      |
| 2   | 0.33 <sup>E356</sup> |      |      |      |      | 2.05  |      | 0.28 | 0.24 |      |      |      |
| 3   |                      |      |      |      | 0.31 | 2.01  |      |      | 0.91 |      |      |      |
| 4   |                      |      | 0.16 |      | 0.28 | 0.87  |      | 0.51 | 0.16 |      |      |      |
| 5   |                      |      |      | 0.20 | 0.35 |       |      | 0.20 | 0.67 |      |      |      |
| 6   |                      |      |      | 1.18 |      | 0.59  | 0.75 | 0.08 | 2.99 |      |      |      |
| 7   |                      |      |      |      |      | 0.63  |      |      |      |      |      |      |
| 8   |                      |      |      |      |      | 2.09  |      |      | 0.08 |      |      |      |
| 9   |                      |      |      |      |      | 0.79  |      |      |      |      | 0.04 |      |
| 10  |                      |      |      |      | 1.18 |       |      |      |      |      |      |      |
| 11  |                      |      | 0.91 |      | 0.04 |       |      | 0.04 |      |      |      |      |
| 12  |                      |      |      |      |      |       |      | 0.71 | 0.31 |      |      |      |
| 13  |                      |      | 0.20 |      | 0.79 | 0.08  |      | 0.08 | 0.83 |      |      |      |
| 14  |                      |      | 0.20 |      |      | 0.83  | 0.20 | 0.04 |      |      |      |      |
| 15  |                      |      |      | 0.04 | 0.08 | 1.30  |      |      |      |      |      |      |
| 16  |                      |      | 0.43 |      | 0.67 |       |      |      |      |      |      |      |
| 17  |                      |      |      |      |      | 1.06  |      | 0.04 |      |      |      |      |
| 19  |                      |      | 0.12 | 0.12 | 0.75 |       |      |      |      |      |      |      |
| 20  |                      |      | 0.20 |      | 0.04 | 0.51  |      |      |      |      |      |      |
| 22  |                      |      |      |      |      | 1.93  |      |      |      |      |      |      |
| 23  |                      |      |      |      |      | 0.91  |      | 0.08 |      |      |      |      |
| 24  |                      |      |      |      |      | 0.63  |      |      |      |      |      |      |
| 25  |                      |      |      |      |      |       | 1.93 |      |      |      |      |      |
| 26  |                      |      | 1.02 |      |      |       | 0.24 |      |      |      |      |      |
| 27  |                      |      | 1.06 |      |      |       |      |      |      |      |      |      |
| 28  |                      |      | 0.04 |      |      |       | 0.94 |      |      |      |      |      |
| 29  |                      |      |      |      | 0.75 |       | 0.08 |      | 0.43 |      |      |      |
| 30  |                      |      | 0.63 |      | 0.35 |       |      |      |      |      |      |      |
|     | 0.33                 | 0.00 | 4.97 | 1.85 | 5.59 | 16.36 | 4.14 | 2.73 | 6.62 | 0.00 | 0.04 | 0.00 |

WY Total 42.63



# Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara, CA 93101  
805.568.3440 - www.countyofsb.org/pwd

## Daily Rainfall Record

Station Number: 270 Report Produced: 11/18/2021  
 Station Name: Shell Peak Record Checked Through: 8/31/2021  
 Nearest Landmark: Shell Peak, SLO County  
 Latitude (dms): 350437 Longitude (dms): 1201131 Elevation (ft): 2080  
 Current Observer: SBCFCD Gauge Type: Alert, Data Logger w/TB

Daily Rainfall amounts are recorded as of 8am for the previous 24 hours (PST). Days with no recorded rainfall have been omitted from this report. Rainfall units are expressed in inches. E = Data estimated from nearby gauge, S = Snowfall or snowmelt has affected daily rainfall total, P = Data has been prorated using nearby gauge data, PR = Preliminary data subject to verification, MT = Monthly total only.

### Water Year: 1996-97

| Day         | Sep         | Oct         | Nov         | Dec          | Jan         | Feb         | Mar         | Apr         | May         | Jun         | Jul         | Aug         |
|-------------|-------------|-------------|-------------|--------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| 1           |             |             | 0.04        |              | 0.12        |             |             |             |             |             |             |             |
| 2           |             |             |             |              | 2.44        |             |             |             |             |             |             |             |
| 3           |             |             |             |              | 1.57        |             |             |             |             |             |             |             |
| 5           |             |             |             |              | 0.12        |             |             |             |             |             |             |             |
| 6           |             |             |             | 0.16         |             |             |             |             |             |             |             |             |
| 9           |             |             |             | 0.04         |             |             |             |             |             |             |             |             |
| 10          |             |             |             | 1.30         |             |             |             |             |             |             |             |             |
| 11          |             |             |             | 2.68         |             | 0.04        |             |             |             |             |             |             |
| 12          |             |             |             | 0.79         |             |             |             |             |             |             |             |             |
| 13          |             |             |             | 0.08         | 1.38        |             |             |             |             |             |             |             |
| 14          |             |             |             | 0.04         | 0.08        |             |             |             |             |             |             |             |
| 15          |             |             |             |              | 0.55        |             |             |             |             |             |             |             |
| 16          |             |             |             |              | 0.16        |             |             |             |             |             |             |             |
| 17          |             |             | 0.59        |              |             |             |             |             |             |             |             |             |
| 18          |             |             | 0.43        |              |             | 0.04        |             |             |             |             |             |             |
| 20          |             |             | 0.20        |              | 0.35        |             |             |             |             |             |             |             |
| 21          |             |             | 0.79        |              | 0.16        |             |             |             |             |             |             |             |
| 22          |             |             | 2.36        | 0.94         | 0.51        |             |             |             |             |             |             |             |
| 23          |             |             | 0.39        | 0.20         | 1.02        |             |             |             |             |             |             |             |
| 24          |             |             |             |              | 0.04        |             |             |             |             |             |             |             |
| 25          |             |             |             |              | 0.12        |             |             |             |             |             |             |             |
| 26          |             | 0.04        |             |              | 0.63        |             |             |             |             |             |             |             |
| 27          | 0.08        |             |             | 0.43         | 1.38        |             |             |             |             |             |             |             |
| 28          |             |             |             | 0.08         |             |             |             |             |             |             |             |             |
| 30          |             | 1.85        |             | 0.12         |             |             |             |             |             |             |             |             |
| 31          |             | 0.16        |             | 0.28         |             |             |             |             |             |             |             |             |
| <b>0.08</b> | <b>2.05</b> | <b>4.80</b> | <b>7.14</b> | <b>10.63</b> | <b>0.08</b> | <b>0.00</b> | <b>0.00</b> | <b>0.00</b> | <b>0.00</b> | <b>0.00</b> | <b>0.00</b> | <b>0.00</b> |

WY Total 24.78



# Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara, CA 93101  
805.568.3440 - www.countyofsb.org/pwd

## Daily Rainfall Record

Station Number: 270 Report Produced: 11/18/2021  
 Station Name: Shell Peak Record Checked Through: 8/31/2021  
 Nearest Landmark: Shell Peak, SLO County  
 Latitude (dms): 350437 Longitude (dms): 1201131 Elevation (ft): 2080  
 Current Observer: SBCFCD Gauge Type: Alert, Data Logger w/TB

Daily Rainfall amounts are recorded as of 8am for the previous 24 hours (PST). Days with no recorded rainfall have been omitted from this report. Rainfall units are expressed in inches. E = Data estimated from nearby gauge, S = Snowfall or snowmelt has affected daily rainfall total, P = Data has been prorated using nearby gauge data, PR = Preliminary data subject to verification, MT = Monthly total only.

### Water Year: 1995-96

| Day | Sep  | Oct                  | Nov  | Dec                  | Jan                  | Feb                  | Mar  | Apr  | May                  | Jun  | Jul  | Aug  |
|-----|------|----------------------|------|----------------------|----------------------|----------------------|------|------|----------------------|------|------|------|
| 1   |      |                      |      |                      |                      |                      | 0.24 |      |                      |      |      |      |
| 2   |      |                      |      |                      |                      |                      |      | 0.47 |                      |      |      |      |
| 3   |      |                      |      |                      |                      | 1.16 <sup>E356</sup> |      |      |                      |      |      |      |
| 4   |      |                      |      |                      |                      | 0.10 <sup>E356</sup> | 0.20 |      |                      |      |      |      |
| 5   |      |                      |      |                      |                      | 2.29 <sup>E356</sup> | 0.55 |      |                      |      |      |      |
| 6   |      |                      |      |                      |                      |                      | 0.08 |      |                      |      |      |      |
| 11  |      |                      |      | 0.12 <sup>E356</sup> |                      |                      |      |      |                      |      |      |      |
| 12  |      |                      |      | 0.82 <sup>E356</sup> |                      |                      | 0.08 |      |                      |      |      |      |
| 13  |      |                      |      | 0.60 <sup>E356</sup> |                      |                      | 0.94 |      |                      |      |      |      |
| 14  |      |                      |      | 0.28 <sup>E356</sup> |                      |                      | 0.20 |      |                      |      |      |      |
| 15  |      |                      |      | 0.04 <sup>E356</sup> |                      |                      | 0.04 |      |                      |      |      |      |
| 16  |      |                      |      |                      | 1.60 <sup>E356</sup> | 0.23 <sup>E356</sup> |      | 0.35 | 0.73 <sup>E356</sup> |      |      |      |
| 17  |      |                      |      |                      | 0.60 <sup>E356</sup> |                      |      | 0.12 |                      |      |      |      |
| 18  |      |                      |      |                      |                      |                      |      | 0.28 |                      |      |      |      |
| 19  |      |                      |      | 0.07 <sup>E356</sup> |                      | 1.05 <sup>E356</sup> |      |      |                      |      |      |      |
| 20  |      |                      |      |                      |                      | 2.84 <sup>E356</sup> |      |      |                      |      |      |      |
| 21  |      |                      |      |                      |                      | 0.47                 |      |      |                      |      |      |      |
| 22  |      |                      |      |                      |                      | 0.47                 |      |      |                      |      |      |      |
| 23  |      |                      |      | 0.27 <sup>E356</sup> |                      |                      |      |      |                      |      |      |      |
| 25  |      |                      |      |                      |                      | 0.31                 |      |      |                      |      |      |      |
| 26  |      |                      |      |                      |                      | 0.04                 |      |      |                      |      |      |      |
| 28  |      |                      |      |                      |                      | 0.51                 | 0.12 |      |                      |      |      |      |
| 29  |      |                      |      |                      |                      | 0.20                 |      |      |                      |      |      |      |
| 31  |      | 0.03 <sup>E356</sup> |      |                      |                      |                      |      |      |                      |      |      |      |
|     | 0.00 | 0.03                 | 0.00 | 2.20                 | 2.20                 | 9.67                 | 2.45 | 1.22 | 0.73                 | 0.00 | 0.00 | 0.00 |

WY Total 18.50



# Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara, CA 93101  
805.568.3440 - www.countyofsb.org/pwd

## Daily Rainfall Record

Station Number: 270 Report Produced: 11/18/2021  
 Station Name: Shell Peak Record Checked Through: 8/31/2021  
 Nearest Landmark: Shell Peak, SLO County  
 Latitude (dms): 350437 Longitude (dms): 1201131 Elevation (ft): 2080  
 Current Observer: SBCFCD Gauge Type: Alert, Data Logger w/TB

Daily Rainfall amounts are recorded as of 8am for the previous 24 hours (PST). Days with no recorded rainfall have been omitted from this report. Rainfall units are expressed in inches. E = Data estimated from nearby gauge, S = Snowfall or snowmelt has affected daily rainfall total, P = Data has been prorated using nearby gauge data, PR = Preliminary data subject to verification, MT = Monthly total only.

### Water Year: 1994-95

| Day | Sep  | Oct  | Nov  | Dec  | Jan   | Feb  | Mar   | Apr  | May  | Jun  | Jul  | Aug  |
|-----|------|------|------|------|-------|------|-------|------|------|------|------|------|
| 1   |      |      |      |      |       |      | 0.04  |      |      |      |      |      |
| 2   |      |      |      |      |       |      | 0.04  |      | 0.20 |      |      |      |
| 3   |      |      |      |      | 0.63  |      | 0.28  |      |      |      |      |      |
| 4   |      | 0.39 |      |      | 0.51  |      | 0.16  |      |      |      |      |      |
| 5   |      | 0.43 |      |      | 1.57  |      | 1.33  |      | 0.04 |      |      |      |
| 6   |      |      |      |      | 0.12  |      | 0.79  |      |      |      |      |      |
| 7   |      | 0.08 |      |      | 0.08  | 0.55 |       |      |      |      |      |      |
| 8   |      |      | 0.59 |      |       | 0.36 |       |      |      |      |      |      |
| 9   |      |      |      |      | 0.59  | 0.23 |       |      |      |      |      |      |
| 10  |      |      | 0.83 |      | 2.17  |      | 1.10  |      |      |      |      |      |
| 11  |      |      |      |      | 0.94  |      | 3.39  |      |      |      |      |      |
| 12  |      |      |      |      | 0.83  |      | 0.59  |      |      |      |      |      |
| 13  |      |      |      |      | 0.55  | 0.12 |       |      | 0.24 |      |      |      |
| 14  |      |      |      |      | 0.31  | 1.81 |       | 0.12 | 0.11 |      |      |      |
| 15  |      |      |      |      | 0.16  | 1.54 |       |      |      | 0.04 |      |      |
| 16  |      |      | 0.23 | 0.04 | 0.28  |      |       | 0.28 |      | 0.78 |      |      |
| 17  |      |      |      |      |       |      |       | 0.04 |      |      |      |      |
| 18  |      |      | 0.04 |      |       |      |       | 0.03 |      |      |      |      |
| 21  |      |      |      |      | 0.23  |      | 0.91  | 0.04 |      |      |      |      |
| 22  |      |      |      |      | 0.04  |      | 0.23  |      |      |      |      |      |
| 23  | 0.08 |      |      |      | 0.32  |      | 1.66  |      |      |      |      |      |
| 24  |      |      |      |      | 0.70  |      | 0.23  |      |      |      |      |      |
| 25  |      |      | 0.04 | 0.67 | 1.11  |      |       |      |      |      |      |      |
| 26  |      |      | 0.51 |      | 0.27  |      |       |      | 0.52 |      |      |      |
| 28  | 0.08 |      |      |      | 0.04  |      |       |      |      |      |      |      |
| 29  | 0.08 |      |      |      |       |      |       |      |      |      |      |      |
|     | 0.24 | 0.90 | 2.24 | 1.54 | 12.83 | 2.40 | 10.75 | 0.51 | 1.11 | 0.82 | 0.00 | 0.00 |

WY Total 33.34



# Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara, CA 93101  
805.568.3440 - www.countyofsb.org/pwd

## Daily Rainfall Record

Station Number: 270 Report Produced: 11/18/2021  
 Station Name: Shell Peak Record Checked Through: 8/31/2021  
 Nearest Landmark: Shell Peak, SLO County  
 Latitude (dms): 350437 Longitude (dms): 1201131 Elevation (ft): 2080  
 Current Observer: SBCFCD Gauge Type: Alert, Data Logger w/TB

Daily Rainfall amounts are recorded as of 8am for the previous 24 hours (PST). Days with no recorded rainfall have been omitted from this report. Rainfall units are expressed in inches. E = Data estimated from nearby gauge, S = Snowfall or snowmelt has affected daily rainfall total, P = Data has been prorated using nearby gauge data, PR = Preliminary data subject to verification, MT = Monthly total only.

### Water Year: 1993-94

| Day         | Sep         | Oct         | Nov         | Dec         | Jan         | Feb         | Mar         | Apr         | May         | Jun         | Jul         | Aug         |
|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| 4           |             |             |             |             |             | 0.51        |             |             |             |             |             |             |
| 6           |             |             |             |             |             |             | 0.67        |             |             |             |             |             |
| 7           |             |             |             |             |             | 0.16        |             |             | 0.28        |             |             |             |
| 8           |             |             |             |             |             | 0.86        |             |             | 0.47        |             |             |             |
| 9           |             |             |             |             |             |             |             | 0.16        |             |             |             |             |
| 11          |             | 0.16        | 0.67        |             |             |             | 0.04        |             |             |             |             |             |
| 12          |             |             | 0.04        | 0.98        |             |             |             |             |             |             |             |             |
| 14          |             |             |             | 0.16        |             |             |             |             |             |             |             |             |
| 15          |             | 0.04        |             | 0.39        |             |             |             |             |             |             |             |             |
| 16          |             | 0.07        |             |             |             |             |             |             |             |             |             |             |
| 17          |             | 0.08        |             |             |             | 0.63        |             |             | 0.24        |             |             |             |
| 18          |             |             |             |             |             | 0.59        |             |             | 0.43        |             |             |             |
| 19          |             |             |             |             |             | 0.24        | 0.16        |             | 0.08        |             |             |             |
| 20          |             |             |             |             |             | 1.18        | 0.08        |             |             |             |             |             |
| 22          |             |             |             |             |             | 0.04        |             |             |             |             |             |             |
| 23          |             |             |             |             | 0.87        |             |             |             |             |             |             |             |
| 24          |             |             |             |             | 0.16        |             |             | 0.16        |             |             |             |             |
| 25          |             |             |             |             | 1.02        |             | 0.67        | 0.43        |             |             |             |             |
| 26          |             |             |             |             | 0.08        |             | 0.03        | 0.40        |             |             |             |             |
| 27          |             |             |             |             |             |             |             | 0.08        |             |             |             |             |
| 28          |             |             |             |             |             |             |             | 0.03        |             |             |             |             |
| 30          |             |             | 0.91        |             |             |             |             |             |             |             |             |             |
| <b>0.00</b> | <b>0.35</b> | <b>1.62</b> | <b>1.53</b> | <b>2.13</b> | <b>4.21</b> | <b>1.65</b> | <b>1.26</b> | <b>1.50</b> | <b>0.00</b> | <b>0.00</b> | <b>0.00</b> | <b>0.00</b> |

WY Total 14.25



# Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara, CA 93101  
805.568.3440 - www.countyofsb.org/pwd

## Daily Rainfall Record

Station Number: 270 Report Produced: 11/18/2021  
 Station Name: Shell Peak Record Checked Through: 8/31/2021  
 Nearest Landmark: Shell Peak, SLO County  
 Latitude (dms): 350437 Longitude (dms): 1201131 Elevation (ft): 2080  
 Current Observer: SBCFCD Gauge Type: Alert, Data Logger w/TB

Daily Rainfall amounts are recorded as of 8am for the previous 24 hours (PST). Days with no recorded rainfall have been omitted from this report. Rainfall units are expressed in inches. E = Data estimated from nearby gauge, S = Snowfall or snowmelt has affected daily rainfall total, P = Data has been prorated using nearby gauge data, PR = Preliminary data subject to verification, MT = Monthly total only.

### Water Year: 1992-93

| Day         | Sep         | Oct         | Nov         | Dec         | Jan         | Feb         | Mar         | Apr         | May         | Jun         | Jul         | Aug         |
|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| 1           |             |             |             |             | 0.71        |             |             |             |             |             |             |             |
| 2           |             |             |             |             | 0.04        |             |             |             |             |             |             |             |
| 3           |             |             |             | 0.12        |             |             |             |             |             |             |             |             |
| 6           |             |             |             | 0.59        | 1.14        |             |             |             |             |             |             |             |
| 7           |             |             |             | 1.97        | 2.16        | 0.55        |             |             |             |             |             |             |
| 8           |             |             |             |             | 0.32        | 3.58        |             |             |             |             |             |             |
| 9           |             |             |             | 0.08        |             | 0.23        |             |             |             |             |             |             |
| 10          |             |             |             | 0.04        | 0.63        |             |             |             |             |             |             |             |
| 11          |             |             |             | 0.63        |             |             |             |             |             |             |             |             |
| 12          |             |             |             | 0.04        | 0.08        |             |             |             |             |             |             |             |
| 13          |             |             |             |             | 1.77        |             | 0.03        |             |             |             |             |             |
| 14          |             |             |             |             | 1.61        | 0.08        |             |             |             |             |             |             |
| 15          |             |             |             |             | 0.12        |             |             |             |             |             |             |             |
| 16          |             |             |             |             | 0.04        |             |             |             |             |             |             |             |
| 17          |             |             |             | 0.51        | 0.51        |             | 0.08        |             |             |             |             |             |
| 18          |             |             |             |             | 0.32        | 1.22        |             |             |             |             |             |             |
| 19          |             |             |             |             | 0.04        | 1.26        |             |             |             |             |             |             |
| 20          |             |             |             |             |             | 0.63        |             |             |             |             |             |             |
| 21          |             | 0.12        |             |             |             |             |             |             |             |             |             |             |
| 22          |             |             |             |             | 0.04        | 0.44        |             |             |             |             |             |             |
| 23          |             |             |             |             |             | 1.41        |             |             |             |             |             |             |
| 24          |             |             |             |             |             | 0.04        | 0.16        |             |             |             |             |             |
| 25          |             |             |             |             |             | 0.04        | 2.76        |             |             |             |             |             |
| 26          |             |             |             |             |             | 0.36        | 0.94        |             |             |             |             |             |
| 27          |             |             |             |             |             | 0.12        |             |             |             |             |             |             |
| 28          |             | 0.04        |             |             | 0.59        |             |             |             |             |             |             |             |
| 29          |             | 1.18        |             |             | 0.71        |             |             |             |             |             |             |             |
| 30          |             | 0.78        |             |             | 0.12        |             |             |             |             |             |             |             |
| <b>0.00</b> | <b>2.12</b> | <b>0.00</b> | <b>0.00</b> | <b>5.40</b> | <b>9.53</b> | <b>9.96</b> | <b>3.97</b> | <b>0.00</b> | <b>0.00</b> | <b>0.00</b> | <b>0.00</b> | <b>0.00</b> |

**WY Total 30.98**



# Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara, CA 93101  
805.568.3440 - www.countyofsb.org/pwd

## Daily Rainfall Record

Station Number: 270 Report Produced: 11/18/2021  
 Station Name: Shell Peak Record Checked Through: 8/31/2021  
 Nearest Landmark: Shell Peak, SLO County  
 Latitude (dms): 350437 Longitude (dms): 1201131 Elevation (ft): 2080  
 Current Observer: SBCFCD Gauge Type: Alert, Data Logger w/TB

Daily Rainfall amounts are recorded as of 8am for the previous 24 hours (PST). Days with no recorded rainfall have been omitted from this report. Rainfall units are expressed in inches. E = Data estimated from nearby gauge, S = Snowfall or snowmelt has affected daily rainfall total, P = Data has been prorated using nearby gauge data, PR = Preliminary data subject to verification, MT = Monthly total only.

### Water Year: 1991-92

| Day  | Sep  | Oct  | Nov  | Dec  | Jan  | Feb  | Mar  | Apr  | May  | Jun  | Jul  | Aug |
|------|------|------|------|------|------|------|------|------|------|------|------|-----|
| 2    |      |      |      |      | 0.20 |      | 0.16 |      |      |      | 0.04 |     |
| 3    |      |      |      |      | 0.23 |      | 0.04 |      |      |      |      |     |
| 4    |      |      |      |      | 0.44 |      |      |      |      |      |      |     |
| 5    |      |      |      |      | 1.34 | 0.12 | 0.39 |      |      |      |      |     |
| 6    |      |      |      |      | 0.11 | 0.16 | 0.04 |      |      |      |      |     |
| 7    |      |      |      | 0.24 | 0.20 | 0.08 |      |      |      |      |      |     |
| 8    |      |      | 0.04 |      |      |      |      |      |      |      |      |     |
| 9    |      |      |      |      |      | 0.63 |      |      |      |      |      |     |
| 10   |      |      |      |      |      | 1.37 |      |      |      |      |      |     |
| 11   |      |      |      |      |      | 0.48 |      |      |      |      |      |     |
| 12   |      |      |      |      |      | 1.37 |      |      |      |      |      |     |
| 13   |      |      |      |      |      | 0.36 |      |      |      |      | 0.67 |     |
| 14   |      |      |      |      |      | 0.39 | 0.20 |      |      |      |      |     |
| 15   |      |      |      |      |      | 1.10 |      |      |      |      |      |     |
| 16   |      |      |      |      |      | 0.56 |      |      |      |      |      |     |
| 17   |      |      | 0.47 |      |      |      |      |      |      |      |      |     |
| 19   |      |      |      |      |      | 0.11 | 0.04 |      |      |      |      |     |
| 20   |      |      |      |      |      | 0.04 | 0.16 |      |      |      |      |     |
| 21   |      |      |      |      |      |      | 0.07 |      |      |      |      |     |
| 22   |      |      |      |      |      |      | 0.48 |      |      |      |      |     |
| 25   |      |      |      |      |      |      | 0.04 |      |      |      |      |     |
| 26   |      | 0.76 |      |      |      |      | 0.08 |      |      |      |      |     |
| 27   |      |      |      | 1.02 |      |      |      |      |      |      |      |     |
| 28   |      |      |      | 0.35 |      |      |      |      |      |      |      |     |
| 29   |      |      |      | 2.09 |      |      |      |      |      |      |      |     |
| 30   |      |      |      |      |      |      | 0.11 |      |      |      |      |     |
| 0.00 | 0.76 | 0.51 | 3.70 | 2.52 | 6.77 | 1.81 | 0.00 | 0.00 | 0.00 | 0.71 | 0.00 |     |

WY Total 16.78