



Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara CA 93101 - 805.568.3440 - www.countyofsb.org/pwd

Rainfall and Reservoir Summary

Updated 8am: 5/14/2021

Water Year: 2021

Storm Number: NA

Notes: Daily rainfall amounts are recorded as of 8am for the previous 24 hours. Rainfall units are expressed in inches. All data on this page are from automated sensors, are preliminary, and subject to verification.

*Each Water Year (WY) runs from Sept 1 through Aug 31 and is designated by the calendar year in which it ends
[County Real-Time Rainfall and Reservoir Website link: > http://www.countyofsb.org/hydrology](http://www.countyofsb.org/hydrology)

Rainfall	ID	24 hrs	Storm 0day(s)	Month	Year*	% to Date	% of Year*	AI
Buellton (Fire Stn)	233	0.00	0.00	0.00	8.54	52%	51%	
Cachuma Dam (USBR)	332	0.00	0.00	0.00	10.53	54%	53%	
Carpinteria (Fire Stn)	208	0.01	0.00	0.03	4.56	27%	26%	
Cuyama (Fire Stn)	436	0.00	0.00	0.00	3.80	51%	49%	
Figueroa Mtn. (USFS Stn)	421	0.00	0.00	0.00	8.40	40%	39%	12.1
Gibraltar Dam (City Facility)	230	0.00	0.00	0.00	10.65	41%	41%	11.1
Goleta (Fire Stn-Los Carneros)	440	0.01	0.00	0.02	9.16	51%	50%	
Lompoc (City Hall)	439	0.00	0.00	0.01	10.69	74%	73%	9.5
Los Alamos (Fire Stn)	204	0.00	0.00	0.00	8.41	56%	55%	
San Marcos Pass (USFS Stn)	212	0.00	0.00	0.01	14.21	42%	42%	
Santa Barbara (County Bldg)	234	0.00	0.00	0.01	7.32	41%	40%	
Santa Maria (City Pub.Works)	380	0.00	0.00	0.00	7.16	55%	54%	
Santa Ynez (Fire Stn /Airport)	218	0.00	0.00	0.00	8.33	53%	53%	
Sisquoc (Fire Stn)	256	0.00	0.00	0.00	6.31	42%	42%	

County-wide percentage of "Normal-to-Date" rainfall : **48%**

County-wide percentage of "Normal Water-Year" rainfall : **48%**

County-wide percentage of "Normal Water-Year" rainfall calculated assuming no more rain through Aug. 31, 2021 (End of WY2021).

AI (Antecedent Index / Soil Wetness)

6.0 and below = Wet (min. = 2.5)
 6.1 - 9.0 = Moderate
 9.1 and above = Dry (max. = 12.5)

Reservoirs

Reservoir Elevations referenced to NGVD-29.

**Cachuma is full and subject to spilling at elevation 750 ft.

However, the lake is surcharged to 753 ft. for fish release water.

(Cachuma water storage is based on Dec 2013 capacity revision)

Click on Site for Real-Time Readings	Spillway Elev. (ft)	Current Elev. (ft)	Max. Storage (ac-ft)	Current Storage (ac-ft)	Current Capacity (%)	Storage Change Mo.(ac-ft)	Storage Change Year*(ac-ft)
Gibraltar Reservoir	1,400.00	1,375.29	4,559	559	12.3%	-25	-1,651
Cachuma Reservoir	753.**	722.90	193,305	114,866	59.4%	-1,534	-28,909
Jameson Reservoir	2,224.00	2,212.72	4,848	3,540	73.0%	-27	-748
Twitchell Reservoir	651.50	539.90	194,971	2,675	1.4%	-170	-1,145



Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara CA 93101 - 805.568.3440 - www.countyofsb.org/pwd

Rainfall and Reservoir Summary

Updated 8am: 5/10/2021

Water Year: 2021

Storm Number: NA

Notes: Daily rainfall amounts are recorded as of 8am for the previous 24 hours. Rainfall units are expressed in inches. All data on this page are from automated sensors, are preliminary, and subject to verification.

*Each Water Year (WY) runs from Sept 1 through Aug 31 and is designated by the calendar year in which it ends
[County Real-Time Rainfall and Reservoir Website link: > http://www.countyofsb.org/hydrology](http://www.countyofsb.org/hydrology)

Rainfall	ID	24 hrs	Storm 0day(s)	Month	Year*	% to Date	% of Year*	AI
Buellton (Fire Stn)	233	0.00	0.00	0.00	8.54	52%	51%	
Cachuma Dam (USBR)	332	0.00	0.00	0.00	10.53	54%	53%	
Carpinteria (Fire Stn)	208	0.00	0.00	0.00	4.53	27%	26%	
Cuyama (Fire Stn)	436	0.00	0.00	0.00	3.80	51%	49%	
Figueroa Mtn. (USFS Stn)	421	0.00	0.00	0.00	8.40	40%	39%	11.8
Gibraltar Dam (City Facility)	230	0.00	0.00	0.00	10.65	41%	41%	10.8
Goleta (Fire Stn-Los Carneros)	440	0.00	0.00	0.00	9.14	51%	50%	
Lompoc (City Hall)	439	0.00	0.00	0.01	10.69	75%	73%	9.2
Los Alamos (Fire Stn)	204	0.00	0.00	0.00	8.41	56%	55%	
San Marcos Pass (USFS Stn)	212	0.00	0.00	0.00	14.20	42%	42%	
Santa Barbara (County Bldg)	234	0.00	0.00	0.00	7.31	41%	40%	
Santa Maria (City Pub.Works)	380	0.00	0.00	0.00	7.16	55%	54%	
Santa Ynez (Fire Stn /Airport)	218	0.00	0.00	0.00	8.33	54%	53%	
Sisquoc (Fire Stn)	256	0.00	0.00	0.00	6.31	42%	42%	

County-wide percentage of "Normal-to-Date" rainfall : **49%**

County-wide percentage of "Normal Water-Year" rainfall : **48%**

County-wide percentage of "Normal Water-Year" rainfall calculated assuming no more rain through Aug. 31, 2021 (End of WY2021).

AI (Antecedent Index / Soil Wetness)

6.0 and below = Wet (min. = 2.5)
 6.1 - 9.0 = Moderate
 9.1 and above = Dry (max. = 12.5)

Reservoirs

Reservoir Elevations referenced to NGVD-29.

**Cachuma is full and subject to spilling at elevation 750 ft. However, the lake is surcharged to 753 ft. for fish release water. (Cachuma water storage is based on Dec 2013 capacity revision)

Click on Site for Real-Time Readings	Spillway Elev. (ft)	Current Elev. (ft)	Max. Storage (ac-ft)	Current Storage (ac-ft)	Current Capacity (%)	Storage Change Mo.(ac-ft)	Storage Change Year*(ac-ft)
Gibraltar Reservoir	1,400.00	1,375.35	4,559	566	12.4%	-18	-1,644
Cachuma Reservoir	753.**	723.09	193,305	115,276	59.6%	-1,124	-28,499
Jameson Reservoir	2,224.00	2,212.78	4,848	3,546	73.1%	-21	-742
Twitchell Reservoir	651.50	540.04	194,971	2,729	1.4%	-116	-1,091



Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara CA 93101 - 805.568.3440 - www.countyofsb.org/pwd

Rainfall and Reservoir Summary

Updated 8am: 5/3/2021 Water Year: 2021 Storm Number: NA

Notes: Daily rainfall amounts are recorded as of 8am for the previous 24 hours. Rainfall units are expressed in inches. All data on this page are from automated sensors, are preliminary, and subject to verification.

*Each Water Year (WY) runs from Sept 1 through Aug 31 and is designated by the calendar year in which it ends
[County Real-Time Rainfall and Reservoir Website link: > http://www.countyofsb.org/hydrology](http://www.countyofsb.org/hydrology)

Rainfall	ID	24 hrs	Storm 0day(s)	Month	Year*	% to Date	% of Year*	AI
Buellton (Fire Stn)	233	0.00	0.00	0.00	8.54	52%	51%	
Cachuma Dam (USBR)	332	0.00	0.00	0.00	10.53	54%	53%	
Carpinteria (Fire Stn)	208	0.00	0.00	0.00	4.53	27%	26%	
Cuyama (Fire Stn)	436	0.00	0.00	0.00	3.80	52%	49%	
Figueroa Mtn. (USFS Stn)	421	0.00	0.00	0.00	8.40	40%	39%	11.2
Gibraltar Dam (City Facility)	230	0.00	0.00	0.00	10.65	41%	41%	10.3
Goleta (Fire Stn-Los Carneros)	440	0.00	0.00	0.00	9.14	51%	50%	
Lompoc (City Hall)	439	0.00	0.00	0.01	10.69	75%	73%	8.8
Los Alamos (Fire Stn)	204	0.00	0.00	0.00	8.41	56%	55%	
San Marcos Pass (USFS Stn)	212	0.00	0.00	0.00	14.20	43%	42%	
Santa Barbara (County Bldg)	234	0.00	0.00	0.00	7.31	41%	40%	
Santa Maria (City Pub.Works)	380	0.00	0.00	0.00	7.16	55%	54%	
Santa Ynez (Fire Stn /Airport)	218	0.00	0.00	0.00	8.33	54%	53%	
Sisquoc (Fire Stn)	256	0.00	0.00	0.00	6.31	43%	42%	

County-wide percentage of "Normal-to-Date" rainfall : 49%

County-wide percentage of "Normal Water-Year" rainfall : 48%

County-wide percentage of "Normal Water-Year" rainfall calculated assuming no more rain through Aug. 31, 2021 (End of WY2021).

AI (Antecedent Index / Soil Wetness)

6.0 and below = Wet (min. = 2.5)
 6.1 - 9.0 = Moderate
 9.1 and above = Dry (max. = 12.5)

Reservoirs

Reservoir Elevations referenced to NGVD-29.

**Cachuma is full and subject to spilling at elevation 750 ft. However, the lake is surcharged to 753 ft. for fish release water. (Cachuma water storage is based on Dec 2013 capacity revision)

Click on Site for Real-Time Readings	Spillway Elev. (ft)	Current Elev. (ft)	Max. Storage (ac-ft)	Current Storage (ac-ft)	Current Capacity (%)	Storage Change Mo.(ac-ft)	Storage Change Year*(ac-ft)
Gibraltar Reservoir	1,400.00	1,375.47	4,559	580	12.7%	-4	-1,630
Cachuma Reservoir	753.**	723.49	193,305	116,140	60.1%	-260	-27,635
Jameson Reservoir	2,224.00	2,212.94	4,848	3,563	73.5%	-4	-725
Twitchell Reservoir	651.50	540.31	194,971	2,837	1.5%	-8	-983



Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara CA 93101 - 805.568.3440 - www.countyofsb.org/pwd

Rainfall and Reservoir Summary

Updated 8am: 4/26/2021

Water Year: 2021

Storm Number: NA

Notes: Daily rainfall amounts are recorded as of 8am for the previous 24 hours. Rainfall units are expressed in inches. All data on this page are from automated sensors, are preliminary, and subject to verification.

*Each Water Year (WY) runs from Sept 1 through Aug 31 and is designated by the calendar year in which it ends
[County Real-Time Rainfall and Reservoir Website link: > http://www.countyofsb.org/hydrology](http://www.countyofsb.org/hydrology)

Rainfall	ID	24 hrs	Storm 0day(s)	Month	Year*	% to Date	% of Year*	AI
Buellton (Fire Stn)	233	0.00	0.00	0.00	8.54	53%	51%	
Cachuma Dam (USBR)	332	0.01	0.00	0.01	10.52	55%	53%	
Carpinteria (Fire Stn)	208	0.01	0.00	0.02	4.53	27%	26%	
Cuyama (Fire Stn)	436	0.07	0.00	0.07	3.69	51%	48%	
Figueroa Mtn. (USFS Stn)	421	0.03	0.00	0.03	8.40	41%	39%	10.7
Gibraltar Dam (City Facility)	230	0.02	0.00	0.02	10.65	42%	41%	9.8
Goleta (Fire Stn-Los Carneros)	440	0.00	0.00	0.00	9.14	51%	50%	
Lompoc (City Hall)	439	0.00	0.00	0.00	10.68	76%	73%	8.4
Los Alamos (Fire Stn)	204	0.00	0.00	0.00	8.41	57%	55%	
San Marcos Pass (USFS Stn)	212	0.02	0.00	0.02	14.19	43%	42%	
Santa Barbara (County Bldg)	234	0.00	0.00	0.00	7.31	41%	40%	
Santa Maria (City Pub.Works)	380	0.00	0.00	0.00	7.16	56%	54%	
Santa Ynez (Fire Stn /Airport)	218	0.01	0.00	0.01	8.32	54%	53%	
Sisquoc (Fire Stn)	256	0.00	0.00	0.00	6.31	43%	42%	

County-wide percentage of "Normal-to-Date" rainfall : **49%**

County-wide percentage of "Normal Water-Year" rainfall : **48%**

County-wide percentage of "Normal Water-Year" rainfall calculated assuming no more rain through Aug. 31, 2021 (End of WY2021).

AI (Antecedent Index / Soil Wetness)

6.0 and below = Wet (min. = 2.5)
 6.1 - 9.0 = Moderate
 9.1 and above = Dry (max. = 12.5)

Reservoirs

Reservoir Elevations referenced to NGVD-29.

**Cachuma is full and subject to spilling at elevation 750 ft. However, the lake is surcharged to 753 ft. for fish release water. (Cachuma water storage is based on Dec 2013 capacity revision)

Click on Site for Real-Time Readings	Spillway Elev. (ft)	Current Elev. (ft)	Max. Storage (ac-ft)	Current Storage (ac-ft)	Current Capacity (%)	Storage Change Mo.(ac-ft)	Storage Change Year*(ac-ft)
Gibraltar Reservoir	1,400.00	1,375.58	4,559	592	13.0%	-32	-1,618
Cachuma Reservoir	753.**	723.88	193,305	116,989	60.5%	-2,856	-26,786
Jameson Reservoir	2,224.00	2,213.08	4,848	3,577	73.8%	-30	-711
Twitchell Reservoir	651.50	540.50	194,971	2,912	1.5%	-213	-908



Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara CA 93101 - 805.568.3440 - www.countyofsb.org/pwd

Rainfall and Reservoir Summary

Updated 8am: 4/23/2021

Water Year: 2021

Storm Number: NA

Notes: Daily rainfall amounts are recorded as of 8am for the previous 24 hours. Rainfall units are expressed in inches.

All data on this page are from automated sensors, are preliminary, and subject to verification.

*Each Water Year (WY) runs from Sept 1 through Aug 31 and is designated by the calendar year in which it ends

County Real-Time Rainfall and Reservoir Website link: <http://www.countyofsb.org/hydrology>

Rainfall	ID	24 hrs	Storm 0day(s)	Month	Year*	% to Date	% of Year*	AI
Buellton (Fire Stn)	233	0.00	0.00	0.00	8.54	53%	51%	
Cachuma Dam (USBR)	332	0.00	0.00	0.00	10.51	55%	53%	
Carpinteria (Fire Stn)	208	0.00	0.00	0.01	4.52	27%	26%	
Cuyama (Fire Stn)	436	0.00	0.00	0.00	3.62	50%	47%	
Figueroa Mtn. (USFS Stn)	421	0.00	0.00	0.00	8.37	41%	39%	10.5
Gibraltar Dam (City Facility)	230	0.00	0.00	0.00	10.63	42%	40%	9.6
Goleta (Fire Stn-Los Carneros)	440	0.00	0.00	0.00	9.14	52%	50%	
Lompoc (City Hall)	439	0.00	0.00	0.00	10.68	76%	73%	8.2
Los Alamos (Fire Stn)	204	0.00	0.00	0.00	8.41	57%	55%	
San Marcos Pass (USFS Stn)	212	0.00	0.00	0.00	14.17	43%	42%	
Santa Barbara (County Bldg)	234	0.00	0.00	0.00	7.31	42%	40%	
Santa Maria (City Pub.Works)	380	0.00	0.00	0.00	7.16	56%	54%	
Santa Ynez (Fire Stn /Airport)	218	0.00	0.00	0.00	8.31	55%	53%	
Sisquoc (Fire Stn)	256	0.00	0.00	0.00	6.31	43%	42%	

County-wide percentage of "Normal-to-Date" rainfall : **49%**

County-wide percentage of "Normal Water-Year" rainfall : **47%**

County-wide percentage of "Normal Water-Year" rainfall calculated assuming no more rain through Aug. 31, 2021 (End of WY2021).

AI (Antecedent Index / Soil Wetness)

6.0 and below = Wet (min. = 2.5)

6.1 - 9.0 = Moderate

9.1 and above = Dry (max. = 12.5)

Reservoirs

Reservoir Elevations referenced to NGVD-29.

**Cachuma is full and subject to spilling at elevation 750 ft.

However, the lake is surcharged to 753 ft. for fish release water.

(Cachuma water storage is based on Dec 2013 capacity revision)

Click on Site for Real-Time Readings	Spillway Elev. (ft)	Current Elev. (ft)	Max. Storage (ac-ft)	Current Storage (ac-ft)	Current Capacity (%)	Storage Change Mo.(ac-ft)	Storage Change Year*(ac-ft)
Gibraltar Reservoir	1,400.00	1,375.61	4,559	595	13.1%	-29	-1,615
Cachuma Reservoir	753.**	724.04	193,305	117,339	60.7%	-2,506	-26,436
Jameson Reservoir	2,224.00	2,213.12	4,848	3,582	73.9%	-25	-706
Twitchell Reservoir	651.50	540.56	194,971	2,936	1.5%	-189	-884



Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara CA 93101 - 805.568.3440 - www.countyofsb.org/pwd

Rainfall and Reservoir Summary

Updated 8am: 4/19/2021

Water Year: 2021

Storm Number: NA

Notes: Daily rainfall amounts are recorded as of 8am for the previous 24 hours. Rainfall units are expressed in inches. All data on this page are from automated sensors, are preliminary, and subject to verification.

*Each Water Year (WY) runs from Sept 1 through Aug 31 and is designated by the calendar year in which it ends
[County Real-Time Rainfall and Reservoir Website link: > http://www.countyofsb.org/hydrology](http://www.countyofsb.org/hydrology)

Rainfall	ID	24 hrs	Storm 0day(s)	Month	Year*	% to Date	% of Year*	AI
Buellton (Fire Stn)	233	0.00	0.00	0.00	8.54	53%	51%	
Cachuma Dam (USBR)	332	0.00	0.00	0.00	10.51	55%	53%	
Carpinteria (Fire Stn)	208	0.00	0.00	0.01	4.52	27%	26%	
Cuyama (Fire Stn)	436	0.00	0.00	0.00	3.62	51%	47%	
Figueroa Mtn. (USFS Stn)	421	0.00	0.00	0.00	8.37	41%	39%	10.3
Gibraltar Dam (City Facility)	230	0.00	0.00	0.00	10.63	42%	40%	9.4
Goleta (Fire Stn-Los Carneros)	440	0.00	0.00	0.00	9.14	52%	50%	
Lompoc (City Hall)	439	0.00	0.00	0.00	10.68	77%	73%	8.0
Los Alamos (Fire Stn)	204	0.00	0.00	0.00	8.41	58%	55%	
San Marcos Pass (USFS Stn)	212	0.00	0.00	0.00	14.17	43%	42%	
Santa Barbara (County Bldg)	234	0.00	0.00	0.00	7.31	42%	40%	
Santa Maria (City Pub.Works)	380	0.00	0.00	0.00	7.16	57%	54%	
Santa Ynez (Fire Stn /Airport)	218	0.00	0.00	0.00	8.31	55%	53%	
Sisquoc (Fire Stn)	256	0.00	0.00	0.00	6.31	44%	42%	

County-wide percentage of "Normal-to-Date" rainfall : **50%**

County-wide percentage of "Normal Water-Year" rainfall : **47%**

County-wide percentage of "Normal Water-Year" rainfall calculated assuming no more rain through Aug. 31, 2021 (End of WY2021).

AI (Antecedent Index / Soil Wetness)

6.0 and below = Wet (min. = 2.5)
 6.1 - 9.0 = Moderate
 9.1 and above = Dry (max. = 12.5)

Reservoirs

Reservoir Elevations referenced to NGVD-29.

**Cachuma is full and subject to spilling at elevation 750 ft.

However, the lake is surcharged to 753 ft. for fish release water.

(Cachuma water storage is based on Dec 2013 capacity revision)

Click on Site for Real-Time Readings	Spillway Elev. (ft)	Current Elev. (ft)	Max. Storage (ac-ft)	Current Storage (ac-ft)	Current Capacity (%)	Storage Change Mo.(ac-ft)	Storage Change Year*(ac-ft)
Gibraltar Reservoir	1,400.00	1,375.67	4,559	602	13.2%	-22	-1,608
Cachuma Reservoir	753.**	724.26	193,305	117,798	60.9%	-2,047	-25,977
Jameson Reservoir	2,224.00	2,213.18	4,848	3,588	74.0%	-19	-700
Twitchell Reservoir	651.50	540.62	194,971	2,960	1.5%	-165	-860



Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara CA 93101 - 805.568.3440 - www.countyofsb.org/pwd

Rainfall and Reservoir Summary

Updated 8am: 4/16/2021

Water Year: 2021

Storm Number: NA

Notes: Daily rainfall amounts are recorded as of 8am for the previous 24 hours. Rainfall units are expressed in inches.

All data on this page are from automated sensors, are preliminary, and subject to verification.

*Each Water Year (WY) runs from Sept 1 through Aug 31 and is designated by the calendar year in which it ends

County Real-Time Rainfall and Reservoir Website link: <http://www.countyofsb.org/hydrology>

Rainfall	ID	24 hrs	Storm 0day(s)	Month	Year*	% to Date	% of Year*	AI
Buellton (Fire Stn)	233	0.00	0.00	0.00	8.54	54%	51%	
Cachuma Dam (USBR)	332	0.00	0.00	0.00	10.51	56%	53%	
Carpinteria (Fire Stn)	208	0.00	0.00	0.01	4.52	28%	26%	
Cuyama (Fire Stn)	436	0.00	0.00	0.00	3.62	51%	47%	
Figueroa Mtn. (USFS Stn)	421	0.00	0.00	0.00	8.37	41%	39%	10.1
Gibraltar Dam (City Facility)	230	0.00	0.00	0.00	10.63	42%	40%	9.2
Goleta (Fire Stn-Los Carneros)	440	0.00	0.00	0.00	9.14	52%	50%	
Lompoc (City Hall)	439	0.00	0.00	0.00	10.68	77%	73%	7.9
Los Alamos (Fire Stn)	204	0.00	0.00	0.00	8.41	58%	55%	
San Marcos Pass (USFS Stn)	212	0.00	0.00	0.00	14.17	44%	42%	
Santa Barbara (County Bldg)	234	0.00	0.00	0.00	7.31	42%	40%	
Santa Maria (City Pub.Works)	380	0.00	0.00	0.00	7.16	57%	54%	
Santa Ynez (Fire Stn /Airport)	218	0.00	0.00	0.00	8.31	55%	53%	
Sisquoc (Fire Stn)	256	0.00	0.00	0.00	6.31	44%	42%	

County-wide percentage of "Normal-to-Date" rainfall : **50%**

County-wide percentage of "Normal Water-Year" rainfall : **47%**

County-wide percentage of "Normal Water-Year" rainfall calculated assuming no more rain through Aug. 31, 2021 (End of WY2021).

AI (Antecedent Index / Soil Wetness)

6.0 and below = Wet (min. = 2.5)

6.1 - 9.0 = Moderate

9.1 and above = Dry (max. = 12.5)

Reservoirs

Reservoir Elevations referenced to NGVD-29.

**Cachuma is full and subject to spilling at elevation 750 ft.

However, the lake is surcharged to 753 ft. for fish release water.

(Cachuma water storage is based on Dec 2013 capacity revision)

Click on Site for Real-Time Readings	Spillway Elev. (ft)	Current Elev. (ft)	Max. Storage (ac-ft)	Current Storage (ac-ft)	Current Capacity (%)	Storage Change Mo.(ac-ft)	Storage Change Year*(ac-ft)
Gibraltar Reservoir	1,400.00	1,375.69	4,559	604	13.2%	-20	-1,606
Cachuma Reservoir	753.**	724.41	193,305	118,148	61.1%	-1,697	-25,627
Jameson Reservoir	2,224.00	2,213.24	4,848	3,594	74.1%	-13	-694
Twitchell Reservoir	651.50	540.70	194,971	2,992	1.5%	-133	-828

[Previous Rainfall and Reservoir Summaries](#)



Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara CA 93101 - 805.568.3440 - www.countyofsb.org/pwd

Rainfall and Reservoir Summary

Updated 8am: 4/12/2021

Water Year: 2021

Storm Number: NA

Notes: Daily rainfall amounts are recorded as of 8am for the previous 24 hours. Rainfall units are expressed in inches. All data on this page are from automated sensors, are preliminary, and subject to verification.

*Each Water Year (WY) runs from Sept 1 through Aug 31 and is designated by the calendar year in which it ends
[County Real-Time Rainfall and Reservoir Website link: > http://www.countyofsb.org/hydrology](http://www.countyofsb.org/hydrology)

Rainfall	ID	24 hrs	Storm 0day(s)	Month	Year*	% to Date	% of Year*	AI
Buellton (Fire Stn)	233	0.00	0.00	0.00	8.54	54%	51%	
Cachuma Dam (USBR)	332	0.00	0.00	0.00	10.51	56%	53%	
Carpinteria (Fire Stn)	208	0.00	0.00	0.01	4.52	28%	26%	
Cuyama (Fire Stn)	436	0.00	0.00	0.00	3.62	52%	47%	
Figueroa Mtn. (USFS Stn)	421	0.00	0.00	0.00	8.37	42%	39%	9.9
Gibraltar Dam (City Facility)	230	0.00	0.00	0.00	10.63	43%	40%	9.0
Goleta (Fire Stn-Los Carneros)	440	0.00	0.00	0.00	9.14	53%	50%	
Lompoc (City Hall)	439	0.00	0.00	0.00	10.68	78%	73%	7.7
Los Alamos (Fire Stn)	204	0.00	0.00	0.00	8.41	59%	55%	
San Marcos Pass (USFS Stn)	212	0.00	0.00	0.00	14.17	44%	42%	
Santa Barbara (County Bldg)	234	0.00	0.00	0.00	7.31	42%	40%	
Santa Maria (City Pub.Works)	380	0.00	0.00	0.00	7.16	57%	54%	
Santa Ynez (Fire Stn /Airport)	218	0.00	0.00	0.00	8.31	56%	53%	
Sisquoc (Fire Stn)	256	0.00	0.00	0.00	6.31	45%	42%	

County-wide percentage of "Normal-to-Date" rainfall : **51%**

County-wide percentage of "Normal Water-Year" rainfall : **47%**

County-wide percentage of "Normal Water-Year" rainfall calculated assuming no more rain through Aug. 31, 2021 (End of WY2021).

AI (Antecedent Index / Soil Wetness)

6.0 and below = Wet (min. = 2.5)
 6.1 - 9.0 = Moderate
 9.1 and above = Dry (max. = 12.5)

Reservoirs

Reservoir Elevations referenced to NGVD-29.

**Cachuma is full and subject to spilling at elevation 750 ft.

However, the lake is surcharged to 753 ft. for fish release water.

(Cachuma water storage is based on Dec 2013 capacity revision)

Click on Site for Real-Time Readings	Spillway Elev. (ft)	Current Elev. (ft)	Max. Storage (ac-ft)	Current Storage (ac-ft)	Current Capacity (%)	Storage Change Mo.(ac-ft)	Storage Change Year*(ac-ft)
Gibraltar Reservoir	1,400.00	1,375.74	4,559	610	13.4%	-14	-1,600
Cachuma Reservoir	753.**	724.60	193,305	118,563	61.3%	-1,282	-25,212
Jameson Reservoir	2,224.00	2,213.30	4,848	3,601	74.3%	-6	-687
Twitchell Reservoir	651.50	540.85	194,971	3,052	1.6%	-73	-768

[Previous Rainfall and Reservoir Summaries](#)



Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara CA 93101 - 805.568.3440 - www.countyofsb.org/pwd

Rainfall and Reservoir Summary

Updated 8am: **4/9/2021** **Water Year: 2021** **Storm Number: NA**

Notes: Daily rainfall amounts are recorded as of 8am for the previous 24 hours. Rainfall units are expressed in inches. All data on this page are from automated sensors, are preliminary, and subject to verification.

*Each Water Year (WY) runs from Sept 1 through Aug 31 and is designated by the calendar year in which it ends
[County Real-Time Rainfall and Reservoir Website link: > http://www.countyofsb.org/hydrology](http://www.countyofsb.org/hydrology)

Rainfall	ID	24 hrs	Storm 0day(s)	Month	Year*	% to Date	% of Year*	AI
Buellton (Fire Stn)	233	0.00	0.00	0.00	8.54	55%	51%	
Cachuma Dam (USBR)	332	0.00	0.00	0.00	10.51	57%	53%	
Carpinteria (Fire Stn)	208	0.00	0.00	0.01	4.52	28%	26%	
Cuyama (Fire Stn)	436	0.00	0.00	0.00	3.62	52%	47%	
Figueroa Mtn. (USFS Stn)	421	0.00	0.00	0.00	8.37	42%	39%	9.7
Gibraltar Dam (City Facility)	230	0.00	0.00	0.00	10.63	43%	40%	8.9
Goleta (Fire Stn-Los Carneros)	440	0.00	0.00	0.00	9.14	53%	50%	
Lompoc (City Hall)	439	0.00	0.00	0.00	10.68	79%	73%	7.6
Los Alamos (Fire Stn)	204	0.00	0.00	0.00	8.41	59%	55%	
San Marcos Pass (USFS Stn)	212	0.00	0.00	0.00	14.17	44%	42%	
Santa Barbara (County Bldg)	234	0.00	0.00	0.00	7.31	43%	40%	
Santa Maria (City Pub.Works)	380	0.00	0.00	0.00	7.16	58%	54%	
Santa Ynez (Fire Stn /Airport)	218	0.00	0.00	0.00	8.31	57%	53%	
Sisquoc (Fire Stn)	256	0.00	0.00	0.00	6.31	45%	42%	

County-wide percentage of "Normal-to-Date" rainfall : **51%**

County-wide percentage of "Normal Water-Year" rainfall : **47%**

County-wide percentage of "Normal Water-Year" rainfall calculated assuming no more rain through Aug. 31, 2021 (End of WY2021).

AI (Antecedent Index / Soil Wetness)

6.0 and below = Wet (min. = 2.5)
 6.1 - 9.0 = Moderate
 9.1 and above = Dry (max. = 12.5)

Reservoirs

Reservoir Elevations referenced to NGVD-29.

**Cachuma is full and subject to spilling at elevation 750 ft. However, the lake is surcharged to 753 ft. for fish release water. (Cachuma water storage is based on Dec 2013 capacity revision)

Click on Site for Real-Time Readings	Spillway Elev. (ft)	Current Elev. (ft)	Max. Storage (ac-ft)	Current Storage (ac-ft)	Current Capacity (%)	Storage Change Mo.(ac-ft)	Storage Change Year*(ac-ft)
Gibraltar Reservoir	1,400.00	1,375.77	4,559	613	13.4%	-11	-1,597
Cachuma Reservoir	753.**	724.74	193,305	118,872	61.5%	-973	-24,903
Jameson Reservoir	2,224.00	2,213.32	4,848	3,603	74.3%	-4	-685
Twitchell Reservoir	651.50	540.83	194,971	3,044	1.6%	-81	-776



Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara CA 93101 - 805.568.3440 - www.countyofsb.org/pwd

Rainfall and Reservoir Summary

Updated 8am: 4/5/2021 Water Year: 2021 Storm Number: NA

Notes: Daily rainfall amounts are recorded as of 8am for the previous 24 hours. Rainfall units are expressed in inches. All data on this page are from automated sensors, are preliminary, and subject to verification.

*Each Water Year (WY) runs from Sept 1 through Aug 31 and is designated by the calendar year in which it ends
[County Real-Time Rainfall and Reservoir Website link: > http://www.countyofsb.org/hydrology](http://www.countyofsb.org/hydrology)

Rainfall	ID	24 hrs	Storm 0day(s)	Month	Year*	% to Date	% of Year*	AI
Buellton (Fire Stn)	233	0.00	0.00	0.00	8.54	56%	51%	
Cachuma Dam (USBR)	332	0.00	0.00	0.00	10.51	58%	53%	
Carpinteria (Fire Stn)	208	0.00	0.00	0.01	4.52	29%	26%	
Cuyama (Fire Stn)	436	0.00	0.00	0.00	3.62	53%	47%	
Figueroa Mtn. (USFS Stn)	421	0.00	0.00	0.00	8.37	43%	39%	9.5
Gibraltar Dam (City Facility)	230	0.00	0.00	0.00	10.63	44%	40%	8.7
Goleta (Fire Stn-Los Carneros)	440	0.00	0.00	0.00	9.14	54%	50%	
Lompoc (City Hall)	439	0.00	0.00	0.00	10.68	80%	73%	7.4
Los Alamos (Fire Stn)	204	0.00	0.00	0.00	8.41	60%	55%	
San Marcos Pass (USFS Stn)	212	0.00	0.00	0.00	14.17	45%	42%	
Santa Barbara (County Bldg)	234	0.00	0.00	0.00	7.31	43%	40%	
Santa Maria (City Pub.Works)	380	0.00	0.00	0.00	7.16	59%	54%	
Santa Ynez (Fire Stn /Airport)	218	0.00	0.00	0.00	8.31	57%	53%	
Sisquoc (Fire Stn)	256	0.00	0.00	0.00	6.31	46%	42%	

County-wide percentage of "Normal-to-Date" rainfall : 52%

County-wide percentage of "Normal Water-Year" rainfall : 47%

County-wide percentage of "Normal Water-Year" rainfall calculated assuming no more rain through Aug. 31, 2021 (End of WY2021).

AI (Antecedent Index / Soil Wetness)

6.0 and below = Wet (min. = 2.5)
 6.1 - 9.0 = Moderate
 9.1 and above = Dry (max. = 12.5)

Reservoirs

Reservoir Elevations referenced to NGVD-29.

**Cachuma is full and subject to spilling at elevation 750 ft. However, the lake is surcharged to 753 ft. for fish release water. (Cachuma water storage is based on Dec 2013 capacity revision)

Click on Site for Real-Time Readings	Spillway Elev. (ft)	Current Elev. (ft)	Max. Storage (ac-ft)	Current Storage (ac-ft)	Current Capacity (%)	Storage Change Mo.(ac-ft)	Storage Change Year*(ac-ft)
Gibraltar Reservoir	1,400.00	1,375.80	4,559	617	13.5%	-7	-1,593
Cachuma Reservoir	753.**	724.95	193,305	119,336	61.7%	-509	-24,439
Jameson Reservoir	2,224.00	2,213.34	4,848	3,605	74.4%	-2	-683
Twitchell Reservoir	651.50	540.95	194,971	3,092	1.6%	-33	-728



Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara CA 93101 - 805.568.3440 - www.countyofsb.org/pwd

Rainfall and Reservoir Summary

Updated 8am: **4/1/2021** **Water Year: 2021** **Storm Number: NA**

Notes: Daily rainfall amounts are recorded as of 8am for the previous 24 hours. Rainfall units are expressed in inches. All data on this page are from automated sensors, are preliminary, and subject to verification.

*Each Water Year (WY) runs from Sept 1 through Aug 31 and is designated by the calendar year in which it ends
[County Real-Time Rainfall and Reservoir Website link: > http://www.countyofsb.org/hydrology](http://www.countyofsb.org/hydrology)

Rainfall	ID	24 hrs	Storm 0day(s)	Month	Year*	% to Date	% of Year*	AI
Buellton (Fire Stn)	233	0.00	0.00	0.00	8.54	57%	51%	
Cachuma Dam (USBR)	332	0.00	0.00	0.00	10.51	60%	53%	
Carpinteria (Fire Stn)	208	0.01	0.00	0.01	4.52	29%	26%	
Cuyama (Fire Stn)	436	0.00	0.00	0.00	3.62	54%	47%	
Figueroa Mtn. (USFS Stn)	421	0.00	0.00	0.00	8.37	44%	39%	
Gibraltar Dam (City Facility)	230	0.00	0.00	0.00	10.63	44%	40%	
Goleta (Fire Stn-Los Carneros)	440	0.00	0.00	0.00	9.14	55%	50%	
Lompoc (City Hall)	439	0.00	0.00	0.00	10.68	81%	73%	
Los Alamos (Fire Stn)	204	0.00	0.00	0.00	8.41	61%	55%	
San Marcos Pass (USFS Stn)	212	0.00	0.00	0.00	14.17	45%	42%	
Santa Barbara (County Bldg)	234	0.00	0.00	0.00	7.31	44%	40%	
Santa Maria (City Pub.Works)	380	0.00	0.00	0.00	7.16	60%	54%	
Santa Ynez (Fire Stn /Airport)	218	0.00	0.00	0.00	8.31	58%	53%	
Sisquoc (Fire Stn)	256	0.00	0.00	0.00	6.31	47%	42%	

County-wide percentage of "Normal-to-Date" rainfall : 53%

County-wide percentage of "Normal Water-Year" rainfall : 47%

County-wide percentage of "Normal Water-Year" rainfall calculated assuming no more rain through Aug. 31, 2021 (End of WY2021).

AI (Antecedent Index / Soil Wetness)

6.0 and below = Wet (min. = 2.5)
 6.1 - 9.0 = Moderate
 9.1 and above = Dry (max. = 12.5)

Reservoirs

Reservoir Elevations referenced to NGVD-29.

**Cachuma is full and subject to spilling at elevation 750 ft.

However, the lake is surcharged to 753 ft. for fish release water.

(Cachuma water storage is based on Dec 2013 capacity revision)

Click on Site for Real-Time Readings	Spillway Elev. (ft)	Current Elev. (ft)	Max. Storage (ac-ft)	Current Storage (ac-ft)	Current Capacity (%)	Storage Change Mo.(ac-ft)	Storage Change Year*(ac-ft)
Gibraltar Reservoir	1,400.00	1,375.87	4,559	624	13.7%	0	-1,586
Cachuma Reservoir	753.**	725.18	193,305	119,845	62.0%	0	-23,930
Jameson Reservoir	2,224.00	2,213.36	4,848	3,607	74.4%	0	-681
Twitchell Reservoir	651.50	541.03	194,971	3,125	1.6%	0	-695



Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara CA 93101 - 805.568.3440 - www.countyofsb.org/pwd

Rainfall and Reservoir Summary

Updated 8am: 3/29/2021

Water Year: 2021

Storm Number: NA

Notes: Daily rainfall amounts are recorded as of 8am for the previous 24 hours. Rainfall units are expressed in inches.

All data on this page are from automated sensors, are preliminary, and subject to verification.

*Each Water Year (WY) runs from Sept 1 through Aug 31 and is designated by the calendar year in which it ends

County Real-Time Rainfall and Reservoir Website link: <http://www.countyofsb.org/hydrology>

Rainfall	ID	24 hrs	Storm 0day(s)	Month	Year*	% to Date	% of Year*	AI
Buellton (Fire Stn)	233	0.00	0.00	0.93	8.54	58%	51%	
Cachuma Dam (USBR)	332	0.00	0.00	0.96	10.51	61%	53%	
Carpinteria (Fire Stn)	208	0.00	0.00	1.02	4.51	29%	26%	
Cuyama (Fire Stn)	436	0.00	0.00	0.87	3.62	55%	47%	
Figueroa Mtn. (USFS Stn)	421	0.00	0.00	1.63	8.37	44%	39%	9.2
Gibraltar Dam (City Facility)	230	0.00	0.00	1.45	10.63	45%	40%	8.4
Goleta (Fire Stn-Los Carneros)	440	0.00	0.00	1.24	9.14	55%	50%	
Lompoc (City Hall)	439	0.00	0.00	1.12	10.68	82%	73%	7.2
Los Alamos (Fire Stn)	204	0.00	0.00	0.86	8.41	62%	55%	
San Marcos Pass (USFS Stn)	212	0.00	0.00	2.39	14.17	46%	42%	
Santa Barbara (County Bldg)	234	0.00	0.00	1.78	7.31	44%	40%	
Santa Maria (City Pub.Works)	380	0.00	0.00	1.13	7.16	60%	54%	
Santa Ynez (Fire Stn /Airport)	218	0.00	0.00	0.99	8.31	59%	53%	
Sisquoc (Fire Stn)	256	0.00	0.00	0.57	6.31	47%	42%	

County-wide percentage of "Normal-to-Date" rainfall : **53%**

County-wide percentage of "Normal Water-Year" rainfall : **47%**

County-wide percentage of "Normal Water-Year" rainfall calculated assuming no more rain through Aug. 31, 2021 (End of WY2021).

AI (Antecedent Index / Soil Wetness)

6.0 and below = Wet (min. = 2.5)

6.1 - 9.0 = Moderate

9.1 and above = Dry (max. = 12.5)

Reservoirs

Reservoir Elevations referenced to NGVD-29.

**Cachuma is full and subject to spilling at elevation 750 ft.

However, the lake is surcharged to 753 ft. for fish release water.

(Cachuma water storage is based on Dec 2013 capacity revision)

Click on Site for Real-Time Readings	Spillway Elev. (ft)	Current Elev. (ft)	Max. Storage (ac-ft)	Current Storage (ac-ft)	Current Capacity (%)	Storage Change Mo.(ac-ft)	Storage Change Year*(ac-ft)
Gibraltar Reservoir	1,400.00	1,375.89	4,559	627	13.8%	8	-1,583
Cachuma Reservoir	753.**	725.33	193,305	120,176	62.2%	-2,207	-23,599
Jameson Reservoir	2,224.00	2,213.38	4,848	3,609	74.4%	-5	-679
Twitchell Reservoir	651.50	541.11	194,971	3,158	1.6%	25	-662

[Previous Rainfall and Reservoir Summaries](#)



Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara CA 93101 - 805.568.3440 - www.countyofsb.org/pwd

Rainfall and Reservoir Summary

Updated 8am: 3/26/2021

Water Year: 2021

Storm Number: NA

Notes: Daily rainfall amounts are recorded as of 8am for the previous 24 hours. Rainfall units are expressed in inches.

All data on this page are from automated sensors, are preliminary, and subject to verification.

*Each Water Year (WY) runs from Sept 1 through Aug 31 and is designated by the calendar year in which it ends

County Real-Time Rainfall and Reservoir Website link: <http://www.countyofsb.org/hydrology>

Rainfall	ID	24 hrs	Storm 0day(s)	Month	Year*	% to Date	% of Year*	AI
Buellton (Fire Stn)	233	0.00	0.00	0.93	8.54	58%	51%	
Cachuma Dam (USBR)	332	0.00	0.00	0.96	10.51	61%	53%	
Carpinteria (Fire Stn)	208	0.00	0.00	1.02	4.51	30%	26%	
Cuyama (Fire Stn)	436	0.00	0.00	0.87	3.62	55%	47%	
Figueroa Mtn. (USFS Stn)	421	0.00	0.00	1.63	8.37	45%	39%	9.1
Gibraltar Dam (City Facility)	230	0.00	0.00	1.45	10.63	46%	40%	8.3
Goleta (Fire Stn-Los Carneros)	440	0.00	0.00	1.24	9.14	56%	50%	
Lompoc (City Hall)	439	0.00	0.00	1.12	10.68	83%	73%	7.1
Los Alamos (Fire Stn)	204	0.00	0.00	0.86	8.41	63%	55%	
San Marcos Pass (USFS Stn)	212	0.00	0.00	2.39	14.17	46%	42%	
Santa Barbara (County Bldg)	234	0.00	0.00	1.78	7.31	45%	40%	
Santa Maria (City Pub.Works)	380	0.00	0.00	1.13	7.16	61%	54%	
Santa Ynez (Fire Stn /Airport)	218	0.00	0.00	0.99	8.31	59%	53%	
Sisquoc (Fire Stn)	256	0.00	0.00	0.57	6.31	48%	42%	

County-wide percentage of "Normal-to-Date" rainfall : **54%**

County-wide percentage of "Normal Water-Year" rainfall : **47%**

County-wide percentage of "Normal Water-Year" rainfall calculated assuming no more rain through Aug. 31, 2021 (End of WY2021).

AI (Antecedent Index / Soil Wetness)

6.0 and below = Wet (min. = 2.5)

6.1 - 9.0 = Moderate

9.1 and above = Dry (max. = 12.5)

Reservoirs

Reservoir Elevations referenced to NGVD-29.

**Cachuma is full and subject to spilling at elevation 750 ft.

However, the lake is surcharged to 753 ft. for fish release water.

(Cachuma water storage is based on Dec 2013 capacity revision)

Click on Site for Real-Time Readings	Spillway Elev. (ft)	Current Elev. (ft)	Max. Storage (ac-ft)	Current Storage (ac-ft)	Current Capacity (%)	Storage Change Mo.(ac-ft)	Storage Change Year*(ac-ft)
Gibraltar Reservoir	1,400.00	1,375.89	4,559	627	13.8%	8	-1,583
Cachuma Reservoir	753.**	725.48	193,305	120,508	62.3%	-1,875	-23,267
Jameson Reservoir	2,224.00	2,213.40	4,848	3,611	74.5%	-3	-677
Twitchell Reservoir	651.50	541.16	194,971	3,179	1.6%	46	-641

[Previous Rainfall and Reservoir Summaries](#)



Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara CA 93101 - 805.568.3440 - www.countyofsb.org/pwd

Rainfall and Reservoir Summary

Updated 8am: 3/19/2021

Water Year: 2021

Storm Number: NA

Notes: Daily rainfall amounts are recorded as of 8am for the previous 24 hours. Rainfall units are expressed in inches.

All data on this page are from automated sensors, are preliminary, and subject to verification.

*Each Water Year (WY) runs from Sept 1 through Aug 31 and is designated by the calendar year in which it ends

County Real-Time Rainfall and Reservoir Website link: <http://www.countyofsb.org/hydrology>

Rainfall	ID	24 hrs	Storm 0day(s)	Month	Year*	% to Date	% of Year*	AI
Buellton (Fire Stn)	233	0.01	0.00	0.91	8.50	60%	51%	
Cachuma Dam (USBR)	332	0.00	0.00	0.96	10.37	63%	52%	
Carpinteria (Fire Stn)	208	0.00	0.00	1.02	4.51	31%	26%	
Cuyama (Fire Stn)	436	0.00	0.00	0.74	3.47	56%	45%	
Figueroa Mtn. (USFS Stn)	421	0.00	0.00	1.55	8.26	46%	39%	8.9
Gibraltar Dam (City Facility)	230	0.00	0.00	1.45	10.63	48%	40%	8.2
Goleta (Fire Stn-Los Carneros)	440	0.00	0.00	1.24	9.03	58%	49%	
Lompoc (City Hall)	439	0.00	0.00	1.04	10.56	86%	73%	6.9
Los Alamos (Fire Stn)	204	0.00	0.00	0.79	8.30	65%	54%	
San Marcos Pass (USFS Stn)	212	0.00	0.00	2.39	14.14	48%	42%	
Santa Barbara (County Bldg)	234	0.00	0.00	1.78	7.25	46%	39%	
Santa Maria (City Pub.Works)	380	0.00	0.00	1.07	7.11	64%	53%	
Santa Ynez (Fire Stn /Airport)	218	0.00	0.00	0.99	8.29	62%	53%	
Sisquoc (Fire Stn)	256	0.00	0.00	0.53	6.26	50%	41%	

County-wide percentage of "Normal-to-Date" rainfall : **56%**

County-wide percentage of "Normal Water-Year" rainfall : **47%**

County-wide percentage of "Normal Water-Year" rainfall calculated assuming no more rain through Aug. 31, 2021 (End of WY2021).

AI (Antecedent Index / Soil Wetness)

6.0 and below = Wet (min. = 2.5)

6.1 - 9.0 = Moderate

9.1 and above = Dry (max. = 12.5)

Reservoirs

Reservoir Elevations referenced to NGVD-29.

**Cachuma is full and subject to spilling at elevation 750 ft.

However, the lake is surcharged to 753 ft. for fish release water.

(Cachuma water storage is based on Dec 2013 capacity revision)

Click on Site for Real-Time Readings	Spillway Elev. (ft)	Current Elev. (ft)	Max. Storage (ac-ft)	Current Storage (ac-ft)	Current Capacity (%)	Storage Change Mo.(ac-ft)	Storage Change Year*(ac-ft)
Gibraltar Reservoir	1,400.00	1,375.94	4,559	632	13.9%	13	-1,578
Cachuma Reservoir	753.**	725.75	193,305	121,108	62.7%	-1,275	-22,667
Jameson Reservoir	2,224.00	2,213.44	4,848	3,616	74.6%	2	-672
Twitchell Reservoir	651.50	541.20	194,971	3,196	1.6%	63	-624

[Previous Rainfall and Reservoir Summaries](#)



Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara CA 93101 - 805.568.3440 - www.countyofsb.org/pwd

Rainfall and Reservoir Summary

Updated 8am: 3/16/2021

Water Year: 2021

Storm Number: 8

Notes: Daily rainfall amounts are recorded as of 8am for the previous 24 hours. Rainfall units are expressed in inches.

All data on this page are from automated sensors, are preliminary, and subject to verification.

*Each Water Year (WY) runs from Sept 1 through Aug 31 and is designated by the calendar year in which it ends

[County Real-Time Rainfall and Reservoir Website link:](http://www.countyofsb.org/hydrology) ➤ <http://www.countyofsb.org/hydrology>

Rainfall	ID	24 hrs	Storm 2day(s)	Month	Year*	% to Date	% of Year*	AI
Buellton (Fire Stn)	233	0.01	0.16	0.90	8.49	61%	51%	
Cachuma Dam (USBR)	332	0.03	0.16	0.96	10.37	64%	52%	
Carpinteria (Fire Stn)	208	0.00	0.14	1.02	4.51	32%	26%	
Cuyama (Fire Stn)	436	0.12	0.18	0.74	3.47	57%	45%	
Figueroa Mtn. (USFS Stn)	421	0.15	0.31	1.55	8.26	47%	39%	8.8
Gibraltar Dam (City Facility)	230	0.11	0.21	1.45	10.63	48%	40%	8.1
Goleta (Fire Stn-Los Carneros)	440	0.00	0.15	1.24	9.03	59%	49%	
Lompoc (City Hall)	439	0.00	0.15	1.04	10.56	88%	73%	6.9
Los Alamos (Fire Stn)	204	0.01	0.16	0.79	8.30	66%	54%	
San Marcos Pass (USFS Stn)	212	0.05	0.21	2.39	14.14	49%	42%	
Santa Barbara (County Bldg)	234	0.02	0.17	1.78	7.25	47%	39%	
Santa Maria (City Pub.Works)	380	0.00	0.09	1.07	7.11	65%	53%	
Santa Ynez (Fire Stn /Airport)	218	0.04	0.13	0.99	8.29	64%	53%	
Sisquoc (Fire Stn)	256	0.02	0.12	0.53	6.26	51%	41%	

County-wide percentage of "Normal-to-Date" rainfall : **57%**

County-wide percentage of "Normal Water-Year" rainfall : **47%**

County-wide percentage of "Normal Water-Year" rainfall calculated assuming no more rain through Aug. 31, 2021 (End of WY2021).

AI (Antecedent Index / Soil Wetness)

6.0 and below = Wet (min. = 2.5)

6.1 - 9.0 = Moderate

9.1 and above = Dry (max. = 12.5)

Reservoirs

Reservoir Elevations referenced to NGVD-29.

**Cachuma is full and subject to spilling at elevation 750 ft.

However, the lake is surcharged to 753 ft. for fish release water.

(Cachuma water storage is based on Dec 2013 capacity revision)

Click on Site for Real-Time Readings	Spillway Elev. (ft)	Current Elev. (ft)	Max. Storage (ac-ft)	Current Storage (ac-ft)	Current Capacity (%)	Storage Change Mo.(ac-ft)	Storage Change Year*(ac-ft)
Gibraltar Reservoir	1,400.00	1,375.93	4,559	631	13.8%	12	-1,579
Cachuma Reservoir	753.**	725.82	193,305	121,265	62.7%	-1,118	-22,510
Jameson Reservoir	2,224.00	2,213.46	4,848	3,618	74.6%	4	-670
Twitchell Reservoir	651.50	541.20	194,971	3,196	1.6%	63	-624

[Previous Rainfall and Reservoir Summaries](#)



Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara CA 93101 - 805.568.3440 - www.countyofsb.org/pwd

Rainfall and Reservoir Summary

Updated 8am: 3/15/2021

Water Year: 2021

Storm Number: 8

Notes: Daily rainfall amounts are recorded as of 8am for the previous 24 hours. Rainfall units are expressed in inches.

All data on this page are from automated sensors, are preliminary, and subject to verification.

*Each Water Year (WY) runs from Sept 1 through Aug 31 and is designated by the calendar year in which it ends

County Real-Time Rainfall and Reservoir Website link: <http://www.countyofsb.org/hydrology>

Rainfall	ID	24 hrs	Storm 1day(s)	Month	Year*	% to Date	% of Year*	AI
Buellton (Fire Stn)	233	0.15	0.15	0.88	8.47	61%	51%	
Cachuma Dam (USBR)	332	0.13	0.13	0.93	10.34	65%	52%	
Carpinteria (Fire Stn)	208	0.14	0.14	1.01	4.50	32%	26%	
Cuyama (Fire Stn)	436	0.06	0.06	0.62	3.35	55%	44%	
Figueroa Mtn. (USFS Stn)	421	0.16	0.16	1.40	8.11	46%	38%	8.9
Gibraltar Dam (City Facility)	230	0.10	0.10	1.34	10.52	48%	40%	8.1
Goleta (Fire Stn-Los Carneros)	440	0.15	0.15	1.24	9.03	59%	49%	
Lompoc (City Hall)	439	0.15	0.15	1.04	10.56	89%	73%	6.8
Los Alamos (Fire Stn)	204	0.15	0.15	0.78	8.29	67%	54%	
San Marcos Pass (USFS Stn)	212	0.16	0.16	2.34	14.09	49%	41%	
Santa Barbara (County Bldg)	234	0.15	0.15	1.76	7.23	47%	39%	
Santa Maria (City Pub.Works)	380	0.09	0.09	1.07	7.11	66%	53%	
Santa Ynez (Fire Stn /Airport)	218	0.09	0.09	0.95	8.25	64%	52%	
Sisquoc (Fire Stn)	256	0.10	0.10	0.51	6.24	51%	41%	

County-wide percentage of "Normal-to-Date" rainfall : **57%**

County-wide percentage of "Normal Water-Year" rainfall : **47%**

County-wide percentage of "Normal Water-Year" rainfall calculated assuming no more rain through Aug. 31, 2021 (End of WY2021).

AI (Antecedent Index / Soil Wetness)

6.0 and below = Wet (min. = 2.5)

6.1 - 9.0 = Moderate

9.1 and above = Dry (max. = 12.5)

Reservoirs

Reservoir Elevations referenced to NGVD-29.

**Cachuma is full and subject to spilling at elevation 750 ft.

However, the lake is surcharged to 753 ft. for fish release water.

(Cachuma water storage is based on Dec 2013 capacity revision)

Click on Site for Real-Time Readings	Spillway Elev. (ft)	Current Elev. (ft)	Max. Storage (ac-ft)	Current Storage (ac-ft)	Current Capacity (%)	Storage Change Mo.(ac-ft)	Storage Change Year*(ac-ft)
Gibraltar Reservoir	1,400.00	1,375.92	4,559	630	13.8%	11	-1,580
Cachuma Reservoir	753.**	725.85	193,305	121,331	62.8%	-1,052	-22,444
Jameson Reservoir	2,224.00	2,213.46	4,848	3,618	74.6%	4	-670
Twitchell Reservoir	651.50	541.14	194,971	3,171	1.6%	38	-649

[Previous Rainfall and Reservoir Summaries](#)



Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara CA 93101 - 805.568.3440 - www.countyofsb.org/pwd

Rainfall and Reservoir Summary

Updated 8am: 3/13/2021

Water Year: 2021

Storm Number: 7

Notes: Daily rainfall amounts are recorded as of 8am for the previous 24 hours. Rainfall units are expressed in inches. All data on this page are from automated sensors, are preliminary, and subject to verification.

*Each Water Year (WY) runs from Sept 1 through Aug 31 and is designated by the calendar year in which it ends
[County Real-Time Rainfall and Reservoir Website link: > http://www.countyofsb.org/hydrology](http://www.countyofsb.org/hydrology)

Rainfall	ID	24 hrs	Storm 4day(s)	Month	Year*	% to Date	% of Year*	AI
Buellton (Fire Stn)	233	0.00	0.71	0.73	8.32	61%	50%	
Cachuma Dam (USBR)	332	0.01	0.78	0.80	10.21	64%	52%	
Carpinteria (Fire Stn)	208	0.07	0.87	0.87	4.36	31%	25%	
Cuyama (Fire Stn)	436	0.00	0.56	0.56	3.29	55%	43%	
Figueroa Mtn. (USFS Stn)	421	0.03	1.22	1.24	7.95	46%	37%	8.9
Gibraltar Dam (City Facility)	230	0.00	1.24	1.24	10.42	49%	40%	8.1
Goleta (Fire Stn-Los Carneros)	440	0.16	1.08	1.09	8.88	59%	48%	
Lompoc (City Hall)	439	0.01	0.89	0.89	10.41	89%	71%	6.9
Los Alamos (Fire Stn)	204	0.00	0.62	0.63	8.14	67%	53%	
San Marcos Pass (USFS Stn)	212	0.68	2.16	2.18	13.93	49%	41%	
Santa Barbara (County Bldg)	234	0.02	1.60	1.61	7.08	47%	39%	
Santa Maria (City Pub.Works)	380	0.00	0.98	0.98	7.02	66%	53%	
Santa Ynez (Fire Stn /Airport)	218	0.01	0.85	0.86	8.16	64%	52%	
Sisquoc (Fire Stn)	256	0.00	0.41	0.41	6.14	51%	41%	

County-wide percentage of "Normal-to-Date" rainfall : **57%**

County-wide percentage of "Normal Water-Year" rainfall : **46%**

County-wide percentage of "Normal Water-Year" rainfall calculated assuming no more rain through Aug. 31, 2021 (End of WY2021).

AI (Antecedent Index / Soil Wetness)

6.0 and below = Wet (min. = 2.5)
 6.1 - 9.0 = Moderate
 9.1 and above = Dry (max. = 12.5)

Reservoirs

Reservoir Elevations referenced to NGVD-29.

**Cachuma is full and subject to spilling at elevation 750 ft. However, the lake is surcharged to 753 ft. for fish release water. (Cachuma water storage is based on Dec 2013 capacity revision)

Click on Site for Real-Time Readings	Spillway Elev. (ft)	Current Elev. (ft)	Max. Storage (ac-ft)	Current Storage (ac-ft)	Current Capacity (%)	Storage Change Mo.(ac-ft)	Storage Change Year*(ac-ft)
Gibraltar Reservoir	1,400.00	1,375.92	4,559	630	13.8%	11	-1,580
Cachuma Reservoir	753.**	725.90	193,305	121,443	62.8%	-940	-22,332
Jameson Reservoir	2,224.00	2,213.46	4,848	3,618	74.6%	4	-670
Twitchell Reservoir	651.50	541.13	194,971	3,167	1.6%	34	-653



Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara CA 93101 - 805.568.3440 - www.countyofsb.org/pwd

Rainfall and Reservoir Summary

Updated 8am: 3/12/2021

Water Year: 2021

Storm Number: 7

Notes: Daily rainfall amounts are recorded as of 8am for the previous 24 hours. Rainfall units are expressed in inches.

All data on this page are from automated sensors, are preliminary, and subject to verification.

*Each Water Year (WY) runs from Sept 1 through Aug 31 and is designated by the calendar year in which it ends

County Real-Time Rainfall and Reservoir Website link: <http://www.countyofsb.org/hydrology>

Rainfall	ID	24 hrs	Storm 3day(s)	Month	Year*	% to Date	% of Year*	AI
Buellton (Fire Stn)	233	0.00	0.71	0.73	8.32	61%	50%	
Cachuma Dam (USBR)	332	0.06	0.77	0.79	10.20	64%	52%	
Carpinteria (Fire Stn)	208	0.00	0.80	0.80	4.29	31%	25%	
Cuyama (Fire Stn)	436	0.27	0.56	0.56	3.29	55%	43%	
Figueroa Mtn. (USFS Stn)	421	0.34	1.19	1.21	7.92	46%	37%	8.9
Gibraltar Dam (City Facility)	230	0.03	1.24	1.24	10.42	49%	40%	8.1
Goleta (Fire Stn-Los Carneros)	440	0.02	0.92	0.93	8.72	59%	47%	
Lompoc (City Hall)	439	0.06	0.88	0.88	10.40	89%	71%	6.9
Los Alamos (Fire Stn)	204	0.01	0.62	0.63	8.14	67%	53%	
San Marcos Pass (USFS Stn)	212	0.14	1.48	1.50	13.25	47%	39%	
Santa Barbara (County Bldg)	234	0.06	1.58	1.59	7.06	47%	38%	
Santa Maria (City Pub.Works)	380	0.13	0.98	0.98	7.02	66%	53%	
Santa Ynez (Fire Stn /Airport)	218	0.00	0.84	0.85	8.15	64%	52%	
Sisquoc (Fire Stn)	256	0.03	0.41	0.41	6.14	52%	41%	

County-wide percentage of "Normal-to-Date" rainfall : **57%**

County-wide percentage of "Normal Water-Year" rainfall : **46%**

County-wide percentage of "Normal Water-Year" rainfall calculated assuming no more rain through Aug. 31, 2021 (End of WY2021).

AI (Antecedent Index / Soil Wetness)

6.0 and below = Wet (min. = 2.5)

6.1 - 9.0 = Moderate

9.1 and above = Dry (max. = 12.5)

Reservoirs

Reservoir Elevations referenced to NGVD-29.

**Cachuma is full and subject to spilling at elevation 750 ft.

However, the lake is surcharged to 753 ft. for fish release water.

(Cachuma water storage is based on Dec 2013 capacity revision)

Click on Site for Real-Time Readings	Spillway Elev. (ft)	Current Elev. (ft)	Max. Storage (ac-ft)	Current Storage (ac-ft)	Current Capacity (%)	Storage Change Mo.(ac-ft)	Storage Change Year*(ac-ft)
Gibraltar Reservoir	1,400.00	1,375.90	4,559	628	13.8%	9	-1,582
Cachuma Reservoir	753.**	725.93	193,305	121,510	62.9%	-873	-22,265
Jameson Reservoir	2,224.00	2,213.46	4,848	3,618	74.6%	4	-670
Twitchell Reservoir	651.50	541.08	194,971	3,146	1.6%	13	-674

[Previous Rainfall and Reservoir Summaries](#)



Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara CA 93101 - 805.568.3440 - www.countyofsb.org/pwd

Rainfall and Reservoir Summary

Updated 8am: 3/11/2021

Water Year: 2021

Storm Number: 7

Notes: Daily rainfall amounts are recorded as of 8am for the previous 24 hours. Rainfall units are expressed in inches.

All data on this page are from automated sensors, are preliminary, and subject to verification.

*Each Water Year (WY) runs from Sept 1 through Aug 31 and is designated by the calendar year in which it ends

[County Real-Time Rainfall and Reservoir Website link:](http://www.countyofsb.org/hydrology) ➤ <http://www.countyofsb.org/hydrology>

Rainfall	ID	24 hrs	Storm 2day(s)	Month	Year*	% to Date	% of Year*	AI
Buellton (Fire Stn)	233	0.35	0.71	0.73	8.32	62%	50%	
Cachuma Dam (USBR)	332	0.35	0.71	0.73	10.14	64%	51%	
Carpinteria (Fire Stn)	208	0.22	0.80	0.80	4.29	31%	25%	
Cuyama (Fire Stn)	436	0.16	0.29	0.29	3.02	51%	39%	
Figueroa Mtn. (USFS Stn)	421	0.41	0.85	0.87	7.58	45%	35%	9.0
Gibraltar Dam (City Facility)	230	0.44	1.21	1.21	10.39	49%	40%	8.2
Goleta (Fire Stn-Los Carneros)	440	0.17	0.90	0.91	8.70	59%	47%	
Lompoc (City Hall)	439	0.39	0.82	0.82	10.34	89%	71%	6.9
Los Alamos (Fire Stn)	204	0.22	0.61	0.62	8.13	67%	53%	
San Marcos Pass (USFS Stn)	212	0.51	1.34	1.36	13.11	47%	39%	
Santa Barbara (County Bldg)	234	0.60	1.52	1.53	7.00	47%	38%	
Santa Maria (City Pub.Works)	380	0.25	0.85	0.85	6.89	66%	52%	
Santa Ynez (Fire Stn /Airport)	218	0.24	0.84	0.85	8.15	65%	52%	
Sisquoc (Fire Stn)	256	0.12	0.38	0.38	6.11	52%	40%	

County-wide percentage of "Normal-to-Date" rainfall : **57%**

County-wide percentage of "Normal Water-Year" rainfall : **45%**

County-wide percentage of "Normal Water-Year" rainfall calculated assuming no more rain through Aug. 31, 2021 (End of WY2021).

AI (Antecedent Index / Soil Wetness)

6.0 and below = Wet (min. = 2.5)

6.1 - 9.0 = Moderate

9.1 and above = Dry (max. = 12.5)

Reservoirs

Reservoir Elevations referenced to NGVD-29.

**Cachuma is full and subject to spilling at elevation 750 ft.

However, the lake is surcharged to 753 ft. for fish release water.

(Cachuma water storage is based on Dec 2013 capacity revision)

Click on Site for Real-Time Readings	Spillway Elev. (ft)	Current Elev. (ft)	Max. Storage (ac-ft)	Current Storage (ac-ft)	Current Capacity (%)	Storage Change Mo.(ac-ft)	Storage Change Year*(ac-ft)
Gibraltar Reservoir	1,400.00	1,375.90	4,559	628	13.8%	9	-1,582
Cachuma Reservoir	753.**	725.95	193,305	121,555	62.9%	-828	-22,220
Jameson Reservoir	2,224.00	2,213.46	4,848	3,618	74.6%	4	-670
Twitchell Reservoir	651.50	541.05	194,971	3,133	1.6%	0	-687

[Previous Rainfall and Reservoir Summaries](#)



Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara CA 93101 - 805.568.3440 - www.countyofsb.org/pwd

Rainfall and Reservoir Summary

Updated 8am: 3/10/2021

Water Year: 2021

Storm Number: 7

Notes: Daily rainfall amounts are recorded as of 8am for the previous 24 hours. Rainfall units are expressed in inches.

All data on this page are from automated sensors, are preliminary, and subject to verification.

*Each Water Year (WY) runs from Sept 1 through Aug 31 and is designated by the calendar year in which it ends

County Real-Time Rainfall and Reservoir Website link: <http://www.countyofsb.org/hydrology>

Rainfall	ID	24 hrs	Storm 1day(s)	Month	Year*	% to Date	% of Year*	AI
Buellton (Fire Stn)	233	0.36	0.36	0.38	7.97	60%	48%	
Cachuma Dam (USBR)	332	0.36	0.36	0.38	9.79	63%	49%	
Carpinteria (Fire Stn)	208	0.58	0.58	0.58	4.07	29%	24%	
Cuyama (Fire Stn)	436	0.13	0.13	0.13	2.86	49%	37%	
Figueroa Mtn. (USFS Stn)	421	0.44	0.44	0.46	7.17	43%	33%	9.1
Gibraltar Dam (City Facility)	230	0.77	0.77	0.77	9.95	47%	38%	8.5
Goleta (Fire Stn-Los Carneros)	440	0.73	0.73	0.74	8.53	58%	46%	
Lompoc (City Hall)	439	0.43	0.43	0.43	9.95	86%	68%	6.9
Los Alamos (Fire Stn)	204	0.39	0.39	0.40	7.91	66%	52%	
San Marcos Pass (USFS Stn)	212	0.83	0.83	0.85	12.60	45%	37%	
Santa Barbara (County Bldg)	234	0.92	0.92	0.93	6.40	44%	35%	
Santa Maria (City Pub.Works)	380	0.60	0.60	0.60	6.64	64%	50%	
Santa Ynez (Fire Stn /Airport)	218	0.60	0.60	0.61	7.91	63%	50%	
Sisquoc (Fire Stn)	256	0.26	0.26	0.26	5.99	51%	40%	

County-wide percentage of "Normal-to-Date" rainfall : **55%**

County-wide percentage of "Normal Water-Year" rainfall : **43%**

County-wide percentage of "Normal Water-Year" rainfall calculated assuming no more rain through Aug. 31, 2021 (End of WY2021).

AI (Antecedent Index / Soil Wetness)

6.0 and below = Wet (min. = 2.5)

6.1 - 9.0 = Moderate

9.1 and above = Dry (max. = 12.5)

Reservoirs

Reservoir Elevations referenced to NGVD-29.

**Cachuma is full and subject to spilling at elevation 750 ft.

However, the lake is surcharged to 753 ft. for fish release water.

(Cachuma water storage is based on Dec 2013 capacity revision)

Click on Site for Real-Time Readings	Spillway Elev. (ft)	Current Elev. (ft)	Max. Storage (ac-ft)	Current Storage (ac-ft)	Current Capacity (%)	Storage Change Mo.(ac-ft)	Storage Change Year*(ac-ft)
Gibraltar Reservoir	1,400.00	1,375.86	4,559	623	13.7%	4	-1,587
Cachuma Reservoir	753.**	725.96	193,305	121,577	62.9%	-806	-22,198
Jameson Reservoir	2,224.00	2,213.40	4,848	3,611	74.5%	-3	-677
Twitchell Reservoir	651.50	541.01	194,971	3,116	1.6%	-17	-704

[Previous Rainfall and Reservoir Summaries](#)



Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara CA 93101 - 805.568.3440 - www.countyofsb.org/pwd

Rainfall and Reservoir Summary

Updated 8am: **3/4/2021** **Water Year: 2021** **Storm Number: NA**

Notes: Daily rainfall amounts are recorded as of 8am for the previous 24 hours. Rainfall units are expressed in inches. All data on this page are from automated sensors, are preliminary, and subject to verification.

*Each Water Year (WY) runs from Sept 1 through Aug 31 and is designated by the calendar year in which it ends
[County Real-Time Rainfall and Reservoir Website link: > http://www.countyofsb.org/hydrology](http://www.countyofsb.org/hydrology)

Rainfall	ID	24 hrs	Storm 0day(s)	Month	Year*	% to Date	% of Year*	AI
Buellton (Fire Stn)	233	0.01	0.00	0.01	7.60	60%	46%	
Cachuma Dam (USBR)	332	0.01	0.00	0.01	9.42	64%	48%	
Carpinteria (Fire Stn)	208	0.00	0.00	0.00	3.49	26%	20%	
Cuyama (Fire Stn)	436	0.00	0.00	0.00	2.73	49%	36%	
Figueroa Mtn. (USFS Stn)	421	0.02	0.00	0.02	6.73	42%	31%	9.2
Gibraltar Dam (City Facility)	230	0.00	0.00	0.00	9.18	45%	35%	8.3
Goleta (Fire Stn-Los Carneros)	440	0.01	0.00	0.01	7.80	56%	42%	
Lompoc (City Hall)	439	0.00	0.00	0.00	9.52	87%	65%	7.0
Los Alamos (Fire Stn)	204	0.00	0.00	0.00	7.51	66%	49%	
San Marcos Pass (USFS Stn)	212	0.02	0.00	0.02	11.77	44%	35%	
Santa Barbara (County Bldg)	234	0.01	0.00	0.01	5.48	39%	30%	
Santa Maria (City Pub.Works)	380	0.00	0.00	0.00	6.04	61%	45%	
Santa Ynez (Fire Stn /Airport)	218	0.01	0.00	0.01	7.31	62%	46%	
Sisquoc (Fire Stn)	256	0.00	0.00	0.00	5.73	51%	38%	

County-wide percentage of "Normal-to-Date" rainfall : **54%**

County-wide percentage of "Normal Water-Year" rainfall : **40%**

County-wide percentage of "Normal Water-Year" rainfall calculated assuming no more rain through Aug. 31, 2021 (End of WY2021).

AI (Antecedent Index / Soil Wetness)

6.0 and below = Wet (min. = 2.5)
 6.1 - 9.0 = Moderate
 9.1 and above = Dry (max. = 12.5)

Reservoirs

Reservoir Elevations referenced to NGVD-29.

**Cachuma is full and subject to spilling at elevation 750 ft. However, the lake is surcharged to 753 ft. for fish release water. (Cachuma water storage is based on Dec 2013 capacity revision)

Click on Site for Real-Time Readings	Spillway Elev. (ft)	Current Elev. (ft)	Max. Storage (ac-ft)	Current Storage (ac-ft)	Current Capacity (%)	Storage Change Mo.(ac-ft)	Storage Change Year*(ac-ft)
Gibraltar Reservoir	1,400.00	1,375.79	4,559	615	13.5%	-4	-1,595
Cachuma Reservoir	753.**	726.16	193,305	122,025	63.1%	-358	-21,750
Jameson Reservoir	2,224.00	2,213.40	4,848	3,611	74.5%	-3	-677
Twitchell Reservoir	651.50	541.06	194,971	3,137	1.6%	4	-683



Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara CA 93101 - 805.568.3440 - www.countyofsb.org/pwd

Rainfall and Reservoir Summary

Updated 8am: **3/1/2021** **Water Year: 2021** **Storm Number: NA**

Notes: Daily rainfall amounts are recorded as of 8am for the previous 24 hours. Rainfall units are expressed in inches. All data on this page are from automated sensors, are preliminary, and subject to verification.

*Each Water Year (WY) runs from Sept 1 through Aug 31 and is designated by the calendar year in which it ends
[County Real-Time Rainfall and Reservoir Website link: > http://www.countyofsb.org/hydrology](http://www.countyofsb.org/hydrology)

Rainfall	ID	24 hrs	Storm 0day(s)	Month	Year*	% to Date	% of Year*	AI
Buellton (Fire Stn)	233	0.00	0.00	0.00	7.59	62%	46%	
Cachuma Dam (USBR)	332	0.00	0.00	0.00	9.41	65%	48%	
Carpinteria (Fire Stn)	208	0.00	0.00	0.00	3.49	27%	20%	
Cuyama (Fire Stn)	436	0.00	0.00	0.00	2.73	50%	36%	
Figueroa Mtn. (USFS Stn)	421	0.00	0.00	0.00	6.71	43%	31%	9.1
Gibraltar Dam (City Facility)	230	0.00	0.00	0.00	9.18	47%	35%	8.3
Goleta (Fire Stn-Los Carneros)	440	0.00	0.00	0.00	7.79	57%	42%	
Lompoc (City Hall)	439	0.00	0.00	0.00	9.52	89%	65%	7.0
Los Alamos (Fire Stn)	204	0.00	0.00	0.00	7.51	68%	49%	
San Marcos Pass (USFS Stn)	212	0.00	0.00	0.00	11.75	46%	35%	
Santa Barbara (County Bldg)	234	0.00	0.00	0.00	5.47	40%	30%	
Santa Maria (City Pub.Works)	380	0.00	0.00	0.00	6.04	63%	45%	
Santa Ynez (Fire Stn /Airport)	218	0.00	0.00	0.00	7.30	64%	46%	
Sisquoc (Fire Stn)	256	0.00	0.00	0.00	5.73	53%	38%	

County-wide percentage of "Normal-to-Date" rainfall : **55%**

County-wide percentage of "Normal Water-Year" rainfall : **40%**

County-wide percentage of "Normal Water-Year" rainfall calculated assuming no more rain through Aug. 31, 2021 (End of WY2021).

AI (Antecedent Index / Soil Wetness)

6.0 and below = Wet (min. = 2.5)
 6.1 - 9.0 = Moderate
 9.1 and above = Dry (max. = 12.5)

Reservoirs

Reservoir Elevations referenced to NGVD-29.

**Cachuma is full and subject to spilling at elevation 750 ft. However, the lake is surcharged to 753 ft. for fish release water. (Cachuma water storage is based on Dec 2013 capacity revision)

Click on Site for Real-Time Readings	Spillway Elev. (ft)	Current Elev. (ft)	Max. Storage (ac-ft)	Current Storage (ac-ft)	Current Capacity (%)	Storage Change Mo.(ac-ft)	Storage Change Year*(ac-ft)
Gibraltar Reservoir	1,400.00	1,375.82	4,559	619	13.6%	0	-1,591
Cachuma Reservoir	753.**	726.32	193,305	122,383	63.3%	0	-21,392
Jameson Reservoir	2,224.00	2,213.42	4,848	3,614	74.5%	0	-674
Twitchell Reservoir	651.50	541.05	194,971	3,133	1.6%	0	-687



Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara CA 93101 - 805.568.3440 - www.countyofsb.org/pwd

Rainfall and Reservoir Summary

Updated 8am: 2/26/2021

Water Year: 2021

Storm Number: NA

Notes: Daily rainfall amounts are recorded as of 8am for the previous 24 hours. Rainfall units are expressed in inches. All data on this page are from automated sensors, are preliminary, and subject to verification.

*Each Water Year (WY) runs from Sept 1 through Aug 31 and is designated by the calendar year in which it ends
[County Real-Time Rainfall and Reservoir Website link: > http://www.countyofsb.org/hydrology](http://www.countyofsb.org/hydrology)

Rainfall	ID	24 hrs	Storm 0day(s)	Month	Year*	% to Date	% of Year*	AI
Buellton (Fire Stn)	233	0.00	0.00	0.16	7.59	64%	46%	
Cachuma Dam (USBR)	332	0.00	0.00	0.12	9.41	69%	48%	
Carpinteria (Fire Stn)	208	0.00	0.00	0.01	3.49	28%	20%	
Cuyama (Fire Stn)	436	0.00	0.00	0.00	2.73	52%	36%	
Figueroa Mtn. (USFS Stn)	421	0.00	0.00	0.12	6.71	45%	31%	9.1
Gibraltar Dam (City Facility)	230	0.00	0.00	0.05	9.18	49%	35%	8.3
Goleta (Fire Stn-Los Carneros)	440	0.00	0.00	0.00	7.79	59%	42%	
Lompoc (City Hall)	439	0.00	0.00	0.17	9.52	93%	65%	7.0
Los Alamos (Fire Stn)	204	0.00	0.00	0.14	7.51	71%	49%	
San Marcos Pass (USFS Stn)	212	0.00	0.00	0.05	11.75	48%	35%	
Santa Barbara (County Bldg)	234	0.00	0.00	0.02	5.47	41%	30%	
Santa Maria (City Pub.Works)	380	0.00	0.00	0.22	6.04	65%	45%	
Santa Ynez (Fire Stn /Airport)	218	0.00	0.00	0.11	7.30	66%	46%	
Sisquoc (Fire Stn)	256	0.00	0.00	0.17	5.73	55%	38%	

County-wide percentage of "Normal-to-Date" rainfall : **58%**

County-wide percentage of "Normal Water-Year" rainfall : **40%**

County-wide percentage of "Normal Water-Year" rainfall calculated assuming no more rain through Aug. 31, 2021 (End of WY2021).

AI (Antecedent Index / Soil Wetness)

6.0 and below = Wet (min. = 2.5)
 6.1 - 9.0 = Moderate
 9.1 and above = Dry (max. = 12.5)

Reservoirs

Reservoir Elevations referenced to NGVD-29.

**Cachuma is full and subject to spilling at elevation 750 ft.

However, the lake is surcharged to 753 ft. for fish release water.

(Cachuma water storage is based on Dec 2013 capacity revision)

Click on Site for Real-Time Readings	Spillway Elev. (ft)	Current Elev. (ft)	Max. Storage (ac-ft)	Current Storage (ac-ft)	Current Capacity (%)	Storage Change Mo.(ac-ft)	Storage Change Year*(ac-ft)
Gibraltar Reservoir	1,400.00	1,375.82	4,559	619	13.6%	11	-1,591
Cachuma Reservoir	753.**	726.47	193,305	122,718	63.5%	-1,805	-21,057
Jameson Reservoir	2,224.00	2,213.46	4,848	3,618	74.6%	-23	-670
Twitchell Reservoir	651.50	541.12	194,971	3,162	1.6%	58	-658

[Previous Rainfall and Reservoir Summaries](#)



Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara CA 93101 - 805.568.3440 - www.countyofsb.org/pwd

Rainfall and Reservoir Summary

Updated 8am: 2/22/2021

Water Year: 2021

Storm Number: NA

Notes: Daily rainfall amounts are recorded as of 8am for the previous 24 hours. Rainfall units are expressed in inches.

All data on this page are from automated sensors, are preliminary, and subject to verification.

*Each Water Year (WY) runs from Sept 1 through Aug 31 and is designated by the calendar year in which it ends

County Real-Time Rainfall and Reservoir Website link: <http://www.countyofsb.org/hydrology>

Rainfall	ID	24 hrs	Storm 0day(s)	Month	Year*	% to Date	% of Year*	AI
Buellton (Fire Stn)	233	0.00	0.00	0.16	7.59	66%	46%	
Cachuma Dam (USBR)	332	0.00	0.00	0.12	9.41	71%	48%	
Carpinteria (Fire Stn)	208	0.00	0.00	0.01	3.49	29%	20%	
Cuyama (Fire Stn)	436	0.00	0.00	0.00	2.73	54%	36%	
Figueroa Mtn. (USFS Stn)	421	0.00	0.00	0.12	6.71	47%	31%	9.0
Gibraltar Dam (City Facility)	230	0.00	0.00	0.05	9.18	51%	35%	8.2
Goleta (Fire Stn-Los Carneros)	440	0.00	0.00	0.00	7.79	61%	42%	
Lompoc (City Hall)	439	0.00	0.00	0.17	9.52	96%	65%	6.9
Los Alamos (Fire Stn)	204	0.00	0.00	0.14	7.51	73%	49%	
San Marcos Pass (USFS Stn)	212	0.00	0.00	0.05	11.75	50%	35%	
Santa Barbara (County Bldg)	234	0.00	0.00	0.02	5.47	43%	30%	
Santa Maria (City Pub.Works)	380	0.00	0.00	0.22	6.04	67%	45%	
Santa Ynez (Fire Stn /Airport)	218	0.00	0.00	0.11	7.30	68%	46%	
Sisquoc (Fire Stn)	256	0.00	0.00	0.17	5.73	57%	38%	

County-wide percentage of "Normal-to-Date" rainfall : **60%**

County-wide percentage of "Normal Water-Year" rainfall : **40%**

County-wide percentage of "Normal Water-Year" rainfall calculated assuming no more rain through Aug. 31, 2021 (End of WY2021).

AI (Antecedent Index / Soil Wetness)

6.0 and below = Wet (min. = 2.5)

6.1 - 9.0 = Moderate

9.1 and above = Dry (max. = 12.5)

Reservoirs

Reservoir Elevations referenced to NGVD-29.

**Cachuma is full and subject to spilling at elevation 750 ft.

However, the lake is surcharged to 753 ft. for fish release water.

(Cachuma water storage is based on Dec 2013 capacity revision)

Click on Site for Real-Time Readings	Spillway Elev. (ft)	Current Elev. (ft)	Max. Storage (ac-ft)	Current Storage (ac-ft)	Current Capacity (%)	Storage Change Mo.(ac-ft)	Storage Change Year*(ac-ft)
Gibraltar Reservoir	1,400.00	1,375.83	4,559	620	13.6%	12	-1,590
Cachuma Reservoir	753.**	726.65	193,305	123,122	63.7%	-1,401	-20,653
Jameson Reservoir	2,224.00	2,213.52	4,848	3,624	74.8%	-17	-664
Twitchell Reservoir	651.50	541.17	194,971	3,184	1.6%	80	-636

[Previous Rainfall and Reservoir Summaries](#)



Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara CA 93101 - 805.568.3440 - www.countyofsb.org/pwd

Rainfall and Reservoir Summary

Updated 8am: 2/19/2021

Water Year: 2021

Storm Number: NA

Notes: Daily rainfall amounts are recorded as of 8am for the previous 24 hours. Rainfall units are expressed in inches.

All data on this page are from automated sensors, are preliminary, and subject to verification.

*Each Water Year (WY) runs from Sept 1 through Aug 31 and is designated by the calendar year in which it ends

County Real-Time Rainfall and Reservoir Website link: <http://www.countyofsb.org/hydrology>

Rainfall	ID	24 hrs	Storm 0day(s)	Month	Year*	% to Date	% of Year*	AI
Buellton (Fire Stn)	233	0.00	0.00	0.16	7.59	69%	46%	
Cachuma Dam (USBR)	332	0.00	0.00	0.12	9.41	73%	48%	
Carpinteria (Fire Stn)	208	0.00	0.00	0.01	3.49	30%	20%	
Cuyama (Fire Stn)	436	0.00	0.00	0.00	2.73	55%	36%	
Figueroa Mtn. (USFS Stn)	421	0.00	0.00	0.12	6.71	48%	31%	8.2
Gibraltar Dam (City Facility)	230	0.00	0.00	0.05	9.18	53%	35%	9.0
Goleta (Fire Stn-Los Carneros)	440	0.00	0.00	0.00	7.79	63%	42%	
Lompoc (City Hall)	439	0.00	0.00	0.17	9.52	99%	65%	6.9
Los Alamos (Fire Stn)	204	0.00	0.00	0.14	7.51	77%	49%	
San Marcos Pass (USFS Stn)	212	0.00	0.00	0.05	11.75	52%	35%	
Santa Barbara (County Bldg)	234	0.00	0.00	0.02	5.47	45%	30%	
Santa Maria (City Pub.Works)	380	0.00	0.00	0.22	6.04	69%	45%	
Santa Ynez (Fire Stn /Airport)	218	0.00	0.00	0.11	7.30	71%	46%	
Sisquoc (Fire Stn)	256	0.00	0.00	0.17	5.73	58%	38%	

County-wide percentage of "Normal-to-Date" rainfall : **62%**

County-wide percentage of "Normal Water-Year" rainfall : **40%**

County-wide percentage of "Normal Water-Year" rainfall calculated assuming no more rain through Aug. 31, 2021 (End of WY2021).

AI (Antecedent Index / Soil Wetness)

6.0 and below = Wet (min. = 2.5)

6.1 - 9.0 = Moderate

9.1 and above = Dry (max. = 12.5)

Reservoirs

Reservoir Elevations referenced to NGVD-29.

**Cachuma is full and subject to spilling at elevation 750 ft.

However, the lake is surcharged to 753 ft. for fish release water.

(Cachuma water storage is based on Dec 2013 capacity revision)

Click on Site for Real-Time Readings	Spillway Elev. (ft)	Current Elev. (ft)	Max. Storage (ac-ft)	Current Storage (ac-ft)	Current Capacity (%)	Storage Change Mo.(ac-ft)	Storage Change Year*(ac-ft)
Gibraltar Reservoir	1,400.00	1,375.84	4,559	621	13.6%	13	-1,589
Cachuma Reservoir	753.**	726.78	193,305	123,415	63.8%	-1,108	-20,360
Jameson Reservoir	2,224.00	2,213.54	4,848	3,626	74.8%	-15	-662
Twitchell Reservoir	651.50	541.16	194,971	3,179	1.6%	75	-641

[Previous Rainfall and Reservoir Summaries](#)



Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara CA 93101 - 805.568.3440 - www.countyofsb.org/pwd

Rainfall and Reservoir Summary

Updated 8am: 2/12/2021

Water Year: 2021

Storm Number: 6

Notes: Daily rainfall amounts are recorded as of 8am for the previous 24 hours. Rainfall units are expressed in inches.

All data on this page are from automated sensors, are preliminary, and subject to verification.

*Each Water Year (WY) runs from Sept 1 through Aug 31 and is designated by the calendar year in which it ends

County Real-Time Rainfall and Reservoir Website link: <http://www.countyofsb.org/hydrology>

Rainfall	ID	24 hrs	Storm 1day(s)	Month	Year*	% to Date	% of Year*	AI
Buellton (Fire Stn)	233	0.15	0.15	0.16	7.59	75%	46%	
Cachuma Dam (USBR)	332	0.09	0.09	0.12	9.41	80%	48%	
Carpinteria (Fire Stn)	208	0.00	0.00	0.01	3.49	33%	20%	
Cuyama (Fire Stn)	436	0.00	0.00	0.00	2.73	60%	36%	
Figueroa Mtn. (USFS Stn)	421	0.12	0.12	0.12	6.71	53%	31%	8.9
Gibraltar Dam (City Facility)	230	0.05	0.05	0.05	9.18	57%	35%	8.1
Goleta (Fire Stn-Los Carneros)	440	0.00	0.00	0.00	7.79	68%	42%	
Lompoc (City Hall)	439	0.15	0.15	0.17	9.52	109%	65%	6.8
Los Alamos (Fire Stn)	204	0.11	0.11	0.14	7.51	83%	49%	
San Marcos Pass (USFS Stn)	212	0.05	0.05	0.05	11.75	56%	35%	
Santa Barbara (County Bldg)	234	0.00	0.00	0.02	5.47	48%	30%	
Santa Maria (City Pub.Works)	380	0.21	0.21	0.22	6.04	74%	45%	
Santa Ynez (Fire Stn /Airport)	218	0.08	0.08	0.11	7.30	77%	46%	
Sisquoc (Fire Stn)	256	0.15	0.15	0.17	5.73	63%	38%	

County-wide percentage of "Normal-to-Date" rainfall : **67%**

County-wide percentage of "Normal Water-Year" rainfall : **40%**

County-wide percentage of "Normal Water-Year" rainfall calculated assuming no more rain through Aug. 31, 2021 (End of WY2021).

AI (Antecedent Index / Soil Wetness)

6.0 and below = Wet (min. = 2.5)

6.1 - 9.0 = Moderate

9.1 and above = Dry (max. = 12.5)

Reservoirs

Reservoir Elevations referenced to NGVD-29.

**Cachuma is full and subject to spilling at elevation 750 ft.

However, the lake is surcharged to 753 ft. for fish release water.

(Cachuma water storage is based on Dec 2013 capacity revision)

Click on Site for Real-Time Readings	Spillway Elev. (ft)	Current Elev. (ft)	Max. Storage (ac-ft)	Current Storage (ac-ft)	Current Capacity (%)	Storage Change Mo.(ac-ft)	Storage Change Year*(ac-ft)
Gibraltar Reservoir	1,400.00	1,375.82	4,559	619	13.6%	11	-1,591
Cachuma Reservoir	753.**	727.01	193,305	123,935	64.1%	-588	-19,840
Jameson Reservoir	2,224.00	2,213.62	4,848	3,635	75.0%	-6	-653
Twitchell Reservoir	651.50	541.18	194,971	3,188	1.6%	84	-632

[Previous Rainfall and Reservoir Summaries](#)



Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara CA 93101 - 805.568.3440 - www.countyofsb.org/pwd

Rainfall and Reservoir Summary

Updated 8am: **2/8/2021** **Water Year: 2021** **Storm Number: NA**

Notes: Daily rainfall amounts are recorded as of 8am for the previous 24 hours. Rainfall units are expressed in inches. All data on this page are from automated sensors, are preliminary, and subject to verification.

*Each Water Year (WY) runs from Sept 1 through Aug 31 and is designated by the calendar year in which it ends
[County Real-Time Rainfall and Reservoir Website link: > http://www.countyofsb.org/hydrology](http://www.countyofsb.org/hydrology)

Rainfall	ID	24 hrs	Storm 0day(s)	Month	Year*	% to Date	% of Year*	AI
Buellton (Fire Stn)	233	0.00	0.00	0.01	7.44	80%	45%	
Cachuma Dam (USBR)	332	0.01	0.00	0.02	9.31	86%	47%	
Carpinteria (Fire Stn)	208	0.00	0.00	0.01	3.49	36%	20%	
Cuyama (Fire Stn)	436	0.00	0.00	0.00	2.73	66%	36%	
Figueroa Mtn. (USFS Stn)	421	0.00	0.00	0.00	6.59	56%	31%	9.0
Gibraltar Dam (City Facility)	230	0.00	0.00	0.00	9.13	61%	35%	8.1
Goleta (Fire Stn-Los Carneros)	440	0.00	0.00	0.00	7.79	73%	42%	
Lompoc (City Hall)	439	0.00	0.00	0.02	9.37	115%	64%	6.9
Los Alamos (Fire Stn)	204	0.00	0.00	0.02	7.39	87%	48%	
San Marcos Pass (USFS Stn)	212	0.00	0.00	0.00	11.70	60%	34%	
Santa Barbara (County Bldg)	234	0.00	0.00	0.02	5.47	51%	30%	
Santa Maria (City Pub.Works)	380	0.00	0.00	0.01	5.83	76%	44%	
Santa Ynez (Fire Stn /Airport)	218	0.01	0.00	0.02	7.21	83%	46%	
Sisquoc (Fire Stn)	256	0.00	0.00	0.02	5.58	66%	37%	

County-wide percentage of "Normal-to-Date" rainfall : **71%**

County-wide percentage of "Normal Water-Year" rainfall : **40%**

County-wide percentage of "Normal Water-Year" rainfall calculated assuming no more rain through Aug. 31, 2021 (End of WY2021).

AI (Antecedent Index / Soil Wetness)

6.0 and below = Wet (min. = 2.5)
 6.1 - 9.0 = Moderate
 9.1 and above = Dry (max. = 12.5)

Reservoirs

Reservoir Elevations referenced to NGVD-29.

**Cachuma is full and subject to spilling at elevation 750 ft. However, the lake is surcharged to 753 ft. for fish release water. (Cachuma water storage is based on Dec 2013 capacity revision)

Click on Site for Real-Time Readings	Spillway Elev. (ft)	Current Elev. (ft)	Max. Storage (ac-ft)	Current Storage (ac-ft)	Current Capacity (%)	Storage Change Mo.(ac-ft)	Storage Change Year*(ac-ft)
Gibraltar Reservoir	1,400.00	1,375.78	4,559	614	13.5%	6	-1,596
Cachuma Reservoir	753.**	727.11	193,305	124,161	64.2%	-362	-19,614
Jameson Reservoir	2,224.00	2,213.64	4,848	3,637	75.0%	-4	-651
Twitchell Reservoir	651.50	541.05	194,971	3,133	1.6%	29	-687



Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara CA 93101 - 805.568.3440 - www.countyofsb.org/pwd

Rainfall and Reservoir Summary

Updated 8am: **2/5/2021** **Water Year: 2021** **Storm Number: NA**

Notes: Daily rainfall amounts are recorded as of 8am for the previous 24 hours. Rainfall units are expressed in inches. All data on this page are from automated sensors, are preliminary, and subject to verification.

*Each Water Year (WY) runs from Sept 1 through Aug 31 and is designated by the calendar year in which it ends
[County Real-Time Rainfall and Reservoir Website link: > http://www.countyofsb.org/hydrology](http://www.countyofsb.org/hydrology)

Rainfall	ID	24 hrs	Storm 0day(s)	Month	Year*	% to Date	% of Year*	AI
Buellton (Fire Stn)	233	0.00	0.00	0.00	7.43	83%	45%	
Cachuma Dam (USBR)	332	0.00	0.00	0.01	9.30	90%	47%	
Carpinteria (Fire Stn)	208	0.00	0.00	0.00	3.48	37%	20%	
Cuyama (Fire Stn)	436	0.00	0.00	0.00	2.73	69%	36%	
Figueroa Mtn. (USFS Stn)	421	0.00	0.00	0.00	6.59	58%	31%	8.9
Gibraltar Dam (City Facility)	230	0.00	0.00	0.00	9.13	64%	35%	8.1
Goleta (Fire Stn-Los Carneros)	440	0.00	0.00	0.00	7.79	76%	42%	
Lompoc (City Hall)	439	0.00	0.00	0.02	9.37	119%	64%	6.8
Los Alamos (Fire Stn)	204	0.00	0.00	0.02	7.39	91%	48%	
San Marcos Pass (USFS Stn)	212	0.00	0.00	0.00	11.70	63%	34%	
Santa Barbara (County Bldg)	234	0.00	0.00	0.02	5.47	54%	30%	
Santa Maria (City Pub.Works)	380	0.00	0.00	0.01	5.83	79%	44%	
Santa Ynez (Fire Stn /Airport)	218	0.00	0.00	0.01	7.20	86%	46%	
Sisquoc (Fire Stn)	256	0.00	0.00	0.02	5.58	70%	37%	

County-wide percentage of "Normal-to-Date" rainfall : **74%**

County-wide percentage of "Normal Water-Year" rainfall : **40%**

County-wide percentage of "Normal Water-Year" rainfall calculated assuming no more rain through Aug. 31, 2021 (End of WY2021).

AI (Antecedent Index / Soil Wetness)

6.0 and below = Wet (min. = 2.5)
 6.1 - 9.0 = Moderate
 9.1 and above = Dry (max. = 12.5)

Reservoirs

Reservoir Elevations referenced to NGVD-29.

**Cachuma is full and subject to spilling at elevation 750 ft.

However, the lake is surcharged to 753 ft. for fish release water.

(Cachuma water storage is based on Dec 2013 capacity revision)

Click on Site for Real-Time Readings	Spillway Elev. (ft)	Current Elev. (ft)	Max. Storage (ac-ft)	Current Storage (ac-ft)	Current Capacity (%)	Storage Change Mo.(ac-ft)	Storage Change Year*(ac-ft)
Gibraltar Reservoir	1,400.00	1,375.76	4,559	612	13.4%	4	-1,598
Cachuma Reservoir	753.**	727.19	193,305	124,342	64.3%	-181	-19,433
Jameson Reservoir	2,224.00	2,213.68	4,848	3,641	75.1%	0	-647
Twitchell Reservoir	651.50	540.99	194,971	3,108	1.6%	4	-712



Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara CA 93101 - 805.568.3440 - www.countyofsb.org/pwd

Rainfall and Reservoir Summary

Updated 8am: **2/1/2021** **Water Year: 2021** **Storm Number: NA**

Notes: Daily rainfall amounts are recorded as of 8am for the previous 24 hours. Rainfall units are expressed in inches. All data on this page are from automated sensors, are preliminary, and subject to verification.

*Each Water Year (WY) runs from Sept 1 through Aug 31 and is designated by the calendar year in which it ends
[County Real-Time Rainfall and Reservoir Website link: > http://www.countyofsb.org/hydrology](http://www.countyofsb.org/hydrology)

Rainfall	ID	24 hrs	Storm 0day(s)	Month	Year*	% to Date	% of Year*	AI
Buellton (Fire Stn)	233	0.00	0.00	0.00	7.43	88%	45%	
Cachuma Dam (USBR)	332	0.00	0.00	0.00	9.29	95%	47%	
Carpinteria (Fire Stn)	208	0.00	0.00	0.00	3.48	39%	20%	
Cuyama (Fire Stn)	436	0.00	0.00	0.00	2.73	72%	36%	
Figueroa Mtn. (USFS Stn)	421	0.00	0.00	0.00	6.59	61%	31%	8.9
Gibraltar Dam (City Facility)	230	0.00	0.00	0.00	9.13	68%	35%	8.0
Goleta (Fire Stn-Los Carneros)	440	0.00	0.00	0.00	7.79	80%	42%	
Lompoc (City Hall)	439	0.00	0.00	0.00	9.35	125%	64%	6.8
Los Alamos (Fire Stn)	204	0.01	0.00	0.01	7.38	96%	48%	
San Marcos Pass (USFS Stn)	212	0.00	0.00	0.00	11.70	66%	34%	
Santa Barbara (County Bldg)	234	0.01	0.00	0.01	5.46	57%	30%	
Santa Maria (City Pub.Works)	380	0.00	0.00	0.00	5.82	84%	44%	
Santa Ynez (Fire Stn /Airport)	218	0.00	0.00	0.00	7.19	90%	46%	
Sisquoc (Fire Stn)	256	0.00	0.00	0.00	5.56	73%	37%	

County-wide percentage of "Normal-to-Date" rainfall : **78%**

County-wide percentage of "Normal Water-Year" rainfall : **40%**

County-wide percentage of "Normal Water-Year" rainfall calculated assuming no more rain through Aug. 31, 2021 (End of WY2021).

AI (Antecedent Index / Soil Wetness)

6.0 and below = Wet (min. = 2.5)
 6.1 - 9.0 = Moderate
 9.1 and above = Dry (max. = 12.5)

Reservoirs

Reservoir Elevations referenced to NGVD-29.

**Cachuma is full and subject to spilling at elevation 750 ft. However, the lake is surcharged to 753 ft. for fish release water. (Cachuma water storage is based on Dec 2013 capacity revision)

Click on Site for Real-Time Readings	Spillway Elev. (ft)	Current Elev. (ft)	Max. Storage (ac-ft)	Current Storage (ac-ft)	Current Capacity (%)	Storage Change Mo.(ac-ft)	Storage Change Year*(ac-ft)
Gibraltar Reservoir	1,400.00	1,375.72	4,559	608	13.3%	0	-1,602
Cachuma Reservoir	753.**	727.27	193,305	124,523	64.4%	0	-19,252
Jameson Reservoir	2,224.00	2,213.68	4,848	3,641	75.1%	0	-647
Twitchell Reservoir	651.50	540.98	194,971	3,104	1.6%	0	-716



Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara CA 93101 - 805.568.3440 - www.countyofsb.org/pwd

Rainfall and Reservoir Summary

Updated 8am: 1/30/2021

Water Year: 2021

Storm Number: 5

Notes: Daily rainfall amounts are recorded as of 8am for the previous 24 hours. Rainfall units are expressed in inches.

All data on this page are from automated sensors, are preliminary, and subject to verification.

*Each Water Year (WY) runs from Sept 1 through Aug 31 and is designated by the calendar year in which it ends

County Real-Time Rainfall and Reservoir Website link: <http://www.countyofsb.org/hydrology>

Rainfall	ID	24 hrs	Storm 4day(s)	Month	Year*	% to Date	% of Year*	AI
Buellton (Fire Stn)	233	0.16	4.98	5.58	7.43	89%	45%	
Cachuma Dam (USBR)	332	0.25	6.56	7.30	9.28	97%	47%	
Carpinteria (Fire Stn)	208	0.04	1.58	1.64	3.47	40%	20%	
Cuyama (Fire Stn)	436	0.05	1.21	1.60	2.73	73%	36%	
Figueroa Mtn. (USFS Stn)	421	0.10	3.63	4.26	6.59	62%	31%	8.9
Gibraltar Dam (City Facility)	230	0.27	5.74	5.88	9.13	70%	35%	8.0
Goleta (Fire Stn-Los Carneros)	440	0.43	5.05	5.33	7.79	82%	42%	
Lompoc (City Hall)	439	0.07	6.76	7.52	9.35	127%	64%	6.8
Los Alamos (Fire Stn)	204	0.09	4.13	4.80	7.37	98%	48%	
San Marcos Pass (USFS Stn)	212	0.62	7.70	7.94	11.69	67%	34%	
Santa Barbara (County Bldg)	234	0.08	3.04	3.22	5.45	58%	30%	
Santa Maria (City Pub.Works)	380	0.32	3.29	3.98	5.82	86%	44%	
Santa Ynez (Fire Stn /Airport)	218	0.24	4.72	5.12	7.19	92%	46%	
Sisquoc (Fire Stn)	256	0.03	3.35	3.91	5.56	74%	37%	

County-wide percentage of "Normal-to-Date" rainfall : **80%**

County-wide percentage of "Normal Water-Year" rainfall : **40%**

County-wide percentage of "Normal Water-Year" rainfall calculated assuming no more rain through Aug. 31, 2021 (End of WY2021).

AI (Antecedent Index / Soil Wetness)

6.0 and below = Wet (min. = 2.5)

6.1 - 9.0 = Moderate

9.1 and above = Dry (max. = 12.5)

Reservoirs

Reservoir Elevations referenced to NGVD-29.

**Cachuma is full and subject to spilling at elevation 750 ft.

However, the lake is surcharged to 753 ft. for fish release water.

(Cachuma water storage is based on Dec 2013 capacity revision)

Click on Site for Real-Time Readings	Spillway Elev. (ft)	Current Elev. (ft)	Max. Storage (ac-ft)	Current Storage (ac-ft)	Current Capacity (%)	Storage Change Mo.(ac-ft)	Storage Change Year*(ac-ft)
Gibraltar Reservoir	1,400.00	1,375.65	4,559	600	13.2%	60	-1,610
Cachuma Reservoir	753.**	727.27	193,305	124,543	64.4%	110	-19,232
Jameson Reservoir	2,224.00	2,213.70	4,848	3,643	75.1%	-7	-645
Twitchell Reservoir	651.50	540.95	194,971	3,092	1.6%	267	-728

[Previous Rainfall and Reservoir Summaries](#)



Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara CA 93101 - 805.568.3440 - www.countyofsb.org/pwd

Rainfall and Reservoir Summary

Updated 8am: 1/29/2021

Water Year: 2021

Storm Number: 5

Notes: Daily rainfall amounts are recorded as of 8am for the previous 24 hours. Rainfall units are expressed in inches. All data on this page are from automated sensors, are preliminary, and subject to verification.

*Each Water Year (WY) runs from Sept 1 through Aug 31 and is designated by the calendar year in which it ends
[County Real-Time Rainfall and Reservoir Website link: > http://www.countyofsb.org/hydrology](http://www.countyofsb.org/hydrology)

Rainfall	ID	24 hrs	Storm 3day(s)	Month	Year*	% to Date	% of Year*	AI
Buellton (Fire Stn)	233	2.38	4.82	5.42	7.27	88%	44%	
Cachuma Dam (USBR)	332	2.73	6.31	7.05	9.03	95%	46%	
Carpinteria (Fire Stn)	208	1.28	1.54	1.60	3.43	39%	20%	
Cuyama (Fire Stn)	436	1.16	1.16	1.55	2.68	72%	35%	
Figueroa Mtn. (USFS Stn)	421	2.63	3.53	4.16	6.49	62%	30%	8.9
Gibraltar Dam (City Facility)	230	2.81	5.47	5.61	8.86	69%	34%	8.1
Goleta (Fire Stn-Los Carneros)	440	2.51	4.62	4.90	7.36	78%	40%	
Lompoc (City Hall)	439	1.37	6.69	7.45	9.28	127%	64%	6.8
Los Alamos (Fire Stn)	204	2.24	4.04	4.71	7.28	98%	48%	
San Marcos Pass (USFS Stn)	212	3.75	7.08	7.32	11.07	64%	33%	
Santa Barbara (County Bldg)	234	1.69	2.96	3.14	5.37	58%	29%	
Santa Maria (City Pub.Works)	380	1.66	2.97	3.66	5.50	82%	41%	
Santa Ynez (Fire Stn /Airport)	218	2.61	4.48	4.88	6.95	89%	44%	
Sisquoc (Fire Stn)	256	2.17	3.32	3.88	5.53	74%	37%	

County-wide percentage of "Normal-to-Date" rainfall : **78%**

County-wide percentage of "Normal Water-Year" rainfall : **39%**

County-wide percentage of "Normal Water-Year" rainfall calculated assuming no more rain through Aug. 31, 2021 (End of WY2021).

AI (Antecedent Index / Soil Wetness)

6.0 and below = Wet (min. = 2.5)
 6.1 - 9.0 = Moderate
 9.1 and above = Dry (max. = 12.5)

Reservoirs

Reservoir Elevations referenced to NGVD-29.

**Cachuma is full and subject to spilling at elevation 750 ft.

However, the lake is surcharged to 753 ft. for fish release water.

(Cachuma water storage is based on Dec 2013 capacity revision)

Click on Site for Real-Time Readings	Spillway Elev. (ft)	Current Elev. (ft)	Max. Storage (ac-ft)	Current Storage (ac-ft)	Current Capacity (%)	Storage Change Mo.(ac-ft)	Storage Change Year*(ac-ft)
Gibraltar Reservoir	1,400.00	1,375.43	4,559	575	12.6%	35	-1,635
Cachuma Reservoir	753.**	727.23	193,305	124,433	64.4%	0	-19,342
Jameson Reservoir	2,224.00	2,213.64	4,848	3,637	75.0%	-13	-651
Twitchell Reservoir	651.50	540.81	194,971	3,036	1.6%	211	-784



Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara CA 93101 - 805.568.3440 - www.countyofsb.org/pwd

Rainfall and Reservoir Summary

Updated 8am: 1/28/2021

Water Year: 2021

Storm Number: 5

Notes: Daily rainfall amounts are recorded as of 8am for the previous 24 hours. Rainfall units are expressed in inches. All data on this page are from automated sensors, are preliminary, and subject to verification.

*Each Water Year (WY) runs from Sept 1 through Aug 31 and is designated by the calendar year in which it ends
[County Real-Time Rainfall and Reservoir Website link: > http://www.countyofsb.org/hydrology](http://www.countyofsb.org/hydrology)

Rainfall	ID	24 hrs	Storm 2day(s)	Month	Year*	% to Date	% of Year*	AI
Buellton (Fire Stn)	233	1.87	2.44	3.04	4.89	60%	29%	
Cachuma Dam (USBR)	332	2.73	3.58	4.32	6.30	67%	32%	
Carpinteria (Fire Stn)	208	0.17	0.26	0.32	2.15	25%	12%	
Cuyama (Fire Stn)	436	0.00	0.00	0.39	1.52	42%	20%	
Figueroa Mtn. (USFS Stn)	421	0.67	0.90	1.53	3.86	37%	18%	10.0
Gibraltar Dam (City Facility)	230	2.14	2.66	2.80	6.05	48%	23%	9.1
Goleta (Fire Stn-Los Carneros)	440	1.58	2.11	2.39	4.85	52%	26%	
Lompoc (City Hall)	439	4.14	5.32	6.08	7.91	110%	54%	7.4
Los Alamos (Fire Stn)	204	1.29	1.80	2.47	5.04	69%	33%	
San Marcos Pass (USFS Stn)	212	2.90	3.33	3.57	7.32	43%	22%	
Santa Barbara (County Bldg)	234	0.89	1.27	1.45	3.68	40%	20%	
Santa Maria (City Pub.Works)	380	0.93	1.31	2.00	3.84	58%	29%	
Santa Ynez (Fire Stn /Airport)	218	1.32	1.87	2.27	4.34	56%	28%	
Sisquoc (Fire Stn)	256	0.84	1.15	1.71	3.36	45%	22%	

County-wide percentage of "Normal-to-Date" rainfall : **54%**

County-wide percentage of "Normal Water-Year" rainfall : **26%**

County-wide percentage of "Normal Water-Year" rainfall calculated assuming no more rain through Aug. 31, 2021 (End of WY2021).

AI (Antecedent Index / Soil Wetness)

6.0 and below = Wet (min. = 2.5)
 6.1 - 9.0 = Moderate
 9.1 and above = Dry (max. = 12.5)

Reservoirs

Reservoir Elevations referenced to NGVD-29.

**Cachuma is full and subject to spilling at elevation 750 ft. However, the lake is surcharged to 753 ft. for fish release water. (Cachuma water storage is based on Dec 2013 capacity revision)

Click on Site for Real-Time Readings	Spillway Elev. (ft)	Current Elev. (ft)	Max. Storage (ac-ft)	Current Storage (ac-ft)	Current Capacity (%)	Storage Change Mo.(ac-ft)	Storage Change Year*(ac-ft)
Gibraltar Reservoir	1,400.00	1,374.45	4,559	467	10.2%	-73	-1,743
Cachuma Reservoir	753.**	726.83	193,305	123,528	63.9%	-905	-20,247
Jameson Reservoir	2,224.00	2,213.24	4,848	3,594	74.1%	-56	-694
Twitchell Reservoir	651.50	540.46	194,971	2,897	1.5%	72	-923



Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara CA 93101 - 805.568.3440 - www.countyofsb.org/pwd

Rainfall and Reservoir Summary

Updated 8am: 1/27/2021

Water Year: 2021

Storm Number: 5

Notes: Daily rainfall amounts are recorded as of 8am for the previous 24 hours. Rainfall units are expressed in inches.

All data on this page are from automated sensors, are preliminary, and subject to verification.

*Each Water Year (WY) runs from Sept 1 through Aug 31 and is designated by the calendar year in which it ends

County Real-Time Rainfall and Reservoir Website link: <http://www.countyofsb.org/hydrology>

Rainfall	ID	24 hrs	Storm 1day(s)	Month	Year*	% to Date	% of Year*	AI
Buellton (Fire Stn)	233	0.57	0.57	1.17	3.02	37%	18%	
Cachuma Dam (USBR)	332	0.85	0.85	1.59	3.57	38%	18%	
Carpinteria (Fire Stn)	208	0.09	0.09	0.15	1.98	23%	11%	
Cuyama (Fire Stn)	436	0.00	0.00	0.39	1.52	42%	20%	
Figueroa Mtn. (USFS Stn)	421	0.23	0.23	0.86	3.19	31%	15%	10.3
Gibraltar Dam (City Facility)	230	0.52	0.52	0.66	3.91	31%	15%	10.0
Goleta (Fire Stn-Los Carneros)	440	0.53	0.53	0.81	3.27	35%	18%	
Lompoc (City Hall)	439	1.18	1.18	1.94	3.77	53%	26%	9.5
Los Alamos (Fire Stn)	204	0.51	0.51	1.18	3.75	52%	25%	
San Marcos Pass (USFS Stn)	212	0.43	0.43	0.67	4.42	26%	13%	
Santa Barbara (County Bldg)	234	0.38	0.38	0.56	2.79	31%	15%	
Santa Maria (City Pub.Works)	380	0.38	0.38	1.07	2.91	44%	22%	
Santa Ynez (Fire Stn /Airport)	218	0.55	0.55	0.95	3.02	39%	19%	
Sisquoc (Fire Stn)	256	0.31	0.31	0.87	2.52	34%	17%	

County-wide percentage of "Normal-to-Date" rainfall : **37%**

County-wide percentage of "Normal Water-Year" rainfall : **18%**

County-wide percentage of "Normal Water-Year" rainfall calculated assuming no more rain through Aug. 31, 2021 (End of WY2021).

AI (Antecedent Index / Soil Wetness)

6.0 and below = Wet (min. = 2.5)

6.1 - 9.0 = Moderate

9.1 and above = Dry (max. = 12.5)

Reservoirs

Reservoir Elevations referenced to NGVD-29.

**Cachuma is full and subject to spilling at elevation 750 ft.

However, the lake is surcharged to 753 ft. for fish release water.

(Cachuma water storage is based on Dec 2013 capacity revision)

Click on Site for Real-Time Readings	Spillway Elev. (ft)	Current Elev. (ft)	Max. Storage (ac-ft)	Current Storage (ac-ft)	Current Capacity (%)	Storage Change Mo.(ac-ft)	Storage Change Year*(ac-ft)
Gibraltar Reservoir	1,400.00	1,374.14	4,559	433	9.5%	-107	-1,777
Cachuma Reservoir	753.**	726.60	193,305	123,009	63.6%	-1,424	-20,766
Jameson Reservoir	2,224.00	2,213.16	4,848	3,586	74.0%	-64	-702
Twitchell Reservoir	651.50	540.42	194,971	2,881	1.5%	56	-939

[Previous Rainfall and Reservoir Summaries](#)



Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara CA 93101 - 805.568.3440 - www.countyofsb.org/pwd

Rainfall and Reservoir Summary

Updated 8am: 1/26/2021

Water Year: 2021

Storm Number: 4

Notes: Daily rainfall amounts are recorded as of 8am for the previous 24 hours. Rainfall units are expressed in inches.

All data on this page are from automated sensors, are preliminary, and subject to verification.

*Each Water Year (WY) runs from Sept 1 through Aug 31 and is designated by the calendar year in which it ends

County Real-Time Rainfall and Reservoir Website link: <http://www.countyofsb.org/hydrology>

Rainfall	ID	24 hrs	Storm 2day(s)	Month	Year*	% to Date	% of Year*	AI
Buellton (Fire Stn)	233	0.02	0.22	0.60	2.45	31%	15%	
Cachuma Dam (USBR)	332	0.33	0.42	0.74	2.72	29%	14%	
Carpinteria (Fire Stn)	208	0.00	0.05	0.06	1.89	22%	11%	
Cuyama (Fire Stn)	436	0.07	0.37	0.39	1.52	43%	20%	
Figueroa Mtn. (USFS Stn)	421	0.00	0.23	0.63	2.96	29%	14%	10.4
Gibraltar Dam (City Facility)	230	0.01	0.06	0.14	3.39	27%	13%	10.2
Goleta (Fire Stn-Los Carneros)	440	0.18	0.23	0.28	2.74	30%	15%	
Lompoc (City Hall)	439	0.15	0.56	0.76	2.59	37%	18%	10.1
Los Alamos (Fire Stn)	204	0.07	0.37	0.67	3.24	46%	21%	
San Marcos Pass (USFS Stn)	212	0.00	0.09	0.24	3.99	24%	12%	
Santa Barbara (County Bldg)	234	0.11	0.13	0.18	2.41	27%	13%	
Santa Maria (City Pub.Works)	380	0.01	0.35	0.69	2.53	39%	19%	
Santa Ynez (Fire Stn /Airport)	218	0.04	0.18	0.40	2.47	33%	16%	
Sisquoc (Fire Stn)	256	0.10	0.34	0.56	2.21	31%	15%	

County-wide percentage of "Normal-to-Date" rainfall : **32%**

County-wide percentage of "Normal Water-Year" rainfall : **15%**

County-wide percentage of "Normal Water-Year" rainfall calculated assuming no more rain through Aug. 31, 2021 (End of WY2021).

AI (Antecedent Index / Soil Wetness)

6.0 and below = Wet (min. = 2.5)

6.1 - 9.0 = Moderate

9.1 and above = Dry (max. = 12.5)

Reservoirs

Reservoir Elevations referenced to NGVD-29.

**Cachuma is full and subject to spilling at elevation 750 ft.

However, the lake is surcharged to 753 ft. for fish release water.

(Cachuma water storage is based on Dec 2013 capacity revision)

Click on Site for Real-Time Readings	Spillway Elev. (ft)	Current Elev. (ft)	Max. Storage (ac-ft)	Current Storage (ac-ft)	Current Capacity (%)	Storage Change Mo.(ac-ft)	Storage Change Year*(ac-ft)
Gibraltar Reservoir	1,400.00	1,374.12	4,559	431	9.5%	-109	-1,779
Cachuma Reservoir	753.**	726.57	193,305	122,942	63.6%	-1,491	-20,833
Jameson Reservoir	2,224.00	2,213.14	4,848	3,584	73.9%	-66	-704
Twitchell Reservoir	651.50	540.34	194,971	2,849	1.5%	24	-971

[Previous Rainfall and Reservoir Summaries](#)



Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara CA 93101 - 805.568.3440 - www.countyofsb.org/pwd

Rainfall and Reservoir Summary

Updated 8am: 1/25/2021

Water Year: 2021

Storm Number: 4

Notes: Daily rainfall amounts are recorded as of 8am for the previous 24 hours. Rainfall units are expressed in inches.

All data on this page are from automated sensors, are preliminary, and subject to verification.

*Each Water Year (WY) runs from Sept 1 through Aug 31 and is designated by the calendar year in which it ends

County Real-Time Rainfall and Reservoir Website link: <http://www.countyofsb.org/hydrology>

Rainfall	ID	24 hrs	Storm 1day(s)	Month	Year*	% to Date	% of Year*	AI
Buellton (Fire Stn)	233	0.20	0.20	0.58	2.43	31%	15%	
Cachuma Dam (USBR)	332	0.09	0.09	0.41	2.39	26%	12%	
Carpinteria (Fire Stn)	208	0.05	0.05	0.06	1.89	23%	11%	
Cuyama (Fire Stn)	436	0.30	0.30	0.32	1.45	41%	19%	
Figueroa Mtn. (USFS Stn)	421	0.23	0.23	0.63	2.96	29%	14%	10.4
Gibraltar Dam (City Facility)	230	0.05	0.05	0.13	3.38	28%	13%	10.2
Goleta (Fire Stn-Los Carneros)	440	0.05	0.05	0.10	2.56	28%	14%	
Lompoc (City Hall)	439	0.41	0.41	0.61	2.44	35%	17%	10.2
Los Alamos (Fire Stn)	204	0.30	0.30	0.60	3.17	45%	21%	
San Marcos Pass (USFS Stn)	212	0.09	0.09	0.24	3.99	24%	12%	
Santa Barbara (County Bldg)	234	0.02	0.02	0.07	2.30	26%	13%	
Santa Maria (City Pub.Works)	380	0.34	0.34	0.68	2.52	40%	19%	
Santa Ynez (Fire Stn /Airport)	218	0.14	0.14	0.36	2.43	33%	15%	
Sisquoc (Fire Stn)	256	0.24	0.24	0.46	2.11	30%	14%	

County-wide percentage of "Normal-to-Date" rainfall : **31%**

County-wide percentage of "Normal Water-Year" rainfall : **15%**

County-wide percentage of "Normal Water-Year" rainfall calculated assuming no more rain through Aug. 31, 2021 (End of WY2021).

AI (Antecedent Index / Soil Wetness)

6.0 and below = Wet (min. = 2.5)

6.1 - 9.0 = Moderate

9.1 and above = Dry (max. = 12.5)

Reservoirs

Reservoir Elevations referenced to NGVD-29.

**Cachuma is full and subject to spilling at elevation 750 ft.

However, the lake is surcharged to 753 ft. for fish release water.

(Cachuma water storage is based on Dec 2013 capacity revision)

Click on Site for Real-Time Readings	Spillway Elev. (ft)	Current Elev. (ft)	Max. Storage (ac-ft)	Current Storage (ac-ft)	Current Capacity (%)	Storage Change Mo.(ac-ft)	Storage Change Year*(ac-ft)
Gibraltar Reservoir	1,400.00	1,374.12	4,559	431	9.5%	-109	-1,779
Cachuma Reservoir	753.**	726.60	193,305	123,009	63.6%	-1,424	-20,766
Jameson Reservoir	2,224.00	2,213.16	4,848	3,586	74.0%	-64	-702
Twitchell Reservoir	651.50	540.30	194,971	2,833	1.5%	8	-987

[Previous Rainfall and Reservoir Summaries](#)



Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara CA 93101 - 805.568.3440 - www.countyofsb.org/pwd

Rainfall and Reservoir Summary

Updated 8am: 1/24/2021

Water Year: 2021

Storm Number: 3

Notes: Daily rainfall amounts are recorded as of 8am for the previous 24 hours. Rainfall units are expressed in inches. All data on this page are from automated sensors, are preliminary, and subject to verification.

*Each Water Year (WY) runs from Sept 1 through Aug 31 and is designated by the calendar year in which it ends

County Real-Time Rainfall and Reservoir Website link: <http://www.countyofsb.org/hydrology>

Rainfall	ID	24 hrs	Storm 2day(s)	Month	Year*	% to Date	% of Year*	AI
Buellton (Fire Stn)	233	0.02	0.34	0.38	2.23	29%	13%	
Cachuma Dam (USBR)	332	0.16	0.32	0.32	2.30	26%	12%	
Carpinteria (Fire Stn)	208	0.01	0.01	0.01	1.84	23%	11%	
Cuyama (Fire Stn)	436	0.01	0.01	0.02	1.15	34%	15%	
Figueroa Mtn. (USFS Stn)	421	0.02	0.40	0.40	2.73	28%	13%	10.5
Gibraltar Dam (City Facility)	230	0.01	0.08	0.08	3.33	28%	13%	10.2
Goleta (Fire Stn-Los Carneros)	440	0.04	0.05	0.05	2.51	28%	14%	
Lompoc (City Hall)	439	0.04	0.19	0.20	2.03	30%	14%	10.4
Los Alamos (Fire Stn)	204	0.01	0.29	0.30	2.87	42%	19%	
San Marcos Pass (USFS Stn)	212	0.00	0.15	0.15	3.90	24%	11%	
Santa Barbara (County Bldg)	234	0.05	0.05	0.05	2.28	27%	12%	
Santa Maria (City Pub.Works)	380	0.08	0.33	0.34	2.18	35%	16%	
Santa Ynez (Fire Stn /Airport)	218	0.01	0.21	0.22	2.29	32%	15%	
Sisquoc (Fire Stn)	256	0.03	0.21	0.22	1.87	27%	12%	

County-wide percentage of "Normal-to-Date" rainfall : **29%**

County-wide percentage of "Normal Water-Year" rainfall : **14%**

County-wide percentage of "Normal Water-Year" rainfall calculated assuming no more rain through Aug. 31, 2021 (End of WY2021).

AI (Antecedent Index / Soil Wetness)

6.0 and below = Wet (min. = 2.5)
 6.1 - 9.0 = Moderate
 9.1 and above = Dry (max. = 12.5)

Reservoirs

Reservoir Elevations referenced to NGVD-29.

**Cachuma is full and subject to spilling at elevation 750 ft.

However, the lake is surcharged to 753 ft. for fish release water.

(Cachuma water storage is based on Dec 2013 capacity revision)

Click on Site for Real-Time Readings	Spillway Elev. (ft)	Current Elev. (ft)	Max. Storage (ac-ft)	Current Storage (ac-ft)	Current Capacity (%)	Storage Change Mo.(ac-ft)	Storage Change Year*(ac-ft)
Gibraltar Reservoir	1,400.00	1,374.12	4,559	431	9.5%	-109	-1,779
Cachuma Reservoir	753.**	726.62	193,305	123,054	63.7%	-1,379	-20,721
Jameson Reservoir	2,224.00	2,213.18	4,848	3,588	74.0%	-62	-700
Twitchell Reservoir	651.50	540.27	194,971	2,821	1.4%	-4	-999

[Previous Rainfall and Reservoir Summaries](#)



Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara CA 93101 - 805.568.3440 - www.countyofsb.org/pwd

Rainfall and Reservoir Summary

Updated 8am: 1/23/2021

Water Year: 2021

Storm Number: 3

Notes: Daily rainfall amounts are recorded as of 8am for the previous 24 hours. Rainfall units are expressed in inches. All data on this page are from automated sensors, are preliminary, and subject to verification.

*Each Water Year (WY) runs from Sept 1 through Aug 31 and is designated by the calendar year in which it ends
[County Real-Time Rainfall and Reservoir Website link: > http://www.countyofsb.org/hydrology](http://www.countyofsb.org/hydrology)

Rainfall	ID	24 hrs	Storm 1day(s)	Month	Year*	% to Date	% of Year*	AI
Buellton (Fire Stn)	233	0.32	0.32	0.36	2.21	29%	13%	
Cachuma Dam (USBR)	332	0.16	0.16	0.16	2.14	25%	11%	
Carpinteria (Fire Stn)	208	0.00	0.00	0.00	1.83	23%	11%	
Cuyama (Fire Stn)	436	0.00	0.00	0.01	1.14	34%	15%	
Figueroa Mtn. (USFS Stn)	421	0.38	0.38	0.38	2.71	28%	13%	10.5
Gibraltar Dam (City Facility)	230	0.07	0.07	0.07	3.32	28%	13%	10.2
Goleta (Fire Stn-Los Carneros)	440	0.01	0.01	0.01	2.47	29%	13%	
Lompoc (City Hall)	439	0.15	0.15	0.16	1.99	30%	14%	10.4
Los Alamos (Fire Stn)	204	0.28	0.28	0.29	2.86	43%	19%	
San Marcos Pass (USFS Stn)	212	0.15	0.15	0.15	3.90	25%	11%	
Santa Barbara (County Bldg)	234	0.00	0.00	0.00	2.23	27%	12%	
Santa Maria (City Pub.Works)	380	0.25	0.25	0.26	2.10	34%	16%	
Santa Ynez (Fire Stn /Airport)	218	0.20	0.20	0.21	2.28	32%	14%	
Sisquoc (Fire Stn)	256	0.18	0.18	0.19	1.84	27%	12%	

County-wide percentage of "Normal-to-Date" rainfall : **30%**

County-wide percentage of "Normal Water-Year" rainfall : **13%**

County-wide percentage of "Normal Water-Year" rainfall calculated assuming no more rain through Aug. 31, 2021 (End of WY2021).

AI (Antecedent Index / Soil Wetness)

6.0 and below = Wet (min. = 2.5)
 6.1 - 9.0 = Moderate
 9.1 and above = Dry (max. = 12.5)

Reservoirs

Reservoir Elevations referenced to NGVD-29.

**Cachuma is full and subject to spilling at elevation 750 ft.

However, the lake is surcharged to 753 ft. for fish release water.

(Cachuma water storage is based on Dec 2013 capacity revision)

Click on Site for Real-Time Readings	Spillway Elev. (ft)	Current Elev. (ft)	Max. Storage (ac-ft)	Current Storage (ac-ft)	Current Capacity (%)	Storage Change Mo.(ac-ft)	Storage Change Year*(ac-ft)
Gibraltar Reservoir	1,400.00	1,374.12	4,559	431	9.5%	-109	-1,779
Cachuma Reservoir	753.**	726.65	193,305	123,122	63.7%	-1,311	-20,653
Jameson Reservoir	2,224.00	2,213.16	4,848	3,586	74.0%	-64	-702
Twitchell Reservoir	651.50	540.31	194,971	2,837	1.5%	12	-983



Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara CA 93101 - 805.568.3440 - www.countyofsb.org/pwd

Rainfall and Reservoir Summary

Updated 8am: 1/19/2021

Water Year: 2021

Storm Number: NA

Notes: Daily rainfall amounts are recorded as of 8am for the previous 24 hours. Rainfall units are expressed in inches. All data on this page are from automated sensors, are preliminary, and subject to verification.

*Each Water Year (WY) runs from Sept 1 through Aug 31 and is designated by the calendar year in which it ends

County Real-Time Rainfall and Reservoir Website link: <http://www.countyofsb.org/hydrology>

Rainfall	ID	24 hrs	Storm 0day(s)	Month	Year*	% to Date	% of Year*	AI
Buellton (Fire Stn)	233	0.00	0.00	0.04	1.89	27%	11%	
Cachuma Dam (USBR)	332	0.00	0.00	0.00	1.98	25%	10%	
Carpinteria (Fire Stn)	208	0.00	0.00	0.00	1.83	25%	11%	
Cuyama (Fire Stn)	436	0.00	0.00	0.01	1.14	36%	15%	
Figueroa Mtn. (USFS Stn)	421	0.00	0.00	0.00	2.33	25%	11%	10.6
Gibraltar Dam (City Facility)	230	0.00	0.00	0.00	3.25	30%	12%	10.2
Goleta (Fire Stn-Los Carneros)	440	0.00	0.00	0.00	2.46	31%	13%	
Lompoc (City Hall)	439	0.00	0.00	0.01	1.84	30%	13%	10.5
Los Alamos (Fire Stn)	204	0.00	0.00	0.01	2.58	41%	17%	
San Marcos Pass (USFS Stn)	212	0.00	0.00	0.00	3.75	25%	11%	
Santa Barbara (County Bldg)	234	0.00	0.00	0.00	2.23	29%	12%	
Santa Maria (City Pub.Works)	380	0.00	0.00	0.01	1.85	32%	14%	
Santa Ynez (Fire Stn /Airport)	218	0.00	0.00	0.01	2.08	31%	13%	
Sisquoc (Fire Stn)	256	0.00	0.00	0.01	1.66	26%	11%	

County-wide percentage of "Normal-to-Date" rainfall : **29%**

County-wide percentage of "Normal Water-Year" rainfall : **12%**

County-wide percentage of "Normal Water-Year" rainfall calculated assuming no more rain through Aug. 31, 2021 (End of WY2021).

AI (Antecedent Index / Soil Wetness)

6.0 and below = Wet (min. = 2.5)
 6.1 - 9.0 = Moderate
 9.1 and above = Dry (max. = 12.5)

Reservoirs

Reservoir Elevations referenced to NGVD-29.

**Cachuma is full and subject to spilling at elevation 750 ft.

However, the lake is surcharged to 753 ft. for fish release water.

(Cachuma water storage is based on Dec 2013 capacity revision)

Click on Site for Real-Time Readings	Spillway Elev. (ft)	Current Elev. (ft)	Max. Storage (ac-ft)	Current Storage (ac-ft)	Current Capacity (%)	Storage Change Mo.(ac-ft)	Storage Change Year*(ac-ft)
Gibraltar Reservoir	1,400.00	1,374.12	4,559	431	9.5%	-109	-1,779
Cachuma Reservoir	753.**	726.80	193,305	123,460	63.9%	-973	-20,315
Jameson Reservoir	2,224.00	2,213.22	4,848	3,592	74.1%	-58	-696
Twitchell Reservoir	651.50	540.31	194,971	2,837	1.5%	12	-983

[Previous Rainfall and Reservoir Summaries](#)



Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara CA 93101 - 805.568.3440 - www.countyofsb.org/pwd

Rainfall and Reservoir Summary

Updated 8am: 1/15/2021

Water Year: 2021

Storm Number: NA

Notes: Daily rainfall amounts are recorded as of 8am for the previous 24 hours. Rainfall units are expressed in inches. All data on this page are from automated sensors, are preliminary, and subject to verification.

*Each Water Year (WY) runs from Sept 1 through Aug 31 and is designated by the calendar year in which it ends
[County Real-Time Rainfall and Reservoir Website link: > http://www.countyofsb.org/hydrology](http://www.countyofsb.org/hydrology)

Rainfall	ID	24 hrs	Storm 0day(s)	Month	Year*	% to Date	% of Year*	AI
Buellton (Fire Stn)	233	0.00	0.00	0.04	1.89	29%	11%	
Cachuma Dam (USBR)	332	0.00	0.00	0.00	1.98	26%	10%	
Carpinteria (Fire Stn)	208	0.00	0.00	0.00	1.83	26%	11%	
Cuyama (Fire Stn)	436	0.00	0.00	0.01	1.14	38%	15%	
Figueroa Mtn. (USFS Stn)	421	0.00	0.00	0.00	2.33	27%	11%	10.6
Gibraltar Dam (City Facility)	230	0.00	0.00	0.00	3.25	32%	12%	10.1
Goleta (Fire Stn-Los Carneros)	440	0.00	0.00	0.00	2.46	33%	13%	
Lompoc (City Hall)	439	0.00	0.00	0.01	1.84	32%	13%	10.5
Los Alamos (Fire Stn)	204	0.00	0.00	0.01	2.58	44%	17%	
San Marcos Pass (USFS Stn)	212	0.00	0.00	0.00	3.75	27%	11%	
Santa Barbara (County Bldg)	234	0.00	0.00	0.00	2.23	31%	12%	
Santa Maria (City Pub.Works)	380	0.00	0.00	0.01	1.85	34%	14%	
Santa Ynez (Fire Stn /Airport)	218	0.00	0.00	0.01	2.08	33%	13%	
Sisquoc (Fire Stn)	256	0.00	0.00	0.01	1.66	27%	11%	

County-wide percentage of "Normal-to-Date" rainfall : **31%**

County-wide percentage of "Normal Water-Year" rainfall : **12%**

County-wide percentage of "Normal Water-Year" rainfall calculated assuming no more rain through Aug. 31, 2021 (End of WY2021).

AI (Antecedent Index / Soil Wetness)

6.0 and below = Wet (min. = 2.5)
 6.1 - 9.0 = Moderate
 9.1 and above = Dry (max. = 12.5)

Reservoirs

Reservoir Elevations referenced to NGVD-29.

**Cachuma is full and subject to spilling at elevation 750 ft. However, the lake is surcharged to 753 ft. for fish release water. (Cachuma water storage is based on Dec 2013 capacity revision)

Click on Site for Real-Time Readings	Spillway Elev. (ft)	Current Elev. (ft)	Max. Storage (ac-ft)	Current Storage (ac-ft)	Current Capacity (%)	Storage Change Mo.(ac-ft)	Storage Change Year*(ac-ft)
Gibraltar Reservoir	1,400.00	1,374.13	4,559	432	9.5%	-108	-1,778
Cachuma Reservoir	753.**	726.94	193,305	123,776	64.0%	-657	-19,999
Jameson Reservoir	2,224.00	2,213.36	4,848	3,607	74.4%	-43	-681
Twitchell Reservoir	651.50	540.37	194,971	2,861	1.5%	36	-959



Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara CA 93101 - 805.568.3440 - www.countyofsb.org/pwd

Rainfall and Reservoir Summary

Updated 8am: 1/8/2021 Water Year: 2021 Storm Number: NA

Notes: Daily rainfall amounts are recorded as of 8am for the previous 24 hours. Rainfall units are expressed in inches. All data on this page are from automated sensors, are preliminary, and subject to verification.

*Each Water Year (WY) runs from Sept 1 through Aug 31 and is designated by the calendar year in which it ends
[County Real-Time Rainfall and Reservoir Website link: > http://www.countyofsb.org/hydrology](http://www.countyofsb.org/hydrology)

Rainfall	ID	24 hrs	Storm 0day(s)	Month	Year*	% to Date	% of Year*	AI
Buellton (Fire Stn)	233	0.01	0.00	0.02	1.87	32%	11%	
Cachuma Dam (USBR)	332	0.00	0.00	0.00	1.98	30%	10%	
Carpinteria (Fire Stn)	208	0.00	0.00	0.00	1.83	31%	11%	
Cuyama (Fire Stn)	436	0.00	0.00	0.01	1.14	42%	15%	
Figueroa Mtn. (USFS Stn)	421	0.00	0.00	0.00	2.33	31%	11%	10.5
Gibraltar Dam (City Facility)	230	0.00	0.00	0.00	3.25	37%	12%	10.1
Goleta (Fire Stn-Los Carneros)	440	0.00	0.00	0.00	2.46	38%	13%	
Lompoc (City Hall)	439	0.00	0.00	0.01	1.84	36%	13%	10.4
Los Alamos (Fire Stn)	204	0.01	0.00	0.01	2.58	50%	17%	
San Marcos Pass (USFS Stn)	212	0.00	0.00	0.00	3.75	32%	11%	
Santa Barbara (County Bldg)	234	0.00	0.00	0.00	2.23	36%	12%	
Santa Maria (City Pub.Works)	380	0.00	0.00	0.01	1.85	39%	14%	
Santa Ynez (Fire Stn /Airport)	218	0.00	0.00	0.01	2.08	38%	13%	
Sisquoc (Fire Stn)	256	0.00	0.00	0.00	1.65	31%	11%	

County-wide percentage of "Normal-to-Date" rainfall : **36%**

County-wide percentage of "Normal Water-Year" rainfall : **12%**

County-wide percentage of "Normal Water-Year" rainfall calculated assuming no more rain through Aug. 31, 2021 (End of WY2021).

AI (Antecedent Index / Soil Wetness)

6.0 and below = Wet (min. = 2.5)
 6.1 - 9.0 = Moderate
 9.1 and above = Dry (max. = 12.5)

Reservoirs

Reservoir Elevations referenced to NGVD-29.

**Cachuma is full and subject to spilling at elevation 750 ft.

However, the lake is surcharged to 753 ft. for fish release water.

(Cachuma water storage is based on Dec 2013 capacity revision)

Click on Site for Real-Time Readings	Spillway Elev. (ft)	Current Elev. (ft)	Max. Storage (ac-ft)	Current Storage (ac-ft)	Current Capacity (%)	Storage Change Mo.(ac-ft)	Storage Change Year*(ac-ft)
Gibraltar Reservoir	1,400.00	1,374.64	4,559	488	10.7%	-52	-1,722
Cachuma Reservoir	753.**	727.11	193,305	124,161	64.2%	-272	-19,614
Jameson Reservoir	2,224.00	2,213.56	4,848	3,628	74.8%	-22	-660
Twitchell Reservoir	651.50	540.35	194,971	2,853	1.5%	28	-967



Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara CA 93101 - 805.568.3440 - www.countyofsb.org/pwd

Rainfall and Reservoir Summary

Updated 8am: 1/4/2021 Water Year: 2021 Storm Number: NA

Notes: Daily rainfall amounts are recorded as of 8am for the previous 24 hours. Rainfall units are expressed in inches. All data on this page are from automated sensors, are preliminary, and subject to verification.

*Each Water Year (WY) runs from Sept 1 through Aug 31 and is designated by the calendar year in which it ends
[County Real-Time Rainfall and Reservoir Website link: > http://www.countyofsb.org/hydrology](http://www.countyofsb.org/hydrology)

Rainfall	ID	24 hrs	Storm 0day(s)	Month	Year*	% to Date	% of Year*	AI
Buellton (Fire Stn)	233	0.00	0.00	0.01	1.86	35%	11%	
Cachuma Dam (USBR)	332	0.00	0.00	0.00	1.97	33%	10%	
Carpinteria (Fire Stn)	208	0.00	0.00	0.00	1.83	34%	11%	
Cuyama (Fire Stn)	436	0.00	0.00	0.01	1.14	46%	15%	
Figueroa Mtn. (USFS Stn)	421	0.00	0.00	0.00	2.33	34%	11%	10.5
Gibraltar Dam (City Facility)	230	0.00	0.00	0.00	3.25	41%	12%	10.0
Goleta (Fire Stn-Los Carneros)	440	0.00	0.00	0.00	2.46	41%	13%	
Lompoc (City Hall)	439	0.00	0.00	0.00	1.83	39%	13%	10.4
Los Alamos (Fire Stn)	204	0.00	0.00	0.00	2.57	54%	17%	
San Marcos Pass (USFS Stn)	212	0.00	0.00	0.00	3.75	36%	11%	
Santa Barbara (County Bldg)	234	0.00	0.00	0.00	2.23	39%	12%	
Santa Maria (City Pub.Works)	380	0.00	0.00	0.00	1.84	42%	14%	
Santa Ynez (Fire Stn /Airport)	218	0.00	0.00	0.00	2.07	42%	13%	
Sisquoc (Fire Stn)	256	0.00	0.00	0.00	1.65	34%	11%	

County-wide percentage of "Normal-to-Date" rainfall : **39%**

County-wide percentage of "Normal Water-Year" rainfall : **12%**

County-wide percentage of "Normal Water-Year" rainfall calculated assuming no more rain through Aug. 31, 2021 (End of WY2021).

AI (Antecedent Index / Soil Wetness)

6.0 and below = Wet (min. = 2.5)
 6.1 - 9.0 = Moderate
 9.1 and above = Dry (max. = 12.5)

Reservoirs

Reservoir Elevations referenced to NGVD-29.

**Cachuma is full and subject to spilling at elevation 750 ft.

However, the lake is surcharged to 753 ft. for fish release water.

(Cachuma water storage is based on Dec 2013 capacity revision)

Click on Site for Real-Time Readings	Spillway Elev. (ft)	Current Elev. (ft)	Max. Storage (ac-ft)	Current Storage (ac-ft)	Current Capacity (%)	Storage Change Mo.(ac-ft)	Storage Change Year*(ac-ft)
Gibraltar Reservoir	1,400.00	1,374.91	4,559	517	11.3%	-23	-1,693
Cachuma Reservoir	753.**	727.19	193,305	124,342	64.3%	-91	-19,433
Jameson Reservoir	2,224.00	2,213.68	4,848	3,641	75.1%	-9	-647
Twitchell Reservoir	651.50	540.43	194,971	2,885	1.5%	60	-935

[Previous Rainfall and Reservoir Summaries](#)



Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara CA 93101 - 805.568.3440 - www.countyofsb.org/pwd

Rainfall and Reservoir Summary

Updated 8am: 1/1/2021 Water Year: 2021 Storm Number: NA

Notes: Daily rainfall amounts are recorded as of 8am for the previous 24 hours. Rainfall units are expressed in inches. All data on this page are from automated sensors, are preliminary, and subject to verification.

*Each Water Year (WY) runs from Sept 1 through Aug 31 and is designated by the calendar year in which it ends
[County Real-Time Rainfall and Reservoir Website link: > http://www.countyofsb.org/hydrology](http://www.countyofsb.org/hydrology)

Rainfall	ID	24 hrs	Storm 0day(s)	Month	Year*	% to Date	% of Year*	AI
Buellton (Fire Stn)	233	0.01	0.00	0.01	1.86	38%	11%	
Cachuma Dam (USBR)	332	0.00	0.00	0.00	1.97	35%	10%	
Carpinteria (Fire Stn)	208	0.00	0.00	0.00	1.83	36%	11%	
Cuyama (Fire Stn)	436	0.01	0.00	0.01	1.14	49%	15%	
Figueroa Mtn. (USFS Stn)	421	0.00	0.00	0.00	2.33	35%	11%	10.5
Gibraltar Dam (City Facility)	230	0.00	0.00	0.00	3.25	43%	12%	10.0
Goleta (Fire Stn-Los Carneros)	440	0.00	0.00	0.00	2.46	43%	13%	
Lompoc (City Hall)	439	0.00	0.00	0.00	1.83	42%	13%	10.4
Los Alamos (Fire Stn)	204	0.00	0.00	0.00	2.57	56%	17%	
San Marcos Pass (USFS Stn)	212	0.00	0.00	0.00	3.75	37%	11%	
Santa Barbara (County Bldg)	234	0.00	0.00	0.00	2.23	41%	12%	
Santa Maria (City Pub.Works)	380	0.00	0.00	0.00	1.84	44%	14%	
Santa Ynez (Fire Stn /Airport)	218	0.00	0.00	0.00	2.07	45%	13%	
Sisquoc (Fire Stn)	256	0.00	0.00	0.00	1.65	35%	11%	

County-wide percentage of "Normal-to-Date" rainfall : **41%**

County-wide percentage of "Normal Water-Year" rainfall : **12%**

County-wide percentage of "Normal Water-Year" rainfall calculated assuming no more rain through Aug. 31, 2021 (End of WY2021).

AI (Antecedent Index / Soil Wetness)

6.0 and below = Wet (min. = 2.5)
 6.1 - 9.0 = Moderate
 9.1 and above = Dry (max. = 12.5)

Reservoirs

Reservoir Elevations referenced to NGVD-29.

**Cachuma is full and subject to spilling at elevation 750 ft.

However, the lake is surcharged to 753 ft. for fish release water.

(Cachuma water storage is based on Dec 2013 capacity revision)

Click on Site for Real-Time Readings	Spillway Elev. (ft)	Current Elev. (ft)	Max. Storage (ac-ft)	Current Storage (ac-ft)	Current Capacity (%)	Storage Change Mo.(ac-ft)	Storage Change Year*(ac-ft)
Gibraltar Reservoir	1,400.00	1,375.13	4,559	540	11.8%	0	-1,670
Cachuma Reservoir	753.**	727.23	193,305	124,433	64.4%	0	-19,342
Jameson Reservoir	2,224.00	2,213.76	4,848	3,650	75.3%	0	-638
Twitchell Reservoir	651.50	540.31	194,971	2,825	1.4%	0	-995



Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara CA 93101 - 805.568.3440 - www.countyofsb.org/pwd

Rainfall and Reservoir Summary

Updated 8am: 12/29/2020

Water Year: 2021

Storm Number: 2

Notes: Daily rainfall amounts are recorded as of 8am for the previous 24 hours. Rainfall units are expressed in inches.

All data on this page are from automated sensors, are preliminary, and subject to verification.

*Each Water Year (WY) runs from Sept 1 through Aug 31 and is designated by the calendar year in which it ends

County Real-Time Rainfall and Reservoir Website link: <http://www.countyofsb.org/hydrology>

Rainfall	ID	24 hrs	Storm 2day(s)	Month	Year*	% to Date	% of Year*	AI
Buellton (Fire Stn)	233	0.85	1.60	1.67	1.85	39%	11%	
Cachuma Dam (USBR)	332	0.75	1.67	1.67	1.96	36%	10%	
Carpinteria (Fire Stn)	208	0.60	1.59	1.59	1.83	37%	11%	
Cuyama (Fire Stn)	436	0.14	0.83	0.86	1.11	49%	14%	
Figueroa Mtn. (USFS Stn)	421	0.59	1.37	1.47	2.33	36%	11%	10.4
Gibraltar Dam (City Facility)	230	1.54	3.06	3.06	3.25	45%	12%	10.0
Goleta (Fire Stn-Los Carneros)	440	1.47	2.42	2.42	2.46	45%	13%	
Lompoc (City Hall)	439	0.48	1.29	1.46	1.77	42%	12%	10.3
Los Alamos (Fire Stn)	204	1.06	1.90	2.00	2.56	58%	17%	
San Marcos Pass (USFS Stn)	212	1.95	3.53	3.53	3.75	39%	11%	
Santa Barbara (County Bldg)	234	1.12	2.13	2.13	2.23	43%	12%	
Santa Maria (City Pub.Works)	380	0.64	1.38	1.41	1.83	46%	14%	
Santa Ynez (Fire Stn /Airport)	218	0.82	1.76	1.83	2.07	46%	13%	
Sisquoc (Fire Stn)	256	0.46	1.27	1.28	1.64	36%	11%	

County-wide percentage of "Normal-to-Date" rainfall : **43%**

County-wide percentage of "Normal Water-Year" rainfall : **12%**

County-wide percentage of "Normal Water-Year" rainfall calculated assuming no more rain through Aug. 31, 2021 (End of WY2021).

AI (Antecedent Index / Soil Wetness)

6.0 and below = Wet (min. = 2.5)

6.1 - 9.0 = Moderate

9.1 and above = Dry (max. = 12.5)

Reservoirs

Reservoir Elevations referenced to NGVD-29.

**Cachuma is full and subject to spilling at elevation 750 ft.

However, the lake is surcharged to 753 ft. for fish release water.

(Cachuma water storage is based on Dec 2013 capacity revision)

Click on Site for Real-Time Readings	Spillway Elev. (ft)	Current Elev. (ft)	Max. Storage (ac-ft)	Current Storage (ac-ft)	Current Capacity (%)	Storage Change Mo.(ac-ft)	Storage Change Year*(ac-ft)
Gibraltar Reservoir	1,400.00	1,375.33	4,559	564	12.4%	-192	-1,646
Cachuma Reservoir	753.**	727.30	193,305	124,591	64.5%	-2,025	-19,184
Jameson Reservoir	2,224.00	2,213.86	4,848	3,660	75.5%	-98	-628
Twitchell Reservoir	651.50	540.31	194,971	2,837	1.5%	-36	-983

[Previous Rainfall and Reservoir Summaries](#)



Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara CA 93101 - 805.568.3440 - www.countyofsb.org/pwd

Rainfall and Reservoir Summary

Updated 8am: 12/28/2020

Water Year: 2021

Storm Number: 2

Notes: Daily rainfall amounts are recorded as of 8am for the previous 24 hours. Rainfall units are expressed in inches.

All data on this page are from automated sensors, are preliminary, and subject to verification.

*Each Water Year (WY) runs from Sept 1 through Aug 31 and is designated by the calendar year in which it ends

[County Real-Time Rainfall and Reservoir Website link](http://www.countyofsb.org/hydrology) ➤ <http://www.countyofsb.org/hydrology>

Rainfall	ID	24 hrs	Storm 1 day(s)	Month	Year*	% to Date	% of Year*	AI
Buellton (Fire Stn)	233	0.75	0.75	0.82	1.00	22%	6%	
Cachuma Dam (USBR)	332	0.92	0.92	0.92	1.21	23%	6%	
Carpinteria (Fire Stn)	208	0.99	0.99	0.99	1.23	26%	7%	
Cuyama (Fire Stn)	436	0.69	0.69	0.72	0.97	44%	13%	
Figueroa Mtn (USFS Stn)	421	0.78	0.78	0.88	1.74	28%	8%	10.7
Gibraltar Dam (City Facility)	230	1.52	1.52	1.52	1.71	24%	7%	10.6
Goleta (Fire Stn-Los Carneros)	440	0.95	0.95	0.95	0.99	18%	5%	
Lompoc (City Hall)	439	0.81	0.81	0.98	1.29	31%	9%	10.6
Los Alamos (Fire Stn)	204	0.84	0.84	0.94	1.50	35%	10%	
San Marcos Pass (USFS Stn)	212	1.58	1.58	1.58	1.80	19%	5%	
Santa Barbara (County Bldg)	234	1.01	1.01	1.01	1.11	22%	6%	
Santa Maria (City Pub.Works)	380	0.74	0.74	0.77	1.19	30%	9%	
Santa Ynez (Fire Stn /Airport)	218	0.94	0.94	1.01	1.25	29%	8%	
Sisquoc (Fire Stn)	256	0.81	0.81	0.82	1.18	27%	8%	

County-wide percentage of "Normal-to-Date" rainfall : **27%**

County-wide percentage of "Normal Water-Year" rainfall : **8%**

County-wide percentage of "Normal Water-Year" rainfall calculated assuming no more rain through Aug. 31, 2021 (End of WY2021).

AI (Antecedent Index / Soil Wetness)

6.0 and below = Wet (min. = 2.5)

6.1 - 9.0 = Moderate

9.1 and above = Dry (max. = 12.5)

Reservoirs

Reservoir Elevations referenced to NGVD-29.

**Cachuma is full and subject to spilling at elevation 750 ft.

However, the lake is surcharged to 753 ft. for fish release water.

(Cachuma water storage is based on Dec 2013 capacity revision)

Click on Site for Real-Time Readings	Spillway Elev. (ft)	Current Elev. (ft)	Max. Storage (ac-ft)	Current Storage (ac-ft)	Current Capacity (%)	Storage Change Mo.(ac-ft)	Storage Change Year*(ac-ft)
Gibraltar Reservoir	1,400.00	1,375.22	4,559	552	12.1%	-204	-1,658
Cachuma Reservoir	753.**	727.26	193,305	124,501	64.4%	-2,115	-19,274
Jameson Reservoir	2,224.00	2,213.72	4,848	3,645	75.2%	-113	-643
Twitchell Reservoir	651.50	540.17	194,971	2,781	1.4%	-92	-1,039

[Previous Rainfall and Reservoir Summaries](#)



Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara CA 93101 - 805.568.3440 - www.countyofsb.org/pwd

Rainfall and Reservoir Summary

Updated 8am: 12/21/2020

Water Year: 2021

Storm Number: NA

Notes: Daily rainfall amounts are recorded as of 8am for the previous 24 hours. Rainfall units are expressed in inches.

All data on this page are from automated sensors, are preliminary, and subject to verification.

*Each Water Year (WY) runs from Sept 1 through Aug 31 and is designated by the calendar year in which it ends

County Real-Time Rainfall and Reservoir Website link: <http://www.countyofsb.org/hydrology>

Rainfall	ID	24 hrs	Storm 0day(s)	Month	Year*	% to Date	% of Year*	AI
Buellton (Fire Stn)	233	0.00	0.00	0.01	0.19	5%	1%	
Cachuma Dam (USBR)	332	0.00	0.00	0.00	0.29	7%	1%	
Carpinteria (Fire Stn)	208	0.00	0.00	0.00	0.24	6%	1%	
Cuyama (Fire Stn)	436	0.00	0.00	0.00	0.25	13%	3%	
Figueroa Mtn. (USFS Stn)	421	0.00	0.00	0.00	0.86	16%	4%	11.0
Gibraltar Dam (City Facility)	230	0.00	0.00	0.00	0.19	3%	1%	11.3
Goleta (Fire Stn-Los Carneros)	440	0.00	0.00	0.00	0.04	1%	0%	
Lompoc (City Hall)	439	0.00	0.00	0.13	0.44	13%	3%	11.1
Los Alamos (Fire Stn)	204	0.00	0.00	0.06	0.62	17%	4%	
San Marcos Pass (USFS Stn)	212	0.00	0.00	0.00	0.22	3%	1%	
Santa Barbara (County Bldg)	234	0.00	0.00	0.00	0.10	2%	1%	
Santa Maria (City Pub.Works)	380	0.00	0.00	0.03	0.45	14%	3%	
Santa Ynez (Fire Stn /Airport)	218	0.00	0.00	0.01	0.25	7%	2%	
Sisquoc (Fire Stn)	256	0.00	0.00	0.00	0.36	10%	2%	

County-wide percentage of "Normal-to-Date" rainfall : **8%**

County-wide percentage of "Normal Water-Year" rainfall : **2%**

County-wide percentage of "Normal Water-Year" rainfall calculated assuming no more rain through Aug. 31, 2021 (End of WY2021).

AI (Antecedent Index / Soil Wetness)

6.0 and below = Wet (min. = 2.5)

6.1 - 9.0 = Moderate

9.1 and above = Dry (max. = 12.5)

Reservoirs

Reservoir Elevations referenced to NGVD-29.

**Cachuma is full and subject to spilling at elevation 750 ft.

However, the lake is surcharged to 753 ft. for fish release water.

(Cachuma water storage is based on Dec 2013 capacity revision)

Click on Site for Real-Time Readings	Spillway Elev. (ft)	Current Elev. (ft)	Max. Storage (ac-ft)	Current Storage (ac-ft)	Current Capacity (%)	Storage Change Mo.(ac-ft)	Storage Change Year*(ac-ft)
Gibraltar Reservoir	1,400.00	1,375.58	4,559	592	13.0%	-164	-1,618
Cachuma Reservoir	753.**	727.46	193,305	124,953	64.6%	-1,663	-18,822
Jameson Reservoir	2,224.00	2,213.84	4,848	3,658	75.5%	-100	-630
Twitchell Reservoir	651.50	540.19	194,971	2,789	1.4%	-84	-1,031

[Previous Rainfall and Reservoir Summaries](#)



Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara CA 93101 - 805.568.3440 - www.countyofsb.org/pwd

Rainfall and Reservoir Summary

Updated 8am: 12/18/2020

Water Year: 2021

Storm Number: NA

Notes: Daily rainfall amounts are recorded as of 8am for the previous 24 hours. Rainfall units are expressed in inches.

All data on this page are from automated sensors, are preliminary, and subject to verification.

*Each Water Year (WY) runs from Sept 1 through Aug 31 and is designated by the calendar year in which it ends

County Real-Time Rainfall and Reservoir Website link: <http://www.countyofsb.org/hydrology>

Rainfall	ID	24 hrs	Storm 0day(s)	Month	Year*	% to Date	% of Year*	AI
Buellton (Fire Stn)	233	0.00	0.00	0.01	0.19	5%	1%	
Cachuma Dam (USBR)	332	0.00	0.00	0.00	0.29	7%	1%	
Carpinteria (Fire Stn)	208	0.00	0.00	0.00	0.24	6%	1%	
Cuyama (Fire Stn)	436	0.00	0.00	0.00	0.25	14%	3%	
Figueroa Mtn. (USFS Stn)	421	0.00	0.00	0.00	0.86	17%	4%	11.0
Gibraltar Dam (City Facility)	230	0.00	0.00	0.00	0.19	4%	1%	11.3
Goleta (Fire Stn-Los Carneros)	440	0.00	0.00	0.00	0.04	1%	0%	
Lompoc (City Hall)	439	0.01	0.00	0.13	0.44	13%	3%	11.1
Los Alamos (Fire Stn)	204	0.00	0.00	0.06	0.62	19%	4%	
San Marcos Pass (USFS Stn)	212	0.00	0.00	0.00	0.22	3%	1%	
Santa Barbara (County Bldg)	234	0.00	0.00	0.00	0.10	3%	1%	
Santa Maria (City Pub.Works)	380	0.00	0.00	0.03	0.45	15%	3%	
Santa Ynez (Fire Stn /Airport)	218	0.01	0.00	0.01	0.25	7%	2%	
Sisquoc (Fire Stn)	256	0.00	0.00	0.00	0.36	10%	2%	

County-wide percentage of "Normal-to-Date" rainfall : **9%**

County-wide percentage of "Normal Water-Year" rainfall : **2%**

County-wide percentage of "Normal Water-Year" rainfall calculated assuming no more rain through Aug. 31, 2021 (End of WY2021).

AI (Antecedent Index / Soil Wetness)

6.0 and below = Wet (min. = 2.5)

6.1 - 9.0 = Moderate

9.1 and above = Dry (max. = 12.5)

Reservoirs

Reservoir Elevations referenced to NGVD-29.

**Cachuma is full and subject to spilling at elevation 750 ft.

However, the lake is surcharged to 753 ft. for fish release water.

(Cachuma water storage is based on Dec 2013 capacity revision)

Click on Site for Real-Time Readings	Spillway Elev. (ft)	Current Elev. (ft)	Max. Storage (ac-ft)	Current Storage (ac-ft)	Current Capacity (%)	Storage Change Mo.(ac-ft)	Storage Change Year*(ac-ft)
Gibraltar Reservoir	1,400.00	1,375.81	4,559	618	13.6%	-138	-1,592
Cachuma Reservoir	753.**	727.57	193,305	125,201	64.8%	-1,415	-18,574
Jameson Reservoir	2,224.00	2,214.00	4,848	3,675	75.8%	-83	-613
Twitchell Reservoir	651.50	540.15	194,971	2,773	1.4%	-100	-1,047

[Previous Rainfall and Reservoir Summaries](#)



Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara CA 93101 - 805.568.3440 - www.countyofsb.org/pwd

Rainfall and Reservoir Summary

Updated 8am: 12/14/2020

Water Year: 2021

Storm Number: NA

Notes: Daily rainfall amounts are recorded as of 8am for the previous 24 hours. Rainfall units are expressed in inches.

All data on this page are from automated sensors, are preliminary, and subject to verification.

*Each Water Year (WY) runs from Sept 1 through Aug 31 and is designated by the calendar year in which it ends

County Real-Time Rainfall and Reservoir Website link: <http://www.countyofsb.org/hydrology>

Rainfall	ID	24 hrs	Storm 0day(s)	Month	Year*	% to Date	% of Year*	AI
Buellton (Fire Stn)	233	0.01	0.00	0.01	0.19	6%	1%	
Cachuma Dam (USBR)	332	0.00	0.00	0.00	0.29	8%	1%	
Carpinteria (Fire Stn)	208	0.00	0.00	0.00	0.24	7%	1%	
Cuyama (Fire Stn)	436	0.00	0.00	0.00	0.25	15%	3%	
Figueroa Mtn. (USFS Stn)	421	0.00	0.00	0.00	0.86	18%	4%	11.0
Gibraltar Dam (City Facility)	230	0.00	0.00	0.00	0.19	4%	1%	11.3
Goleta (Fire Stn-Los Carneros)	440	0.00	0.00	0.00	0.04	1%	0%	
Lompoc (City Hall)	439	0.01	0.00	0.11	0.42	14%	3%	11.1
Los Alamos (Fire Stn)	204	0.02	0.00	0.06	0.62	21%	4%	
San Marcos Pass (USFS Stn)	212	0.00	0.00	0.00	0.22	3%	1%	
Santa Barbara (County Bldg)	234	0.00	0.00	0.00	0.10	3%	1%	
Santa Maria (City Pub.Works)	380	0.02	0.00	0.03	0.45	16%	3%	
Santa Ynez (Fire Stn /Airport)	218	0.00	0.00	0.00	0.24	8%	2%	
Sisquoc (Fire Stn)	256	0.00	0.00	0.00	0.36	11%	2%	

County-wide percentage of "Normal-to-Date" rainfall : **10%**

County-wide percentage of "Normal Water-Year" rainfall : **2%**

County-wide percentage of "Normal Water-Year" rainfall calculated assuming no more rain through Aug. 31, 2021 (End of WY2021).

AI (Antecedent Index / Soil Wetness)

6.0 and below = Wet (min. = 2.5)

6.1 - 9.0 = Moderate

9.1 and above = Dry (max. = 12.5)

Reservoirs

Reservoir Elevations referenced to NGVD-29.

**Cachuma is full and subject to spilling at elevation 750 ft.

However, the lake is surcharged to 753 ft. for fish release water.

(Cachuma water storage is based on Dec 2013 capacity revision)

Click on Site for Real-Time Readings	Spillway Elev. (ft)	Current Elev. (ft)	Max. Storage (ac-ft)	Current Storage (ac-ft)	Current Capacity (%)	Storage Change Mo.(ac-ft)	Storage Change Year*(ac-ft)
Gibraltar Reservoir	1,400.00	1,376.09	4,559	649	14.2%	-107	-1,561
Cachuma Reservoir	753.**	727.69	193,305	125,474	64.9%	-1,142	-18,301
Jameson Reservoir	2,224.00	2,214.16	4,848	3,693	76.2%	-65	-595
Twitchell Reservoir	651.50	540.23	194,971	2,805	1.4%	-68	-1,015

[Previous Rainfall and Reservoir Summaries](#)



Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara CA 93101 - 805.568.3440 - www.countyofsb.org/pwd

Rainfall and Reservoir Summary

Updated 8am: 12/11/2020

Water Year: 2021

Storm Number: NA

Notes: Daily rainfall amounts are recorded as of 8am for the previous 24 hours. Rainfall units are expressed in inches.

All data on this page are from automated sensors, are preliminary, and subject to verification.

*Each Water Year (WY) runs from Sept 1 through Aug 31 and is designated by the calendar year in which it ends

[County Real-Time Rainfall and Reservoir Website link](http://www.countyofsb.org/hydrology) ➤ <http://www.countyofsb.org/hydrology>

Rainfall	ID	24 hrs	Storm 0day(s)	Month	Year*	% to Date	% of Year*	AI
Buellton (Fire Stn)	233	0.00	0.00	0.00	0.18	6%	1%	
Cachuma Dam (USBR)	332	0.00	0.00	0.00	0.29	8%	1%	
Carpinteria (Fire Stn)	208	0.00	0.00	0.00	0.24	7%	1%	
Cuyama (Fire Stn)	436	0.00	0.00	0.00	0.25	15%	3%	
Figueroa Mtn (USFS Stn)	421	0.00	0.00	0.00	0.86	19%	4%	10.9
Gibraltar Dam (City Facility)	230	0.00	0.00	0.00	0.19	4%	1%	11.3
Goleta (Fire Stn-Los Carneros)	440	0.00	0.00	0.00	0.04	1%	0%	
Lompoc (City Hall)	439	0.00	0.00	0.00	0.31	11%	2%	11.2
Los Alamos (Fire Stn)	204	0.00	0.00	0.00	0.56	20%	4%	
San Marcos Pass (USFS Stn)	212	0.00	0.00	0.00	0.22	3%	1%	
Santa Barbara (County Bldg)	234	0.00	0.00	0.00	0.10	3%	1%	
Santa Maria (City Pub.Works)	380	0.00	0.00	0.00	0.42	16%	3%	
Santa Ynez (Fire Stn /Airport)	218	0.00	0.00	0.00	0.24	8%	2%	
Sisquoc (Fire Stn)	256	0.00	0.00	0.00	0.36	12%	2%	

County-wide percentage of "Normal-to-Date" rainfall : **10%**

County-wide percentage of "Normal Water-Year" rainfall : **2%**

County-wide percentage of "Normal Water-Year" rainfall calculated assuming no more rain through Aug. 31, 2021 (End of WY2021).

AI (Antecedent Index / Soil Wetness)

6.0 and below = Wet (min. = 2.5)
 6.1 - 9.0 = Moderate
 9.1 and above = Dry (max. = 12.5)

Reservoirs

Reservoir Elevations referenced to NGVD-29.

**Cachuma is full and subject to spilling at elevation 750 ft.

However, the lake is surcharged to 753 ft. for fish release water.

(Cachuma water storage is based on Dec 2013 capacity revision)

Click on Site for Real-Time Readings	Spillway Elev. (ft)	Current Elev. (ft)	Max. Storage (ac-ft)	Current Storage (ac-ft)	Current Capacity (%)	Storage Change Mo.(ac-ft)	Storage Change Year*(ac-ft)
Gibraltar Reservoir	1,400.00	1,376.31	4,559	675	14.8%	-81	-1,535
Cachuma Reservoir	753.**	727.81	193,305	125,748	65.1%	-868	-18,027
Jameson Reservoir	2,224.00	2,214.30	4,848	3,708	76.5%	-50	-580
Twitchell Reservoir	651.50	540.27	194,971	2,821	1.4%	-52	-999

[Previous Rainfall and Reservoir Summaries](#)



Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara CA 93101 - 805.568.3440 - www.countyofsb.org/pwd

Rainfall and Reservoir Summary

Updated 8am: 12/7/2020

Water Year: 2021

Storm Number: NA

Notes: Daily rainfall amounts are recorded as of 8am for the previous 24 hours. Rainfall units are expressed in inches. All data on this page are from automated sensors, are preliminary, and subject to verification.

*Each Water Year (WY) runs from Sept 1 through Aug 31 and is designated by the calendar year in which it ends

County Real-Time Rainfall and Reservoir Website link: ➤ <http://www.countyofsb.org/hydrology>

Rainfall	ID	24 hrs	Storm 0day(s)	Month	Year*	% to Date	% of Year*	AI
Buellton (Fire Stn)	233	0.00	0.00	0.00	0.18	6%	1%	
Cachuma Dam (USBR)	332	0.00	0.00	0.00	0.29	9%	1%	
Carpinteria (Fire Stn)	208	0.00	0.00	0.00	0.24	8%	1%	
Cuyama (Fire Stn)	436	0.00	0.00	0.00	0.25	16%	3%	
Figueroa Mtn (USFS Stn)	421	0.00	0.00	0.00	0.86	20%	4%	10.9
Gibraltar Dam (City Facility)	230	0.00	0.00	0.00	0.19	5%	1%	11.3
Goleta (Fire Stn-Los Carneros)	440	0.00	0.00	0.00	0.04	1%	0%	
Lompoc (City Hall)	439	0.00	0.00	0.00	0.31	12%	2%	11.1
Los Alamos (Fire Stn)	204	0.00	0.00	0.00	0.56	21%	4%	
San Marcos Pass (USFS Stn)	212	0.00	0.00	0.00	0.22	4%	1%	
Santa Barbara (County Bldg)	234	0.00	0.00	0.00	0.10	3%	1%	
Santa Maria (City Pub.Works)	380	0.00	0.00	0.00	0.42	17%	3%	
Santa Ynez (Fire Stn /Airport)	218	0.00	0.00	0.00	0.24	8%	2%	
Sisquoc (Fire Stn)	256	0.00	0.00	0.00	0.36	13%	2%	

County-wide percentage of "Normal-to-Date" rainfall : **10%**

County-wide percentage of "Normal Water-Year" rainfall : **2%**

County-wide percentage of "Normal Water-Year" rainfall calculated assuming no more rain through Aug. 31, 2021 (End of WY2021).

AI (Antecedent Index / Soil Wetness)

6.0 and below = Wet (min. = 2.5)
 6.1 - 9.0 = Moderate
 9.1 and above = Dry (max. = 12.5)

Reservoirs

Reservoir Elevations referenced to NGVD-29.
 **Cachuma is full and subject to spilling at elevation 750 ft.
 However, the lake is surcharged to 753 ft. for fish release water.
 (Cachuma water storage is based on Dec 2013 capacity revision)

Click on Site for Real-Time Readings	Spillway Elev. (ft)	Current Elev. (ft)	Max. Storage (ac-ft)	Current Storage (ac-ft)	Current Capacity (%)	Storage Change Mo.(ac-ft)	Storage Change Year*(ac-ft)
Gibraltar Reservoir	1,400.00	1,376.60	4,559	708	15.5%	-48	-1,502
Cachuma Reservoir	753.**	727.98	193,305	126,136	65.3%	-480	-17,639
Jameson Reservoir	2,224.00	2,214.48	4,848	3,728	76.9%	-30	-560
Twitchell Reservoir	651.50	540.34	194,971	2,849	1.5%	-24	-971



Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara CA 93101 - 805.568.3440 - www.countyofsb.org/pwd

Rainfall and Reservoir Summary

Updated 8am: 12/4/2020

Water Year: 2021

Storm Number: NA

Notes: Daily rainfall amounts are recorded as of 8am for the previous 24 hours. Rainfall units are expressed in inches. All data on this page are from automated sensors, are preliminary, and subject to verification.

*Each Water Year (WY) runs from Sept 1 through Aug 31 and is designated by the calendar year in which it ends

County Real-Time Rainfall and Reservoir Website link: <http://www.countyofsb.org/hydrology>

Rainfall	ID	24 hrs	Storm 0day(s)	Month	Year*	% to Date	% of Year*	AI
Buellton (Fire Stn)	233	0.00	0.00	0.00	0.18	6%	1%	
Cachuma Dam (USBR)	332	0.00	0.00	0.00	0.29	9%	1%	
Carpinteria (Fire Stn)	208	0.00	0.00	0.00	0.24	8%	1%	
Cuyama (Fire Stn)	436	0.00	0.00	0.00	0.25	17%	3%	
Figueroa Mtn (USFS Stn)	421	0.00	0.00	0.00	0.86	22%	4%	10.9
Gibraltar Dam (City Facility)	230	0.00	0.00	0.00	0.19	5%	1%	11.3
Goleta (Fire Stn-Los Carneros)	440	0.00	0.00	0.00	0.04	1%	0%	
Lompoc (City Hall)	439	0.00	0.00	0.00	0.31	13%	2%	11.1
Los Alamos (Fire Stn)	204	0.00	0.00	0.00	0.56	24%	4%	
San Marcos Pass (USFS Stn)	212	0.00	0.00	0.00	0.22	4%	1%	
Santa Barbara (County Bldg)	234	0.00	0.00	0.00	0.10	3%	1%	
Santa Maria (City Pub.Works)	380	0.00	0.00	0.00	0.42	19%	3%	
Santa Ynez (Fire Stn /Airport)	218	0.00	0.00	0.00	0.24	9%	2%	
Sisquoc (Fire Stn)	256	0.00	0.00	0.00	0.36	14%	2%	

County-wide percentage of "Normal-to-Date" rainfall : **11%**

County-wide percentage of "Normal Water-Year" rainfall : **2%**

County-wide percentage of "Normal Water-Year" rainfall calculated assuming no more rain through Aug. 31, 2021 (End of WY2021).

AI (Antecedent Index / Soil Wetness)

6.0 and below = Wet (min. = 2.5)
 6.1 - 9.0 = Moderate
 9.1 and above = Dry (max. = 12.5)

Reservoirs

Reservoir Elevations referenced to NGVD-29.

**Cachuma is full and subject to spilling at elevation 750 ft.

However, the lake is surcharged to 753 ft. for fish release water.

(Cachuma water storage is based on Dec 2013 capacity revision)

Click on Site for Real-Time Readings	Spillway Elev. (ft)	Current Elev. (ft)	Max. Storage (ac-ft)	Current Storage (ac-ft)	Current Capacity (%)	Storage Change Mo.(ac-ft)	Storage Change Year*(ac-ft)
Gibraltar Reservoir	1,400.00	1,376.80	4,559	731	16.0%	-25	-1,479
Cachuma Reservoir	753.**	728.08	193,305	126,365	65.4%	-251	-17,410
Jameson Reservoir	2,224.00	2,214.64	4,848	3,745	77.2%	-13	-543
Twitchell Reservoir	651.50	540.31	194,971	2,837	1.5%	-36	-983

[Previous Rainfall and Reservoir Summaries](#)



Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara CA 93101 - 805.568.3440 - www.countyofsb.org/pwd

Rainfall and Reservoir Summary

Updated 8am: 12/1/2020

Water Year: 2021

Storm Number: NA

Notes: Daily rainfall amounts are recorded as of 8am for the previous 24 hours. Rainfall units are expressed in inches.

All data on this page are from automated sensors, are preliminary, and subject to verification.

*Each Water Year (WY) runs from Sept 1 through Aug 31 and is designated by the calendar year in which it ends

[County Real-Time Rainfall and Reservoir Website link](http://www.countyofsb.org/hydrology) ➤ <http://www.countyofsb.org/hydrology>

Rainfall	ID	24 hrs	Storm 0day(s)	Month	Year*	% to Date	% of Year*	AI
Buellton (Fire Stn)	233	0.00	0.00	0.00	0.18	7%	1%	
Cachuma Dam (USBR)	332	0.00	0.00	0.00	0.29	11%	1%	
Carpinteria (Fire Stn)	208	0.00	0.00	0.00	0.24	9%	1%	
Cuyama (Fire Stn)	436	0.00	0.00	0.00	0.25	19%	3%	
Figueroa Mtn (USFS Stn)	421	0.00	0.00	0.00	0.86	24%	4%	10.9
Gibraltar Dam (City Facility)	230	0.00	0.00	0.00	0.19	6%	1%	11.3
Goleta (Fire Stn-Los Carneros)	440	0.00	0.00	0.00	0.04	1%	0%	
Lompoc (City Hall)	439	0.00	0.00	0.00	0.31	14%	2%	11.1
Los Alamos (Fire Stn)	204	0.00	0.00	0.00	0.56	26%	4%	
San Marcos Pass (USFS Stn)	212	0.00	0.00	0.00	0.22	4%	1%	
Santa Barbara (County Bldg)	234	0.00	0.00	0.00	0.10	4%	1%	
Santa Maria (City Pub.Works)	380	0.00	0.00	0.00	0.42	21%	3%	
Santa Ynez (Fire Stn /Airport)	218	0.00	0.00	0.00	0.24	10%	2%	
Sisquoc (Fire Stn)	256	0.00	0.00	0.00	0.36	15%	2%	

County-wide percentage of "Normal-to-Date" rainfall : **12%**

County-wide percentage of "Normal Water-Year" rainfall : **2%**

County-wide percentage of "Normal Water-Year" rainfall calculated assuming no more rain through Aug. 31, 2021 (End of WY2021).

AI (Antecedent Index / Soil Wetness)

6.0 and below = Wet (min. = 2.5)

6.1 - 9.0 = Moderate

9.1 and above = Dry (max. = 12.5)

Reservoirs

Reservoir Elevations referenced to NGVD-29.

**Cachuma is full and subject to spilling at elevation 750 ft.

However, the lake is surcharged to 753 ft. for fish release water.

(Cachuma water storage is based on Dec 2013 capacity revision)

Click on Site for Real-Time Readings	Spillway Elev. (ft)	Current Elev. (ft)	Max. Storage (ac-ft)	Current Storage (ac-ft)	Current Capacity (%)	Storage Change Mo.(ac-ft)	Storage Change Year*(ac-ft)
Gibraltar Reservoir	1,400.00	1,377.02	4,559	756	16.6%	0	-1,454
Cachuma Reservoir	753.**	728.19	193,305	126,616	65.5%	0	-17,159
Jameson Reservoir	2,224.00	2,214.76	4,848	3,758	77.5%	0	-530
Twitchell Reservoir	651.50	540.40	194,971	2,873	1.5%	0	-947

[Previous Rainfall and Reservoir Summaries](#)



Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara CA 93101 - 805.568.3440 - www.countyofsb.org/pwd

Rainfall and Reservoir Summary

Updated 8am: 11/30/2020

Water Year: 2021

Storm Number: NA

Notes: Daily rainfall amounts are recorded as of 8am for the previous 24 hours. Rainfall units are expressed in inches. All data on this page are from automated sensors, are preliminary, and subject to verification.

*Each Water Year (WY) runs from Sept 1 through Aug 31 and is designated by the calendar year in which it ends

County Real-Time Rainfall and Reservoir Website link: ➤ <http://www.countyofsb.org/hydrology>

Rainfall	ID	24 hrs	Storm 0day(s)	Month	Year*	% to Date	% of Year*	AI
Buellton (Fire Stn)	233	0.00	0.00	0.18	0.18	7%	1%	
Cachuma Dam (USBR)	332	0.00	0.00	0.29	0.29	11%	1%	
Carpinteria (Fire Stn)	208	0.00	0.00	0.23	0.24	10%	1%	
Cuyama (Fire Stn)	436	0.00	0.00	0.25	0.25	19%	3%	
Figueroa Mtn (USFS Stn)	421	0.00	0.00	0.85	0.86	24%	4%	10.9
Gibraltar Dam (City Facility)	230	0.00	0.00	0.19	0.19	6%	1%	11.3
Goleta (Fire Stn-Los Carneros)	440	0.00	0.00	0.03	0.04	1%	0%	
Lompoc (City Hall)	439	0.00	0.00	0.30	0.31	15%	2%	11.1
Los Alamos (Fire Stn)	204	0.00	0.00	0.53	0.56	27%	4%	
San Marcos Pass (USFS Stn)	212	0.00	0.00	0.21	0.22	5%	1%	
Santa Barbara (County Bldg)	234	0.00	0.00	0.05	0.10	4%	1%	
Santa Maria (City Pub.Works)	380	0.00	0.00	0.39	0.42	21%	3%	
Santa Ynez (Fire Stn /Airport)	218	0.00	0.00	0.23	0.24	11%	2%	
Sisquoc (Fire Stn)	256	0.00	0.00	0.36	0.36	16%	2%	

County-wide percentage of "Normal-to-Date" rainfall : **13%**

County-wide percentage of "Normal Water-Year" rainfall : **2%**

County-wide percentage of "Normal Water-Year" rainfall calculated assuming no more rain through Aug. 31, 2021 (End of WY2021).

AI (Antecedent Index / Soil Wetness)

6.0 and below = Wet (min. = 2.5)
 6.1 - 9.0 = Moderate
 9.1 and above = Dry (max. = 12.5)

Reservoirs

Reservoir Elevations referenced to NGVD-29.
 **Cachuma is full and subject to spilling at elevation 750 ft. However, the lake is surcharged to 753 ft. for fish release water. (Cachuma water storage is based on Dec 2013 capacity revision)

Click on Site for Real-Time Readings	Spillway Elev. (ft)	Current Elev. (ft)	Max. Storage (ac-ft)	Current Storage (ac-ft)	Current Capacity (%)	Storage Change Mo.(ac-ft)	Storage Change Year*(ac-ft)
Gibraltar Reservoir	1,400.00	1,377.10	4,559	765	16.8%	-389	-1,445
Cachuma Reservoir	753.**	728.22	193,305	126,685	65.5%	-3,462	-17,090
Jameson Reservoir	2,224.00	2,214.82	4,848	3,765	77.7%	-157	-523
Twitchell Reservoir	651.50	540.40	194,971	2,885	1.5%	-187	-935

[Previous Rainfall and Reservoir Summaries](#)



Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara CA 93101 - 805.568.3440 - www.countyofsb.org/pwd

Rainfall and Reservoir Summary

Updated 8am: 11/23/2020

Water Year: 2021

Storm Number: NA

Notes: Daily rainfall amounts are recorded as of 8am for the previous 24 hours. Rainfall units are expressed in inches. All data on this page are from automated sensors, are preliminary, and subject to verification.

*Each Water Year (WY) runs from Sept 1 through Aug 31 and is designated by the calendar year in which it ends
[County Real-Time Rainfall and Reservoir Website link: > http://www.countyofsb.org/hydrology](http://www.countyofsb.org/hydrology)

Rainfall	ID	24 hrs	Storm 0day(s)	Month	Year*	% to Date	% of Year*	AI
Buellton (Fire Stn)	233	0.00	0.00	0.18	0.18	9%	1%	
Cachuma Dam (USBR)	332	0.00	0.00	0.29	0.29	13%	1%	
Carpinteria (Fire Stn)	208	0.00	0.00	0.23	0.24	11%	1%	
Cuyama (Fire Stn)	436	0.00	0.00	0.25	0.25	22%	3%	
Figueroa Mtn. (USFS Stn)	421	0.00	0.00	0.85	0.86	30%	4%	10.9
Gibraltar Dam (City Facility)	230	0.00	0.00	0.19	0.19	7%	1%	11.3
Goleta (Fire Stn-Los Carneros)	440	0.00	0.00	0.03	0.04	2%	0%	
Lompoc (City Hall)	439	0.00	0.00	0.30	0.31	18%	2%	11.2
Los Alamos (Fire Stn)	204	0.00	0.00	0.53	0.56	33%	4%	
San Marcos Pass (USFS Stn)	212	0.00	0.00	0.21	0.22	6%	1%	
Santa Barbara (County Bldg)	234	0.00	0.00	0.05	0.10	5%	1%	
Santa Maria (City Pub.Works)	380	0.00	0.00	0.39	0.42	26%	3%	
Santa Ynez (Fire Stn /Airport)	218	0.00	0.00	0.23	0.24	13%	2%	
Sisquoc (Fire Stn)	256	0.00	0.00	0.36	0.36	19%	2%	

County-wide percentage of "Normal-to-Date" rainfall : **15%**

County-wide percentage of "Normal Water-Year" rainfall : **2%**

County-wide percentage of "Normal Water-Year" rainfall calculated assuming no more rain through Aug. 31, 2021 (End of WY2021).

AI (Antecedent Index / Soil Wetness)

6.0 and below = Wet (min. = 2.5)
 6.1 - 9.0 = Moderate
 9.1 and above = Dry (max. = 12.5)

Reservoirs

Reservoir Elevations referenced to NGVD-29.

**Cachuma is full and subject to spilling at elevation 750 ft.

However, the lake is surcharged to 753 ft. for fish release water.

(Cachuma water storage is based on Dec 2013 capacity revision)

Click on Site for Real-Time Readings	Spillway Elev. (ft)	Current Elev. (ft)	Max. Storage (ac-ft)	Current Storage (ac-ft)	Current Capacity (%)	Storage Change Mo.(ac-ft)	Storage Change Year*(ac-ft)
Gibraltar Reservoir	1,400.00	1,377.65	4,559	830	18.2%	-324	-1,380
Cachuma Reservoir	753.**	728.54	193,305	127,416	65.9%	-2,731	-16,359
Jameson Reservoir	2,224.00	2,215.12	4,848	3,798	78.3%	-124	-490
Twitchell Reservoir	651.50	540.45	194,971	2,893	1.5%	-179	-927



Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara CA 93101 - 805.568.3440 - www.countyofsb.org/pwd

Rainfall and Reservoir Summary

Updated 8am: 11/16/2020

Water Year: 2021

Storm Number: NA

Notes: Daily rainfall amounts are recorded as of 8am for the previous 24 hours. Rainfall units are expressed in inches.

All data on this page are from automated sensors, are preliminary, and subject to verification.

*Each Water Year (WY) runs from Sept 1 through Aug 31 and is designated by the calendar year in which it ends

[County Real-Time Rainfall and Reservoir Website link](http://www.countyofsb.org/hydrology) ➤ <http://www.countyofsb.org/hydrology>

Rainfall	ID	24 hrs	Storm 0day(s)	Month	Year*	% to Date	% of Year*	AI
Buellton (Fire Stn)	233	0.00	0.00	0.16	0.16	10%	1%	
Cachuma Dam (USBR)	332	0.00	0.00	0.29	0.29	17%	1%	
Carpinteria (Fire Stn)	208	0.00	0.00	0.23	0.24	14%	1%	
Cuyama (Fire Stn)	436	0.00	0.00	0.25	0.25	27%	3%	
Figueroa Mtn (USFS Stn)	421	0.00	0.00	0.81	0.82	36%	4%	11.0
Gibraltar Dam (City Facility)	230	0.00	0.00	0.19	0.19	9%	1%	11.3
Goleta (Fire Stn-Los Carneros)	440	0.00	0.00	0.03	0.04	2%	0%	
Lompoc (City Hall)	439	0.00	0.00	0.30	0.31	23%	2%	11.2
Los Alamos (Fire Stn)	204	0.00	0.00	0.53	0.56	40%	4%	
San Marcos Pass (USFS Stn)	212	0.00	0.00	0.21	0.22	7%	1%	
Santa Barbara (County Bldg)	234	0.00	0.00	0.05	0.10	6%	1%	
Santa Maria (City Pub.Works)	380	0.00	0.00	0.36	0.39	29%	3%	
Santa Ynez (Fire Stn /Airport)	218	0.00	0.00	0.21	0.22	15%	1%	
Sisquoc (Fire Stn)	256	0.00	0.00	0.34	0.34	22%	2%	

County-wide percentage of "Normal-to-Date" rainfall : **18%**

County-wide percentage of "Normal Water-Year" rainfall : **2%**

County-wide percentage of "Normal Water-Year" rainfall calculated assuming no more rain through Aug. 31, 2021 (End of WY2021).

AI (Antecedent Index / Soil Wetness)

6.0 and below = Wet (min. = 2.5)
 6.1 - 9.0 = Moderate
 9.1 and above = Dry (max. = 12.5)

Reservoirs

Reservoir Elevations referenced to NGVD-29.

**Cachuma is full and subject to spilling at elevation 750 ft.

However, the lake is surcharged to 753 ft. for fish release water.

(Cachuma water storage is based on Dec 2013 capacity revision)

Click on Site for Real-Time Readings	Spillway Elev. (ft)	Current Elev. (ft)	Max. Storage (ac-ft)	Current Storage (ac-ft)	Current Capacity (%)	Storage Change Mo.(ac-ft)	Storage Change Year*(ac-ft)
Gibraltar Reservoir	1,400.00	1,378.47	4,559	927	20.3%	-227	-1,283
Cachuma Reservoir	753.**	728.94	193,305	128,339	66.4%	-1,808	-15,436
Jameson Reservoir	2,224.00	2,215.44	4,848	3,834	79.1%	-88	-454
Twitchell Reservoir	651.50	540.54	194,971	2,928	1.5%	-144	-892

[Previous Rainfall and Reservoir Summaries](#)



Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara CA 93101 - 805.568.3440 - www.countyofsb.org/pwd

Rainfall and Reservoir Summary

Updated 8am: 11/13/2020

Water Year: 2021

Storm Number: NA

Notes: Daily rainfall amounts are recorded as of 8am for the previous 24 hours. Rainfall units are expressed in inches.

All data on this page are from automated sensors, are preliminary, and subject to verification.

*Each Water Year (WY) runs from Sept 1 through Aug 31 and is designated by the calendar year in which it ends

[County Real-Time Rainfall and Reservoir Website link](http://www.countyofsb.org/hydrology) ➤ <http://www.countyofsb.org/hydrology>

Rainfall	ID	24 hrs	Storm 0day(s)	Month	Year*	% to Date	% of Year*	AI
Buellton (Fire Stn)	233	0.00	0.00	0.16	0.16	11%	1%	
Cachuma Dam (USBR)	332	0.00	0.00	0.29	0.29	20%	1%	
Carpinteria (Fire Stn)	208	0.00	0.00	0.23	0.24	16%	1%	
Cuyama (Fire Stn)	436	0.00	0.00	0.25	0.25	29%	3%	
Figueroa Mtn (USFS Stn)	421	0.00	0.00	0.81	0.82	39%	4%	11.0
Gibraltar Dam (City Facility)	230	0.00	0.00	0.19	0.19	11%	1%	11.3
Goleta (Fire Stn-Los Carneros)	440	0.00	0.00	0.03	0.04	3%	0%	
Lompoc (City Hall)	439	0.00	0.00	0.30	0.31	26%	2%	11.2
Los Alamos (Fire Stn)	204	0.00	0.00	0.53	0.56	47%	4%	
San Marcos Pass (USFS Stn)	212	0.00	0.00	0.21	0.22	8%	1%	
Santa Barbara (County Bldg)	234	0.00	0.00	0.05	0.10	6%	1%	
Santa Maria (City Pub.Works)	380	0.00	0.00	0.36	0.39	32%	3%	
Santa Ynez (Fire Stn /Airport)	218	0.00	0.00	0.21	0.22	18%	1%	
Sisquoc (Fire Stn)	256	0.00	0.00	0.34	0.34	25%	2%	

County-wide percentage of "Normal-to-Date" rainfall : **21%**

County-wide percentage of "Normal Water-Year" rainfall : **2%**

County-wide percentage of "Normal Water-Year" rainfall calculated assuming no more rain through Aug. 31, 2021 (End of WY2021).

AI (Antecedent Index / Soil Wetness)

6.0 and below = Wet (min. = 2.5)

6.1 - 9.0 = Moderate

9.1 and above = Dry (max. = 12.5)

Reservoirs

Reservoir Elevations referenced to NGVD-29.

**Cachuma is full and subject to spilling at elevation 750 ft.

However, the lake is surcharged to 753 ft. for fish release water.

(Cachuma water storage is based on Dec 2013 capacity revision)

Click on Site for Real-Time Readings	Spillway Elev. (ft)	Current Elev. (ft)	Max. Storage (ac-ft)	Current Storage (ac-ft)	Current Capacity (%)	Storage Change Mo.(ac-ft)	Storage Change Year*(ac-ft)
Gibraltar Reservoir	1,400.00	1,378.84	4,559	971	21.3%	-183	-1,239
Cachuma Reservoir	753.**	729.05	193,305	128,594	66.5%	-1,553	-15,181
Jameson Reservoir	2,224.00	2,215.62	4,848	3,854	79.5%	-68	-434
Twitchell Reservoir	651.50	540.52	194,971	2,920	1.5%	-152	-900

[Previous Rainfall and Reservoir Summaries](#)



Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara CA 93101 - 805.568.3440 - www.countyofsb.org/pwd

Rainfall and Reservoir Summary

Updated 8am: 11/9/2020

Water Year: 2021

Storm Number: 1

Notes: Daily rainfall amounts are recorded as of 8am for the previous 24 hours. Rainfall units are expressed in inches. All data on this page are from automated sensors, are preliminary, and subject to verification.

*Each Water Year (WY) runs from Sept 1 through Aug 31 and is designated by the calendar year in which it ends

County Real-Time Rainfall and Reservoir Website link: <http://www.countyofsb.org/hydrology>

Rainfall	ID	24 hrs	Storm 3day(s)	Month	Year*	% to Date	% of Year*	AI
Buellton (Fire Stn)	233	0.00	0.16	0.16	0.16	14%	1%	
Cachuma Dam (USBR)	332	0.00	0.29	0.29	0.29	24%	1%	
Carpinteria (Fire Stn)	208	0.00	0.23	0.23	0.24	19%	1%	
Cuyama (Fire Stn)	436	0.03	0.25	0.25	0.25	33%	3%	
Figueroa Mtn (USFS Stn)	421	0.00	0.81	0.81	0.82	48%	4%	11.1
Gibraltar Dam (City Facility)	230	0.03	0.19	0.19	0.19	14%	1%	11.4
Goleta (Fire Stn-Los Carneros)	440	0.00	0.03	0.03	0.04	3%	0%	
Lompoc (City Hall)	439	0.07	0.30	0.30	0.31	31%	2%	11.3
Los Alamos (Fire Stn)	204	0.04	0.53	0.53	0.56	57%	4%	
San Marcos Pass (USFS Stn)	212	0.00	0.21	0.21	0.22	10%	1%	
Santa Barbara (County Bldg)	234	0.00	0.04	0.05	0.10	8%	1%	
Santa Maria (City Pub.Works)	380	0.00	0.36	0.36	0.39	38%	3%	
Santa Ynez (Fire Stn /Airport)	218	0.01	0.20	0.21	0.22	21%	1%	
Sisquoc (Fire Stn)	256	0.00	0.34	0.34	0.34	31%	2%	

County-wide percentage of "Normal-to-Date" rainfall : **25%**

County-wide percentage of "Normal Water-Year" rainfall : **2%**

County-wide percentage of "Normal Water-Year" rainfall calculated assuming no more rain through Aug. 31, 2021 (End of WY2021).

AI (Antecedent Index / Soil Wetness)

6.0 and below = Wet (min. = 2.5)
 6.1 - 9.0 = Moderate
 9.1 and above = Dry (max. = 12.5)

Reservoirs

Reservoir Elevations referenced to NGVD-29.
 **Cachuma is full and subject to spilling at elevation 750 ft. However, the lake is surcharged to 753 ft. for fish release water. (Cachuma water storage is based on Dec 2013 capacity revision)

Click on Site for Real-Time Readings	Spillway Elev. (ft)	Current Elev. (ft)	Max. Storage (ac-ft)	Current Storage (ac-ft)	Current Capacity (%)	Storage Change Mo.(ac-ft)	Storage Change Year*(ac-ft)
Gibraltar Reservoir	1,400.00	1,379.32	4,559	1,030	22.6%	-124	-1,180
Cachuma Reservoir	753.**	729.23	193,305	129,010	66.7%	-1,137	-14,765
Jameson Reservoir	2,224.00	2,215.82	4,848	3,877	80.0%	-45	-411
Twitchell Reservoir	651.50	540.65	194,971	2,972	1.5%	-100	-848

[Previous Rainfall and Reservoir Summaries](#)



Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara CA 93101 - 805.568.3440 - www.countyofsb.org/pwd

Rainfall and Reservoir Summary

Updated 8am: 11/8/2020

Water Year: 2021

Storm Number: 1

Notes: Daily rainfall amounts are recorded as of 8am for the previous 24 hours. Rainfall units are expressed in inches.

All data on this page are from automated sensors, are preliminary, and subject to verification.

*Each Water Year (WY) runs from Sept 1 through Aug 31 and is designated by the calendar year in which it ends

County Real-Time Rainfall and Reservoir Website link: <http://www.countyofsb.org/hydrology>

Rainfall	ID	24 hrs	Storm 2day(s)	Month	Year*	% to Date	% of Year*	AI
Buellton (Fire Stn)	233	0.07	0.16	0.16	0.16	15%	1%	
Cachuma Dam (USBR)	332	0.23	0.29	0.29	0.29	25%	1%	
Carpinteria (Fire Stn)	208	0.00	0.23	0.23	0.24	20%	1%	
Cuyama (Fire Stn)	436	0.05	0.22	0.22	0.22	30%	3%	
Figueroa Mtn. (USFS Stn)	421	0.31	0.81	0.81	0.82	51%	4%	11.1
Gibraltar Dam (City Facility)	230	0.10	0.16	0.16	0.16	12%	1%	11.4
Goleta (Fire Stn-Los Carneros)	440	0.02	0.03	0.03	0.04	4%	0%	
Lompoc (City Hall)	439	0.12	0.23	0.23	0.24	25%	2%	11.3
Los Alamos (Fire Stn)	204	0.22	0.49	0.49	0.52	57%	3%	
San Marcos Pass (USFS Stn)	212	0.09	0.21	0.21	0.22	11%	1%	
Santa Barbara (County Bldg)	234	0.04	0.04	0.05	0.10	9%	1%	
Santa Maria (City Pub.Works)	380	0.01	0.36	0.36	0.39	41%	3%	
Santa Ynez (Fire Stn /Airport)	218	0.12	0.19	0.20	0.21	21%	1%	
Sisquoc (Fire Stn)	256	0.07	0.34	0.34	0.34	32%	2%	

County-wide percentage of "Normal-to-Date" rainfall : **25%**

County-wide percentage of "Normal Water-Year" rainfall : **2%**

County-wide percentage of "Normal Water-Year" rainfall calculated assuming no more rain through Aug. 31, 2021 (End of WY2021).

AI (Antecedent Index / Soil Wetness)

6.0 and below = Wet (min. = 2.5)

6.1 - 9.0 = Moderate

9.1 and above = Dry (max. = 12.5)

Reservoirs

Reservoir Elevations referenced to NGVD-29.

**Cachuma is full and subject to spilling at elevation 750 ft.

However, the lake is surcharged to 753 ft. for fish release water.

(Cachuma water storage is based on Dec 2013 capacity revision)

Click on Site for Real-Time Readings	Spillway Elev. (ft)	Current Elev. (ft)	Max. Storage (ac-ft)	Current Storage (ac-ft)	Current Capacity (%)	Storage Change Mo.(ac-ft)	Storage Change Year*(ac-ft)
Gibraltar Reservoir	1,400.00	1,379.46	4,559	1,047	23.0%	-107	-1,163
Cachuma Reservoir	753.**	729.29	193,305	129,149	66.8%	-998	-14,626
Jameson Reservoir	2,224.00	2,215.84	4,848	3,879	80.0%	-43	-409
Twitchell Reservoir	651.50	540.68	194,971	2,984	1.5%	-88	-836

[Previous Rainfall and Reservoir Summaries](#)



Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara CA 93101 - 805.568.3440 - www.countyofsb.org/pwd

Rainfall and Reservoir Summary

Updated 8am: 11/7/2020

Water Year: 2021

Storm Number: 1

Notes: Daily rainfall amounts are recorded as of 8am for the previous 24 hours. Rainfall units are expressed in inches.

All data on this page are from automated sensors, are preliminary, and subject to verification.

*Each Water Year (WY) runs from Sept 1 through Aug 31 and is designated by the calendar year in which it ends

County Real-Time Rainfall and Reservoir Website link: <http://www.countyofsb.org/hydrology>

Rainfall	ID	24 hrs	Storm 1day(s)	Month	Year*	% to Date	% of Year*	AI
Buellton (Fire Stn)	233	0.09	0.09	0.09	0.09	9%	1%	
Cachuma Dam (USBR)	332	0.06	0.06	0.06	0.06	6%	0%	
Carpinteria (Fire Stn)	208	0.23	0.23	0.23	0.24	22%	1%	
Cuyama (Fire Stn)	436	0.17	0.17	0.17	0.17	23%	2%	
Figueroa Mtn. (USFS Stn)	421	0.50	0.50	0.50	0.51	34%	2%	11.3
Gibraltar Dam (City Facility)	230	0.06	0.06	0.06	0.06	5%	0%	11.5
Goleta (Fire Stn-Los Carneros)	440	0.01	0.01	0.01	0.02	2%	0%	
Lompoc (City Hall)	439	0.11	0.11	0.11	0.12	14%	1%	11.4
Los Alamos (Fire Stn)	204	0.27	0.27	0.27	0.30	35%	2%	
San Marcos Pass (USFS Stn)	212	0.12	0.12	0.12	0.13	7%	0%	
Santa Barbara (County Bldg)	234	0.00	0.00	0.01	0.06	5%	0%	
Santa Maria (City Pub.Works)	380	0.35	0.35	0.35	0.38	42%	3%	
Santa Ynez (Fire Stn /Airport)	218	0.07	0.07	0.08	0.09	10%	1%	
Sisquoc (Fire Stn)	256	0.27	0.27	0.27	0.27	28%	2%	

County-wide percentage of "Normal-to-Date" rainfall : **17%**

County-wide percentage of "Normal Water-Year" rainfall : **1%**

County-wide percentage of "Normal Water-Year" rainfall calculated assuming no more rain through Aug. 31, 2021 (End of WY2021).

AI (Antecedent Index / Soil Wetness)

6.0 and below = Wet (min. = 2.5)

6.1 - 9.0 = Moderate

9.1 and above = Dry (max. = 12.5)

Reservoirs

Reservoir Elevations referenced to NGVD-29.

**Cachuma is full and subject to spilling at elevation 750 ft.

However, the lake is surcharged to 753 ft. for fish release water.

(Cachuma water storage is based on Dec 2013 capacity revision)

Click on Site for Real-Time Readings	Spillway Elev. (ft)	Current Elev. (ft)	Max. Storage (ac-ft)	Current Storage (ac-ft)	Current Capacity (%)	Storage Change Mo.(ac-ft)	Storage Change Year*(ac-ft)
Gibraltar Reservoir	1,400.00	1,379.57	4,559	1,060	23.3%	-94	-1,150
Cachuma Reservoir	753.**	729.34	193,305	129,265	66.9%	-882	-14,510
Jameson Reservoir	2,224.00	2,215.88	4,848	3,883	80.1%	-39	-405
Twitchell Reservoir	651.50	540.64	194,971	2,968	1.5%	-104	-852

[Previous Rainfall and Reservoir Summaries](#)



Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara CA 93101 - 805.568.3440 - www.countyofsb.org/pwd

Rainfall and Reservoir Summary

Updated 8am: 11/1/2020

Water Year: 2021

Storm Number: NA

Notes: Daily rainfall amounts are recorded as of 8am for the previous 24 hours. Rainfall units are expressed in inches. All data on this page are from automated sensors, are preliminary, and subject to verification.

*Each Water Year (WY) runs from Sept 1 through Aug 31 and is designated by the calendar year in which it ends

County Real-Time Rainfall and Reservoir Website link: ➤ <http://www.countyofsb.org/hydrology>

Rainfall	ID	24 hrs	Storm 0day(s)	Month	Year*	% to Date	% of Year*	AI
Buellton (Fire Stn)	233	0.00	0.00	0.00	0.00	0%	0%	
Cachuma Dam (USBR)	332	0.00	0.00	0.00	0.00	0%	0%	
Carpinteria (Fire Stn)	208	0.00	0.00	0.00	0.01	1%	0%	
Cuyama (Fire Stn)	436	0.00	0.00	0.00	0.00	0%	0%	
Figueroa Mtn (USFS Stn)	421	0.00	0.00	0.00	0.01	1%	0%	12.5
Gibraltar Dam (City Facility)	230	0.00	0.00	0.00	0.00	0%	0%	12.5
Goleta (Fire Stn-Los Carneros)	440	0.00	0.00	0.00	0.01	1%	0%	
Lompoc (City Hall)	439	0.00	0.00	0.00	0.01	1%	0%	12.5
Los Alamos (Fire Stn)	204	0.00	0.00	0.00	0.03	4%	0%	
San Marcos Pass (USFS Stn)	212	0.00	0.00	0.00	0.01	1%	0%	
Santa Barbara (County Bldg)	234	0.00	0.00	0.00	0.05	5%	0%	
Santa Maria (City Pub.Works)	380	0.00	0.00	0.00	0.03	4%	0%	
Santa Ynez (Fire Stn /Airport)	218	0.00	0.00	0.00	0.01	1%	0%	
Sisquoc (Fire Stn)	256	0.00	0.00	0.00	0.00	0%	0%	

County-wide percentage of "Normal-to-Date" rainfall : **1%**

County-wide percentage of "Normal Water-Year" rainfall : **0%**

County-wide percentage of "Normal Water-Year" rainfall calculated assuming no more rain through Aug. 31, 2021 (End of WY2021).

AI (Antecedent Index / Soil Wetness)

6.0 and below = Wet (min. = 2.5)
 6.1 - 9.0 = Moderate
 9.1 and above = Dry (max. = 12.5)

Reservoirs

Reservoir Elevations referenced to NGVD-29.
 **Cachuma is full and subject to spilling at elevation 750 ft.
 However, the lake is surcharged to 753 ft. for fish release water.
 (Cachuma water storage is based on Dec 2013 capacity revision)

Click on Site for Real-Time Readings	Spillway Elev. (ft)	Current Elev. (ft)	Max. Storage (ac-ft)	Current Storage (ac-ft)	Current Capacity (%)	Storage Change Mo.(ac-ft)	Storage Change Year*(ac-ft)
Gibraltar Reservoir	1,400.00	1,380.34	4,559	1,154	25.3%	0	-1,056
Cachuma Reservoir	753.**	729.72	193,305	130,147	67.3%	0	-13,628
Jameson Reservoir	2,224.00	2,216.22	4,848	3,922	80.9%	0	-366
Twitchell Reservoir	651.50	540.90	194,971	3,072	1.6%	0	-748

[Previous Rainfall and Reservoir Summaries](#)



Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara CA 93101 - 805.568.3440 - www.countyofsb.org/pwd

Rainfall and Reservoir Summary

Updated 8am: 10/12/2020

Water Year: 2021

Storm Number: NA

Notes: Daily rainfall amounts are recorded as of 8am for the previous 24 hours. Rainfall units are expressed in inches.

All data on this page are from automated sensors, are preliminary, and subject to verification.

*Each Water Year (WY) runs from Sept 1 through Aug 31 and is designated by the calendar year in which it ends

County Real-Time Rainfall and Reservoir Website link > <http://www.countyofsb.org/hydrology>

Rainfall	ID	24 hrs	Storm 0day(s)	Month	Year*	% to Date	% of Year*	AI
Buellton (Fire Stn)	233	0.00	0.00	0.00	0.00	0%	0%	
Cachuma Dam (USBR)	332	0.00	0.00	0.00	0.00	0%	0%	
Carpinteria (Fire Stn)	208	0.00	0.00	0.00	0.01	3%	0%	
Cuyama (Fire Stn)	436	0.00	0.00	0.00	0.00	0%	0%	
Figueroa Mtn (USFS Stn)	421	0.00	0.00	0.00	0.00	0%	0%	12.5
Gibraltar Dam (City Facility)	230	0.00	0.00	0.00	0.00	0%	0%	12.5
Goleta (Fire Stn-Los Carneros)	440	0.00	0.00	0.00	0.00	0%	0%	
Lompoc (City Hall)	439	0.00	0.00	0.00	0.00	0%	0%	12.5
Los Alamos (Fire Stn)	204	0.00	0.00	0.00	0.02	7%	0%	
San Marcos Pass (USFS Stn)	212	0.00	0.00	0.00	0.00	0%	0%	
Santa Barbara (County Bldg)	234	0.00	0.00	0.00	0.04	10%	0%	
Santa Maria (City Pub.Works)	380	0.00	0.00	0.00	0.02	6%	0%	
Santa Ynez (Fire Stn /Airport)	218	0.00	0.00	0.00	0.01	3%	0%	
Sisquoc (Fire Stn)	256	0.00	0.00	0.00	0.00	0%	0%	

County-wide percentage of "Normal-to-Date" rainfall : **2%**

County-wide percentage of "Normal Water-Year" rainfall : **0%**

County-wide percentage of "Normal Water-Year" rainfall calculated assuming no more rain through Aug. 31, 2021 (End of WY2021).

AI (Antecedent Index / Soil Wetness)

6.0 and below = Wet (min. = 2.5)

6.1 - 9.0 = Moderate

9.1 and above = Dry (max. = 12.5)

Reservoirs

Reservoir Elevations referenced to NGVD-29.

**Cachuma is full and subject to spilling at elevation 750 ft.

However, the lake is surcharged to 753 ft. for fish release water.

(Cachuma water storage is based on Dec 2013 capacity revision)

Click on Site for Real-Time Readings	Spillway Elev. (ft)	Current Elev. (ft)	Max. Storage (ac-ft)	Current Storage (ac-ft)	Current Capacity (%)	Storage Change Mo.(ac-ft)	Storage Change Year*(ac-ft)
Gibraltar Reservoir	1,400.00	1,382.73	4,559	1,463	32.1%	-181	-747
Cachuma Reservoir	753.**	731.14	193,305	133,493	69.1%	-1,909	-10,282
Jameson Reservoir	2,224.00	2,217.22	4,848	4,037	83.3%	-67	-251
Twitchell Reservoir	651.50	541.35	194,971	3,260	1.7%	-189	-560

[Previous Rainfall and Reservoir Summaries](#)



Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara CA 93101 - 805.568.3440 - www.countyofsb.org/pwd

Rainfall and Reservoir Summary

Updated 8am: 10/1/2020

Water Year: 2021

Storm Number: NA

Notes: Daily rainfall amounts are recorded as of 8am for the previous 24 hours. Rainfall units are expressed in inches.

All data on this page are from automated sensors, are preliminary, and subject to verification.

*Each Water Year (WY) runs from Sept 1 through Aug 31 and is designated by the calendar year in which it ends

County Real-Time Rainfall and Reservoir Website link: <http://www.countyofsb.org/hydrology>

Rainfall	ID	24 hrs	Storm 0day(s)	Month	Year*	% to Date	% of Year*	AI
Buellton (Fire Stn)	233	0.00	0.00	0.00	0.00	0%	0%	
Cachuma Dam (USBR)	332	0.00	0.00	0.00	0.00	0%	0%	
Carpinteria (Fire Stn)	208	0.00	0.00	0.00	0.01	3%	0%	
Cuyama (Fire Stn)	436	0.00	0.00	0.00	0.00	0%	0%	
Figueroa Mtn (USFS Stn)	421	0.00	0.00	0.00	0.00	0%	0%	12.5
Gibraltar Dam (City Facility)	230	0.00	0.00	0.00	0.00	0%	0%	12.5
Goleta (Fire Stn-Los Carneros)	440	0.00	0.00	0.00	0.00	0%	0%	
Lompoc (City Hall)	439	0.00	0.00	0.00	0.00	0%	0%	12.5
Los Alamos (Fire Stn)	204	0.00	0.00	0.00	0.02	9%	0%	
San Marcos Pass (USFS Stn)	212	0.00	0.00	0.00	0.00	0%	0%	
Santa Barbara (County Bldg)	234	0.00	0.00	0.00	0.04	13%	0%	
Santa Maria (City Pub.Works)	380	0.00	0.00	0.00	0.02	9%	0%	
Santa Ynez (Fire Stn /Airport)	218	0.00	0.00	0.00	0.01	4%	0%	
Sisquoc (Fire Stn)	256	0.00	0.00	0.00	0.00	0%	0%	

County-wide percentage of "Normal-to-Date" rainfall : **3%**

County-wide percentage of "Normal Water-Year" rainfall : **0%**

County-wide percentage of "Normal Water-Year" rainfall calculated assuming no more rain through Aug. 31, 2021 (End of WY2021).

AI (Antecedent Index / Soil Wetness)

6.0 and below = Wet (min. = 2.5)
 6.1 - 9.0 = Moderate
 9.1 and above = Dry (max. = 12.5)

Reservoirs

Reservoir Elevations referenced to NGVD-29.

**Cachuma is full and subject to spilling at elevation 750 ft.

However, the lake is surcharged to 753 ft. for fish release water.

(Cachuma water storage is based on Dec 2013 capacity revision)

Click on Site for Real-Time Readings	Spillway Elev. (ft)	Current Elev. (ft)	Max. Storage (ac-ft)	Current Storage (ac-ft)	Current Capacity (%)	Storage Change Mo.(ac-ft)	Storage Change Year*(ac-ft)
Gibraltar Reservoir	1,400.00	1,384.06	4,559	1,644	36.1%	0	-566
Cachuma Reservoir	753.**	731.94	193,305	135,402	70.0%	0	-8,373
Jameson Reservoir	2,224.00	2,217.80	4,848	4,104	84.7%	0	-184
Twitchell Reservoir	651.50	541.80	194,971	3,449	1.8%	0	-371



Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara CA 93101 - 805.568.3440 - www.countyofsb.org/pwd

Rainfall and Reservoir Summary

Updated 8am: 9/14/2020

Water Year: 2021

Storm Number: NA

Notes: Daily rainfall amounts are recorded as of 8am for the previous 24 hours. Rainfall units are expressed in inches.

All data on this page are from automated sensors, are preliminary, and subject to verification.

*Each Water Year (WY) runs from Sept 1 through Aug 31 and is designated by the calendar year in which it ends

[County Real-Time Rainfall and Reservoir Website link](http://www.countyofsb.org/hydrology) ➤ <http://www.countyofsb.org/hydrology>

Rainfall	ID	24 hrs	Storm 0day(s)	Month	Year*	% to Date	% of Year*	AI
Buellton (Fire Stn)	233	0.00	0.00	0.00	0.00	0%	0%	
Cachuma Dam (USBR)	332	0.00	0.00	0.00	0.00	0%	0%	
Carpinteria (Fire Stn)	208	0.00	0.00	0.00	0.00	0%	0%	
Cuyama (Fire Stn)	436	0.00	0.00	0.00	0.00	0%	0%	
Figueroa Mtn (USFS Stn)	421	0.00	0.00	0.00	0.00	0%	0%	12.5
Gibraltar Dam (City Facility)	230	0.00	0.00	0.00	0.00	0%	0%	12.5
Goleta (Fire Stn-Los Carneros)	440	0.00	0.00	0.00	0.00	0%	0%	
Lompoc (City Hall)	439	0.00	0.00	0.00	0.00	0%	0%	12.5
Los Alamos (Fire Stn)	204	0.01	0.00	0.01	0.01	11%	0%	
San Marcos Pass (USFS Stn)	212	0.00	0.00	0.00	0.00	0%	0%	
Santa Barbara (County Bldg)	234	0.00	0.00	0.03	0.03	50%	0%	
Santa Maria (City Pub.Works)	380	0.00	0.00	0.01	0.01	19%	0%	
Santa Ynez (Fire Stn /Airport)	218	0.00	0.00	0.00	0.00	0%	0%	
Sisquoc (Fire Stn)	256	0.00	0.00	0.00	0.00	0%	0%	

County-wide percentage of "Normal-to-Date" rainfall : **6%**

County-wide percentage of "Normal Water-Year" rainfall : **0%**

County-wide percentage of "Normal Water-Year" rainfall calculated assuming no more rain through Aug. 31, 2021 (End of WY2021).

AI (Antecedent Index / Soil Wetness)

6.0 and below = Wet (min. = 2.5)
 6.1 - 9.0 = Moderate
 9.1 and above = Dry (max. = 12.5)

Reservoirs

Reservoir Elevations referenced to NGVD-29.

**Cachuma is full and subject to spilling at elevation 750 ft.

However, the lake is surcharged to 753 ft. for fish release water.

(Cachuma water storage is based on Dec 2013 capacity revision)

Click on Site for Real-Time Readings	Spillway Elev. (ft)	Current Elev. (ft)	Max. Storage (ac-ft)	Current Storage (ac-ft)	Current Capacity (%)	Storage Change Mo.(ac-ft)	Storage Change Year*(ac-ft)
Gibraltar Reservoir	1,400.00	1,386.27	4,559	1,965	43.1%	-245	-245
Cachuma Reservoir	753.**	733.42	193,305	138,980	71.9%	-4,795	-4,795
Jameson Reservoir	2,224.00	2,118.64	4,848	4,203	86.7%	-85	-85
Twitchell Reservoir	651.50	542.21	194,971	3,628	1.9%	-192	-192



Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara CA 93101 - 805.568.3440 - www.countyofsb.org/pwd

Rainfall and Reservoir Summary

Updated 8am: 9/4/2020

Water Year: 2021

Storm Number: NA

Notes: Daily rainfall amounts are recorded as of 8am for the previous 24 hours. Rainfall units are expressed in inches. All data on this page are from automated sensors, are preliminary, and subject to verification.

*Each Water Year (WY) runs from Sept 1 through Aug 31 and is designated by the calendar year in which it ends
[County Real-Time Rainfall and Reservoir Website link: > http://www.countyofsb.org/hydrology](http://www.countyofsb.org/hydrology)

Rainfall	ID	24 hrs	Storm 0day(s)	Month	Year*	% to Date	% of Year*	AI
Buellton (Fire Stn)	233	0.00	0.00	0.00	0.00	0%	0%	
Cachuma Dam (USBR)	332	0.00	0.00	0.00	0.00	0%	0%	
Carpinteria (Fire Stn)	208	0.00	0.00	0.00	0.00	0%	0%	
Cuyama (Fire Stn)	436	0.00	0.00	0.00	0.00	0%	0%	
Figueroa Mtn (USFS Stn)	421	0.00	0.00	0.00	0.00	0%	0%	12.5
Gibraltar Dam (City Facility)	230	0.00	0.00	0.00	0.00	0%	0%	12.5
Goleta (Fire Stn-Los Carneros)	440	0.00	0.00	0.00	0.00	0%	0%	
Lompoc (City Hall)	439	0.00	0.00	0.00	0.00	0%	0%	12.5
Los Alamos (Fire Stn)	204	0.00	0.00	0.00	0.00	0%	0%	
San Marcos Pass (USFS Stn)	212	0.00	0.00	0.00	0.00	0%	0%	
Santa Barbara (County Bldg)	234	0.00	0.00	0.00	0.00	0%	0%	
Santa Maria (City Pub.Works)	380	0.00	0.00	0.00	0.00	0%	0%	
Santa Ynez (Fire Stn /Airport)	218	0.00	0.00	0.00	0.00	0%	0%	
Sisquoc (Fire Stn)	256	0.00	0.00	0.00	0.00	0%	0%	

County-wide percentage of "Normal-to-Date" rainfall : 0%

County-wide percentage of "Normal Water-Year" rainfall : 0%

County-wide percentage of "Normal Water-Year" rainfall calculated assuming no more rain through Aug. 31, 2021 (End of WY2021).

AI (Antecedent Index / Soil Wetness)

6.0 and below = Wet (min. = 2.5)
 6.1 - 9.0 = Moderate
 9.1 and above = Dry (max. = 12.5)

Reservoirs

Reservoir Elevations referenced to NGVD-29.
 **Cachuma is full and subject to spilling at elevation 750 ft.
 However, the lake is surcharged to 753 ft. for fish release water.
 (Cachuma water storage is based on Dec 2013 capacity revision)

Click on Site for Real-Time Readings	Spillway Elev. (ft)	Current Elev. (ft)	Max. Storage (ac-ft)	Current Storage (ac-ft)	Current Capacity (%)	Storage Change Mo.(ac-ft)	Storage Change Year*(ac-ft)
Gibraltar Reservoir	1,400.00	1,387.47	4,559	2,156	47.3%	-54	-54
Cachuma Reservoir	753.**	734.87	193,305	142,552	73.7%	-1,223	-1,223
Jameson Reservoir	2,224.00	2,219.18	4,848	4,266	88.0%	-22	-22
Twitchell Reservoir	651.50	542.66	194,971	3,829	2.0%	9	9



Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara CA 93101 - 805.568.3440 - www.countyofsb.org/pwd

Rainfall and Reservoir Summary

Updated 8am: 9/1/2020

Water Year: 2021

Storm Number:

Notes: Daily rainfall amounts are recorded as of 8am for the previous 24 hours. Rainfall units are expressed in inches.

All data on this page are from automated sensors, are preliminary, and subject to verification.

*Each Water Year (WY) runs from Sept 1 through Aug 31 and is designated by the calendar year in which it ends

County Real-Time Rainfall and Reservoir Website link: <http://www.countyofsb.org/hydrology>

Rainfall	ID	24 hrs	Storm 0day(s)	Month	Year*	% to Date	% of Year*	AI
Buellton (Fire Stn)	233	0.00	0.00	0.00	0.00	0%	0%	
Cachuma Dam (USBR)	332	0.00	0.00	0.00	0.00	0%	0%	
Carpinteria (Fire Stn)	208	0.00	0.00	0.00	0.00	0%	0%	
Cuyama (Fire Stn)	436	0.00	0.00	0.00	0.00	0%	0%	
Figueroa Mtn (USFS Stn)	421	0.00	0.00	0.00	0.00	0%	0%	12.5
Gibraltar Dam (City Facility)	230	0.00	0.00	0.00	0.00	0%	0%	12.5
Goleta (Fire Stn-Los Carneros)	440	0.00	0.00	0.00	0.00	0%	0%	
Lompoc (City Hall)	439	0.00	0.00	0.00	0.00	0%	0%	12.5
Los Alamos (Fire Stn)	204	0.00	0.00	0.00	0.00	0%	0%	
San Marcos Pass (USFS Stn)	212	0.00	0.00	0.00	0.00	0%	0%	
Santa Barbara (County Bldg)	234	0.00	0.00	0.00	0.00	0%	0%	
Santa Maria (City Pub.Works)	380	0.00	0.00	0.00	0.00	0%	0%	
Santa Ynez (Fire Stn /Airport)	218	0.00	0.00	0.00	0.00	0%	0%	
Sisquoc (Fire Stn)	256	0.00	0.00	0.00	0.00	0%	0%	

County-wide percentage of "Normal-to-Date" rainfall : 0%

County-wide percentage of "Normal Water-Year" rainfall : 0%

County-wide percentage of "Normal Water-Year" rainfall calculated assuming no more rain through Aug. 31, 2021 (End of WY2021).

AI (Antecedent Index / Soil Wetness)

6.0 and below = Wet (min. = 2.5)

6.1 - 9.0 = Moderate

9.1 and above = Dry (max. = 12.5)

Reservoirs

Reservoir Elevations referenced to NGVD-29.

**Cachuma is full and subject to spilling at elevation 750 ft.

However, the lake is surcharged to 753 ft. for fish release water.

(Cachuma water storage is based on Dec 2013 capacity revision)

Click on Site for Real-Time Readings	Spillway Elev. (ft)	Current Elev. (ft)	Max. Storage (ac-ft)	Current Storage (ac-ft)	Current Capacity (%)	Storage Change Mo.(ac-ft)	Storage Change Year*(ac-ft)
Gibraltar Reservoir	1,400.00	1,387.80	4,559	2,210	48.5%	0	0
Cachuma Reservoir	753.**	735.36	193,305	143,775	74.4%	0	0
Jameson Reservoir	2,224.00	2,219.36	4,848	4,288	88.4%	0	0
Twitchell Reservoir	651.50	542.64	194,971	3,820	2.0%	0	0

[Previous Rainfall and Reservoir Summaries](#)



Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara CA 93101 - 805.568.3440 - www.countyofsb.org/pwd

Rainfall and Reservoir Summary

Updated 8am: 8/31/2020

Water Year: 2020

Storm Number: NA

Notes: Daily rainfall amounts are recorded as of 8am for the previous 24 hours. Rainfall units are expressed in inches. All data on this page are from automated sensors, are preliminary, and subject to verification.

*Each Water Year (WY) runs from Sept 1 through Aug 31 and is designated by the calendar year in which it ends
[County Real-Time Rainfall and Reservoir Website link: > http://www.countyofsb.org/hydrology](http://www.countyofsb.org/hydrology)

Rainfall	ID	24 hrs	Storm 0day(s)	Month	Year*	% to Date	% of Year*	AI
Buellton (Fire Stn)	233	0.00	0.00	0.23	15.43	93%	93%	
Cachuma Dam (USBR)	332	0.00	0.00	0.00	20.98	106%	106%	
Carpinteria (Fire Stn)	208	0.00	0.00	0.01	13.14	76%	76%	
Cuyama (Fire Stn)	436	0.00	0.00	0.00	8.75	114%	114%	
Figueroa Mtn (USFS Stn)	421	0.00	0.00	0.11	21.57	101%	101%	11.4
Gibraltar Dam (City Facility)	230	0.00	0.00	0.00	24.51	93%	93%	12.1
Goleta (Fire Stn-Los Carneros)	440	0.00	0.00	0.00	14.23	77%	77%	
Lompoc (City Hall)	439	0.00	0.00	0.07	12.97	89%	89%	12.5
Los Alamos (Fire Stn)	204	0.00	0.00	0.08	15.23	100%	100%	
San Marcos Pass (USFS Stn)	212	0.00	0.00	0.00	27.86	82%	82%	
Santa Barbara (County Bldg)	234	0.00	0.00	0.00	16.47	90%	90%	
Santa Maria (City Pub.Works)	380	0.00	0.00	0.07	11.45	86%	86%	
Santa Ynez (Fire Stn /Airport)	218	0.01	0.00	0.01	15.13	96%	96%	
Sisquoc (Fire Stn)	256	0.00	0.00	0.20	13.50	89%	89%	

County-wide percentage of "Normal-to-Date" rainfall : **92%**

County-wide percentage of "Normal Water-Year" rainfall : **92%**

County-wide percentage of "Normal Water-Year" rainfall calculated assuming no more rain through Aug. 31, 2021 (End of WY2021).

AI (Antecedent Index / Soil Wetness)

6.0 and below = Wet (min. = 2.5)
 6.1 - 9.0 = Moderate
 9.1 and above = Dry (max. = 12.5)

Reservoirs

Reservoir Elevations referenced to NGVD-29.

**Cachuma is full and subject to spilling at elevation 750 ft. However, the lake is surcharged to 753 ft. for fish release water. (Cachuma water storage is based on Dec 2013 capacity revision)

Click on Site for Real-Time Readings	Spillway Elev. (ft)	Current Elev. (ft)	Max. Storage (ac-ft)	Current Storage (ac-ft)	Current Capacity (%)	Storage Change Mo.(ac-ft)	Storage Change Year*(ac-ft)
Gibraltar Reservoir	1,400.00	1,387.93	4,559	2,231	48.9%	-606	-308
Cachuma Reservoir	753.**	735.46	193,305	144,025	74.5%	-3,853	-3,981
Jameson Reservoir	2,224.00	2,219.44	4,848	4,297	88.6%	-198	-350
Twitchell Reservoir	651.50	542.78	194,971	3,882	2.0%	-430	-14,924